

PRODUCT SPEC BOOK

VEHICLES • ACCESSORIES • PARTS • MAINTENANCE APPAREL • PLAY AND LICENSING PRODUCTS

PRODUCT SPEC BOOK 2022

VEHICLE SPECIFICATIONS

Rotax Engines

Summit X with Expert Package

Summit X

Summit Edge

Summit SP

Freeride

Backcountry X-RS

Backcountry X

Backcountry

Backcountry Sport

Renegade X-RS

with Competition Package

Renegade X-RS

Renegade X

Renegade Enduro

Renegade Adrenaline

Renegade Sport

MXZ X-RS

MXZX

MXZ TNT 42

MXZ Sport

Grand Touring Limited

Grand Touring Sport

Expedition Xtreme

Expedition SE

Expedition SWT

Expedition LE

Expedition Sport

Tundra LT

Tundra Sport

Skandic SWT Skandic WT

68 Skandic Sport

70 Comparative Chart

ACCESSORIES

77 Platform/Accessory Fit Guide

LinQ Accessories

81 Fuel & Oil Caddies

81 Storage

Sleigh, Racks & Holders

Seats & Backrests

Windshields & Wind Protection

105 Handguards & Handlebar

107 Mirrors

108 Adjustable Risers & Extension Kits

110 LED Lights

111 Bumpers, Hitches & Winches

117 Protection & Reinforcement

120 Toe-Holds, Footrests & Knee

122 Suspension & Fox Shock Kits

125 Vent Kits & Prefilters

126 Cooling & Lubrication

127 Electrical & Electronics

131 Trailering & Covers

134 Garage & Truck Sled Decks

PARTS

137 Traction & Control

148 Propulsion

150 Electrical

MAINTENANCE

153 Oils & Maintenance Products

156 Care Products

APPAREL

159 Technology Guide

164 Helmets

167 Goggles

168 Riding Gear

174 Mitts & Gloves

176 Boots & Socks

177 Headwear & Balaclavas

179 Base Layers

181 Mid Layers

182 Men's Sportswear

185 Ladies' Sportswear

187 Kids' & Teen Wear

190 Tekvest

190 Bags

191 Play & Licensing Products

192 Sizing Chart



tising purposes, some scenes depicted in this brochure include professional riders and racers executing maneuvers or performances under ideal and/or controlled conditions. Do not attempt any of these or any other risky maneuvers if they're beyon your level of riding ability, as well as your understanding and respect for the performance of your snowmobile. Always ride responsibly and safely, Always observe applicable local laws and regulations. Always wear the appropriate protective clothing, including a helmet. And remember, if you're going to drink, please don't ride. Because of its ongoing commitment to product quality and innovation, Bombardier Recreational Products Inc. (BRP) reserves the right, at a rule, to discontinue or change specifications, prices, designs, features, models or equipment without incurring any obligation. Some models depicted herein may include optional equipment. Prices are based on Manufacturer Suggested Retail Prices. Dealer may sell for a different price. Taxes are not included. BRP is a proud member of the SSCC (Snowmobiling Safety Certification Committee), Machine Safety Standard, Operator Safety Training, Safe Trails, ISMA (International Snowmobile Manufacturers Association), National Snowmobile Foundation and Tread Lightly Inc. By being a member of these important snowmobiling associations, we recognize and support their efforts in sharing the responsibility in promoting the growth of our sport. Isolfil is a registered trademark of Sympatex rechnologies GmbH. Dri-Lex is a registered trademark of Sympatex is a registered trademark of MCTECH Corporation. PrimaLoft Gold, PrimaLoft Silver and PrimaLoft Black are registered trademarks of Albany International Corp. Sympatex is a registered trademark of DVANSA. Velcro is a registered trademark of DVANSA. Velcro is a registered trademark of DVANSA. trademark of Velcro Industries. Scott is a trademark of Scott Sparts SA. M-FORGE® Composite is a patented and registered trademark of MAT GROUP™. Telvest is a registered trademark of Scott is a registered trademark of Bluetooth SIG, Inc. Warn is a registered trademark of MAT GROUP™. Telvest is a registered trademark of English and Televish as a registered trademark of Superwinch LLC. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Warn is a registered trademark of Warn Industries Inc. GTX is a trademark of Castrol Limited used under license. Montana and Zumo are registered trademarks of Garmin Ltd. NGK is a registered trademark of NGK Spark Plugs, Ltd. Extender Trail III, Trail Blazer IV, Executive, Flat-top and Dooly are trademarks and registered trademarks of Woody's International Engineering and Manufacturing, Inc. RipSaw, RipSaw Lite, ICE Ripper, ICE Ripper XT, ICE Attak and Powder Max are trademarks of Campolast Inc. Lexan is a registered trademark of SABIC Innovative Plastics. Superclamp II is a trademark of Sowdriks Industries. FOX is a registered trademark of Fox Racing Canada, Kolpin and Impact are registered trademarks of Kolpin Powersports Inc. Yuasa is a registered trademark of YUASA Batteries Inc. Schumacher® and the Schumacher logo are registered trademarks of Schumacher Electric Corporation. Depending on location, products are distributed by BRP US Inc., Bombardier Recreational Products Inc., BRP European Distribution SA, BRP Finland Oy., BRP Australia Pty Ltd. or Bombardier Recreational, Products Motores da Amazonia Ltda. In the U.S.A., products are distributed by BRP US Inc. In Canada, products are distributed by Bombardier Recreational Products Inc. or its affiliates. All other company and/or product names are trademarks of Bombardier Recreational Products Inc. or its affiliates. All other company and/or product names are trademarks or registered trademarks of their respective holders. © 2021 BRP. All rights reserved. Printed in Canada.



5	ROTAX ENGINES	38	MXZ X-RS
6	SUMMIT X WITH EXPERT PACKAGE	40	MXZ X
8	SUMMIT X	42	MXZ TNT
10	SUMMIT EDGE	44	MXZ SPORT
12	SUMMIT SP	46	GRAND TOURING LIMITE
14	FREERIDE	48	GRAND TOURING SPORT
16	BACKCOUNTRY X-RS	<i>50</i>	EXPEDITION XTREME
18	BACKCOUNTRY X	<i>52</i>	EXPEDITION SE
20	BACKCOUNTRY	54	EXPEDITION SWT
22	BACKCOUNTRY SPORT	56	EXPEDITION LE
24	MACH Z	58	EXPEDITION SPORT
26	RENEGADE X-RS WITH COMPETITION PACKAGE	60	TUNDRA LT
28	RENEGADE X-RS	62	TUNDRA SPORT
<i>30</i>	RENEGADE X	64	SKANDIC SWT
<i>32</i>	RENEGADE ENDURO	66	SKANDIC WT
34	RENEGADE ADRENALINE	68	SKANDIC SPORT
36	RENEGADE SPORT	70	COMPARATIVE CHART

ROTAX® ENGINES

ROTAX 2-STROKE ENGINES

Heart-thumping power, lightweight design, proven reliability – E-TEC direct-injection engine technology delivers the most sought-after attributes in the snowmobile industry.

Our lineup of 2-stroke engines now includes the brand-new 600 EFI (Electronic Fuel Injection) engine. Reliable, affordable and easy to use, it's an entry-level engine that far exceeds what you thought an entry-level engine had to be.

With the E-TEC engine lineup you also get:

- Industry-leading fuel economy²
- Excellent oil economy
- Virtually no smoke or smell
- · Light, linear throttle pull
- Light, timear timotite put
- Automatic summerization process

850 E-TEC TURBO

- 165 hp up to 8,000 ft1
- World's first factory-built 2-stroke turbo

850 E-TEC

- •165 horsepower1
- Up to 19 mpg [12.3 L/100 km]²

600R E-TEC

- 125 horsepower1
- Up to 21 mpg (11.3 L/100 km)²

600 EFI

- · 85 horsepower1
- Up to 18 mpg (13.3 L/100 km)²

E-TEC engines are the best-selling 2-stroke engines in snowmobiling.⁴

ROTAX ACE™ 4-STROKE ENGINES

With the Advanced Combustion Efficiency (ACE) family of engines, BRP engineers optimized the combustion system, reduced mechanical friction, and freed intake and exhaust breathing. The result is the most efficient engine in snowmobiling. Not only are they efficient, they're a pleasure to operate and own. Very little maintenance is required; they run smoothly and produce a nice, solid – yet quiet – sound.

NEW 900 ACE TURBO R

- · Rotax-designed turbocharger
- 180 horsepower1
- Cable-activated throttle with reconfigured iTC

900 ACE TURBO - 150 WITH iTC

- 150 horsepower1
- Up to 19.4 mpg (12.1 L/100 km)³

NEW 900 ACE TURBO - 130 WITH iTC

- Rotax-designed turbocharger
- 130 horsepower¹

900 ACE WITH ITC

- 3 cylinders
- •95 horsepower1
- Up to 21.8 mpg (10.8 L/100 km)3

600 ACE WITH ITC

- 2 cylinders
- · 62 horsepower1
- Up to 29 mpg (8 L/100 km) the most fuel-efficient in the entire industry³


ACE engines are the best-selling 4-stroke engines in snowmobiling.⁴

Control of the Contro

INTELLIGENT THROTTLE CONTROL

Standard on the ACE engines, the iTC™ system delivers a whole different snowmobiling experience.

- Driving Modes: A button on the console enables you to select one of three driving modes. Standard mode ensures a smooth start and linear acceleration; Sport enables full performance and quicker acceleration; ECO® limits top speed and acceleration rates for a more relaxed, fuel-conserving ride.
- Finger Throttle: The throttle block can be rotated forward for use as a finger throttle, if preferred. Great for changing hand positions on a long ride and for more control through bumps.



² Data based on internal engineering trail testing.

⁴ Based on retail sale results as of December 31, 2019.



Experience the advantage of XPS. Oil and care products engineered to extend the life of your ride, tested in the world's harshest conditions, and designed to optimize your vehicle's performance. Learn more at XPSlubricants.com

³ Data based on internal engineering trail testing in ECO mode.

SUMMIT® X® WITH EXPERT PACKAGE

The ultimate deep-snow sled with features sharpened for technical terrain riding.



// WHAT'S NEW

Narrower 34 in. ski stance

ROTAX® ENGINE

// PACKAGE HIGHLIGHTS

- Two *ULTIMATE* color options with panel wrap: supreme look and finish, maximum protection
- Rotax® 850 E-TEC® or 850 E-TEC Turbo engines available
- Premium shock package with stiffer calibration
- Short tunnel with lightweight snowflap
- RAS™ 3 front suspension with lightweight ski spindle and revised ski stopper
- tMotion™ rear suspension with ice scratchers and adjustable limiter strap
- E-TEC® SHOT™ starter standard
- Full-length extruded-profile running boards with large openings

850 E-TEC®

- One-piece lightweight hood on all models
- Flexible handguards
- Short riser block (120 mm/4.7 in.)

SUMMIT® X® WITH EXPERT PACKAGE 165 850 E-TEC® TURBO SHOWN

- Sea-level calibration available on select configurations
- Smaller-diameter handlebar ends and handgrips
- Ultra-compact and lightweight deep-snow seat
- DS 3 skis
- Belt monitoring system

Engine details	Liquid-cooled, two-stroke, turbocharged, eRAVE™	Liquid-cooled, two-stroke, eRAVE™		
Horsepower	165 up to 8,000 ft.	165		
Cylinders - Displacement	2 - 849 cc	2 - 849 cc		
Bore - Stroke	82 mm - 80.4 mm	82 mm - 80.4 mm		
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection with additional booster injectors		
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91		
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal		
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt		
POWERTRAIN				
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent Plus	pDrive™ with clickers QRS Vent Plus		
Drive sprocket pitch	89 mm/3.5 in.	89 mm/3.5 in.		
DRY WEIGHT Dry weight	208 kg/458 lb (154 in.) 212 kg/468 lb (165 in.)	198 kg/437 lb (154 in.) 202 kg/446 lb (165 in.)		
	215 kg/474 lb (175 in.)			
DIMENSIONS				
Overall vehicle length	3,188 mm/125.5 in. [154 in.] 3,299 mm/129.9 in. [165 in.] 3,454 mm/136 in. [175 in.]			
Overall vehicle width	1,080 to 1,110 mm/42.5 to 43.7 in.			
Overall vehicle height	1,306 mm/51.4 in.			
Ski stance	864 mm/34 in.			
Track (Length x Width x Profile)		PowderMax¹ Light with FlexEdge™: 154 x 16 x 2.5 in.		
	154 x 16 x 3.0 in.			
	165 x 16 x 3.0 in.			
	175 x 16 x 3.0 in. 850 E-TEC Turbo only			

850 E-TEC® TURBO

COLOR ULTIMATE Liquid Titanium / Carbon Black

ULTIMATE Triple Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™ Plus with lightweight springs
Front suspension travel	215 mm/8.5 in.
Rear suspension	tMotion™ with adjustable limiter stra
Center shock	HPG™ Plus with lightweight spring
Rear shock	KYB† PRO 36 Easy-Adjust
Rear suspension travel	239 mm/9.4 in. (154, 165 in.) 242 mm/9.5 in. (175 in.)

Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 3
Seating	Deep-snow ultra-compact and lightweight
Handlebar	Tapered U-shaped aluminum with J-hooks/Low grab handle/Flexible handguards
Riser block height	120 mm/4.7 in.
Starter	SHOT
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	Optional
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax 850 E-TEC® Turbo engine

The first-ever factory-built 2-stroke turbocharged engine in any industry. It boasts instant response and a full 165 HP up to 8,000 ft of elevation. Sophisticated design integrates flawlessly with the REV Gen4 platform for maximum agility. Factory installation ensures peace of mind.

(See website for image)

2 Specialized ergonomics

Input from our team of backcountry experts resulted in a purpose-built sled for a better deep-snow experience with lower seat height, shorter riser, smaller-diameter handlebars and low handlebar strap for the ultimate advantage in the most technical terrains.



3 tMotion™ with adjustable limiter strap

Quickly and easily change the limiter strap length for the desired ski lift without crawling under the sled.



SUMMIT® X® WITH EXPERT PACKAGE 154 850 E-TEC® TURBO SHOWN



4 Narrower 34 in. ski stance

Makes it easier to initiate rollup, lowers the center of gravity requiring less effort to balance the sled and provides a larger window for the ideal balance point. Also improves traction at the balance point.

(See website for image)

5 Lightweight features

Weight savings from the one-piece lightweight hood, ski spindle, stopper, springs, seat and more make technical maneuvers easier than ever.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

SUMMIT® X®

Longer climbs, tighter tree lines and deeper powder.



• Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

 Rotax® 850 E-TEC® or 850 E-TEC Turbo engines available

• 850 E-TEC Turbo available with two color choices

• Short tunnel with lightweight snowflap

// WHAT'S NEW

• One-piece lightweight hood on all models

• HPG Plus shock package

ROTAX® ENGINE

- RAS™ 3 front suspension with lightweight ski spindle and revised ski stopper
- tMotion™ rear suspension with ice scratchers
- E-TEC® SHOT™ starter standard
- Full-length extruded-profile running boards with large openings

850 E-TEC®

- ULTIMATE color option with panel wrap: supreme look and finish, maximum protection
- Low handlebar strap

850 E-TEC® TURBO

- Sea-level calibration available on select configurations
- Smaller-diameter handlebar ends and handgrips
- Compact and lightweight deep-snow seat
- •DS 3 skis
- Belt monitoring system

Engine details	Liquid-cooled, two-stroke, turbocharged, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	ULTIMATE Scandinavian Blue /
Horsepower	165 up to 8,000 ft.	165	Triple Black
Cylinders - Displacement	2 - 849 cc	2 - 849 cc	-
Bore – Stroke	82 mm – 80.4 mm	82 mm - 80.4 mm	SUSPENSION
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection with additional booster injectors	Front suspension
Fuel type - Octane	Premium unleaded – 91	Premium unleaded – 91	Front shock
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	Front suspension travel
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 gt	Rear suspension
	·	•	- Center shock
POWERTRAIN			Rear shock
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent Plus	pDrive™ with clickers QRS Vent Plus	Rear suspension travel
Drive sprocket pitch	89 mm/3.5 in.	89 mm/3.5 in.	FEATURES
			Frame
DRY WEIGHT			Bodywork
Dry weight	207 kg/456 lb (154 in.)	198 kg/435 lb (154 in.)	Skis
	211 kg/466 lb (165 in.)	201 kg/442 lb (165 in.)	Seating
DIMENSIONS			Handlebar
Overall vehicle length	3,188 mm/12	5.5 in. (154 in.)	Riser block height
	3,299 mm/12	9.9 in. (165 in.)	Starter
Overall vehicle width	1,080 to 1,110 m	nm/42.5 to 43.7 in.	
Overall vehicle height	1,395 m	m/54.9 in.	Reverse
Ski stance	910 or 950 mm	ı/35.8 or 37.4 in.	Brake system
Track		nt with FlexEdge™:	
(Length x Width x Profile)		6 x 2.5 in.	Heated throttle lever/grips
	154 x 16 x	Gauge type	
	165 x 16 x 2.5 in. sea-level opt. only 165 x 16 x 3.0 in.		Windshield
	165 x 10	b X 3.U IN.	– Runner – Carbide
			Bumpers (front/rear)

COLOR	
ULTIMATE Scandinavian Blue / Orange Crush	
Triple Black	

SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™ Plus
Front suspension travel	215 mm/8.5 in.
Rear suspension	tMotion™
Center shock	HPG™ Plus
Rear shock	HPG™ Plus
Rear suspension travel	239 mm/9.4 in.

ne	REV® Gen4
ywork	Narrow desigr
	Pilot™ DS 3
ting	Deep-snow compact and
dlebar	Tapered U-shaped alum

Seating	Deep-snow compact and lightweight
Handlebar	Tapered U-shaped aluminum with J-hooks/Low grab handle
Riser block height	165 mm/6.5 in.
Starter	SHOT, Electric (opt. select models), Manual (opt. select models)
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	Optional
Runner - Carbide	Square 3/8 – 4 in.
Rumpers (front/rear)	St4/St4

// FEATURE HIGHLIGHTS



1 Rotax 850 E-TEC® Turbo engine

The first-ever factory-built 2-stroke turbocharged engine in any industry. It boasts instant response and a full 165 HP up to 8,000 ft of elevation. Sophisticated design integrates flawlessly with the REV Gen4 platform for maximum agility. Factory installation ensures peace of mind.



2 Short tunnel

Shorter tunnel length without snowflap for greater deep-snow capabilities with more clearance and lighter overall weight. Standard rear fender with LinQ-ready attachment points.



3 One-piece lightweight hood

One-piece polypropylene construction instantly drops 6.2 lb of weight. Optimized ventilation for heat dispersion and noise reduction.



SUMMIT® X® 165 850 E-TEC® TURBO SHOWN



4 HPG Plus shock package

Highest-quality KYB lightweight high-pressure front and rear gas shocks. Rebuildable and revalvable.



5 Profile running boards

Front-to-back extruded grid-style board allowing snow to pass easily through, preventing washout and trenching, plus clears footrests for grip. Flatter foot position for comfort and control.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

SUMMIT® EDGE®

New high-end in-season package loaded with proven technical features.



// WHAT'S NEW

- Short tunnel with lightweight snowflap
- E-TEC® SHOT™ starter standard
- Two ULTIMATE color options with panel wrap: supreme look and finish, maximum protection
- Standard with two sets of LinQ attachment points
- Compact and lightweight deep-snow seat

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® engine
- High-quality HPG shock package
- RAS™ 3 front suspension with lightweight ski spindle Smaller-diameter handlebar ends and handgrips and revised ski stopper
- tMotion™ rear suspension with ice scratchers
 - Deep-snow running boards with large openings
- DS 3 skis
- Belt monitoring system

ROTAX® ENGINE	850 E-TEC®	
Engine details	Liquid-cooled, two-stoke, eRAVE™	
Horsepower	165	
Cylinders - Displacement	2 - 849 cc	
Bore - Stroke	82 mm - 80.4 mm	
Carburation	E-TEC® direct injection with additional booster injectors	
Fuel type – Octane	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	
POWERTRAIN		
Drive clutch	pDrive™ with clickers	
Driven clutch	QRS Vent Plus	
Drive sprocket pitch	89 mm/3.5 in.	
DRY WEIGHT		
Dry weight	207 kg/458 lb (154 in.)	
	210 kg/463 lb (165 in.)	
	214 kg/470 lb (175 in.)	
DIMENSIONS		
Overall vehicle length	3,188 mm/125.5 in. (154 in.)	
	3,299 mm/129.9 in. (165 in.)	
Overall vehicle width	1,080 to 1,110 mm/42.5 to 43.7 in.	
Overall vehicle height	1,395 mm/54.9 in.	
Ski stance	910 or 950 mm/35.8 or 37.4 in.	
Track	PowderMax [†] Light with FlexEdge [™] :	
(Length x Width x Profile)	154 x 16 x 2.5 in.	
	154 x 16 x 3.0 in. opt.	
	165 x 16 x 3.0 in.	
	175 x 16 x 3.0 in.	

COLOR ULTIMATE Catalyst Grey / Octane Blue

ULTIMATE Black

SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™
Front suspension travel	215 mm/8.5 in.
Rear suspension	tMotion™
Center shock	HPG™
Rear shock	HPG™

239 mm/9.4 in. 242 mm/9.5 in. (175 in.)

FEATURES

Rear suspension travel

LATOREO	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 3
Seating	Deep-snow compact and lightweight
Handlebar	Tapered U-shaped aluminum with J-hooks/Low grab handle
Riser block height	165 mm/6.5 in.
Starter	SHOT
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	Optional
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® engine

Next generation of the most advanced directinjection 2-stroke engine technology. Designed for reliability and durability with proven 4-stroke and long-lasting automotive technologies.



2 Short tunnel

Shorter tunnel length without snowflap for greater deep-snow capabilities with more clearance and lighter overall weight. Standard rear fender with LinQ-ready attachment points.



3 Lightweight ski spindle

Lightweight alloy spindle with revised geometry and new ski stopper to reduce ski drag for more predictable handling and a confidence-inspiring ride in technical sidehills and rough terrain.



SUMMIT® EDGE® 165 850 E-TEC® SHOWN



4 High-quality HPG shock package

Extremely capable high-pressure gas shocks



5 tMotion™ rear suspension

A swiveling rear arm and split front arm allow the skid to flex laterally for more predictable carving. More rising-rate motion ratio adds capacity and comfort.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

SUMMIT® SP®

An excellent deep-snow machine for any rider.



SUMMIT® SP® 165 850 E-TEC® SHOWN

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines • High-quality HPG shock package
- RAS $^{\text{TM}}$ 3 front suspension with lightweight ski spindle and revised ski stopper
- tMotion™ rear suspension with ice scratchers
- E-TEC® SHOT™ starter available
- Deep-snow running boards with large openings
- Glove box with 4 L/1 gal of storage
- Low handlebar strap
- NEW standard with two sets of LinQ attachment
- Smaller-diameter handlebar ends and handgrips
- Belt monitoring system (850 E-TEC only)

ROTAX® ENGINE	850 E-TEC®	600R E-TEC®	
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	
Horsepower	165	125	
Cylinders - Displacement	2 - 849 cc	2 - 599.4 cc	
Bore - Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	
POWERTRAIN			
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent Plus	pDrive™ with clickers QRS Vent	
Drive sprocket pitch	73 mm/2.86 in. (146 in.) 89 mm/3.5 in. (154 – 165 in.)	73 mm/2.86 in. (146 in.) 89 mm/3.5 in. (154 in.)	
DRY WEIGHT			
Dry weight	208 kg/459 lb (146 in.)	204 kg/449 lb (146 in.)	
	206 kg/454 lb (154 in.) 209 kg/460 lb (165 in.)	202 kg/445 lb (154 in.)	
DIMENSIONS			
Overall vehicle length	3.208 mm/12	2.4 in. (146 in.)	
	3,318 mm/130.6 in. (154 in.)		
		5 in.) (850 E-TEC® only)	
Overall vehicle width		m/42.5 to 43.7 in.	
Overall vehicle height	1,395 mr	n/54.9 in.	
Ski stance		/35.8 or 37.4 in.	
Track	PowderMax† II with FlexEdge™:		
(Length x Width x Profile)	146 x 16 x 2.5 in.		
	PowderMax¹ Light with FlexEdge™:		
	154 x 16 x 2.5 in.		
	154 x 16 x 3.0 in. opt. 165 x 16 x 2.5 in.		
	165 x 16 x 3.0 in. opt.		

COLOR

Black / Orange Crush Black

SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™
Front suspension travel	215 mm/8.5 in.
Rear suspension	tMotion™
Center shock	HPG™
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.

Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 3
Seating	Deep-snow
Handlebar	Tapered U-shaped aluminum with J-hooks/Low grab handle
Riser block height	165 mm/6.5 in.
Starter	Electric, SHOT (opt.), Manual (opt. select models)
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	Compact
Windshield	Optional
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



2 RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



3 Lightweight ski spindle

Lightweight alloy spindle with revised geometry and new ski stopper to reduce ski drag for more predictable handling and a confidence-inspiring ride in technical sidehills and rough terrain.



SUMMIT® SP® 165 850 E-TEC® SHOWN



4 High-quality HPG shock package

Extremely capable high-pressure gas shocks



5 tMotion™ rear suspension

A swiveling rear arm and split front arm allow the skid to flex laterally for more predictable carving. More rising-rate motion ratio adds capacity and comfort.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

FREERIDE™

Live large, live free and go big.



FREERIDE® 165 850 E-TEC® TURBO SHOWN

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® or 850 E-TEC Turbo engines • High-performance KYB PRO shock package with
- lightweight springs
- Short tunnel with lightweight snowflap
- RAS $^{\text{\tiny{TM}}}$ 3 front suspension with lightweight ski spindle and revised ski stopper
- tMotion[™] rear suspension with reinforced rails and
- E-TEC® SHOT™ starter standard
- Full-length extruded-profile running boards with large openings
- One-piece lightweight hood on all configurations
- Sway bar quick-disconnect
- Low handlebar strap

165 x 16 x 3.0 in.

• NEW standard with two sets of LinQ attachment

- Sea-level calibration available on select configurations
- Smaller-diameter handlebar ends and handgrips
- Compact and lightweight deep-snow seat
- DS 3 skis

• Belt monitoring system

ROTAX® ENGINE	850 E-TEC® TURBO	850 E-TEC®	COLOR	
Engine details	Liquid-cooled, two-stroke, turbocharged, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Arctic Desert	
Horsepower	165 up to 8,000 ft.	165	OHODENOLON	
Cylinders - Displacement	2 - 849 cc	2 - 849 cc	SUSPENSION	
Bore - Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	Front suspension	RAS™ 3
Carburation	E-TEC® direct injection with	E-TEC® direct injection with	Front shock	KYB† PRO 36 R Easy-Adjust
	additional booster injectors	additional booster injectors	Front suspension travel	215 mm/8.5 in.
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91	Rear suspension	tMotion™
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	Center shock	KYB† PRO 40 Easy-Adjust
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	Rear shock	KYB† PRO 40 Easy-Adjust
	·	-	Rear suspension travel	239 mm/9.4 in.
POWERTRAIN				
Drive clutch	pDrive™ with clickers	pDrive™ with clickers	FEATURES	
Driven clutch	QRS Vent Plus	QRS Vent Plus	Frame	REV® Gen4
Drive sprocket pitch	89 mm/3.5 in.	73 mm/2.86 in. (146 in.)	Bodywork	Narrow design
		89 mm/3.5 in. (154 – 165 in.)	Skis	Pilot™ DS 3
DDV WEIGHT			Seating	Deep-snow compact and lightweig
DRY WEIGHT			_ Handlebar	Tapered U-shaped aluminum with
Dry weight	214 kg/471 lb (154 po)	206 kg/453 lb (146 po)		J-hooks/Low grab handle
	217 kg/478 lb (165 po)	205 kg/450 lb (154 po)	Riser block height	165 mm/6.5 in.
		206 kg/453 lb (165 po)	– Starter	850 E-TEC: SHOT, Electric
DIMENSIONS				(opt. Select models)
	7.050 /12	0.4 in. (146 in.)		850 E-TEC Turbo: SH0T
Overall vehicle length		5.5 in. (154 in.)	Reverse	RER™
		9.9 in. (165 in.)	Brake system	Brembo racing brake with
Overall vehicle width		m/42.5 to 43.7 in.	- <u></u>	stainless-steel braided brake line
Overall vehicle height		m/54.9 in.	Heated throttle lever/grips	Standard
Ski stance		*	Gauge type	Compact
Track	910 or 950 mm/35.8 or 37.4 in.		Windshield	Optional
(Length x Width x Profile)	PowderMax¹ II with FlexEdge™: 146 x 16 x 2.5 in. PowderMax¹ Light with FlexEdge™:		Runner – Carbide	Square 3/8 – 4 in.
(Length & Width & Profile)			Bumpers (front/rear)	Std/Std
		6 x 2.5 in.		
		3.0 in. opt.		
		sea-level opt. only		

// FEATURE HIGHLIGHTS



1 Rotax 850 E-TEC® Turbo engine

The first-ever factory-built 2-stroke turbocharged engine in any industry. It boasts instant response and a full 165 HP up to 8,000 ft of elevation. Sophisticated design integrates flawlessly with the REV Gen4 platform for maximum agility. Factory installation ensures peace of mind.



2 Short tunnel

Shorter tunnel length without snowflap for greater deep-snow capabilities with more clearance and lighter overall weight. Standard rear fender with LinQ-ready attachment points.



3 tMotion™ rear suspension with reinforced rails

A swiveling rear arm and split front arm allow the skid to flex laterally for more predictable carving. More rising-rate motion ratio adds capacity and comfort. Reinforcement ensures strength on hard



SUMMIT® SP® 165 850 E-TEC® SHOWN



4 High-performance KYB PRO shock package (with lightweight springs)

Lightweight, extreme-capability, extremedurability shocks for control in the toughest conditions. Easy adjust-equipped for dialed-in compression.



5 Lightweight features

Weight savings from the one-piece lightweight hood, ski spindle, stopper, springs, seat and more make technical maneuvers easier than ever.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, starts the engine.

BACKCOUNTRY™ X-RS®

The most aggressive crossover vehicle with snocross attitude and go-anywhere capability.



// WHAT'S NEW

- Two ULTIMATE color options with panel wrap: supreme look and finish, maximum protection
- Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® engine
- High-performance KYB PRO shock package
- 7.8 in. wide LCD display with BRP Connect available
- RAS™ 3 front suspension
- cMotion™ rear suspension

- E-TEC® SHOT™ starter available
- RS running boards
- Glove box with 4 L/1 gal of storage
- Backlit multifunction handlebar controls
- pDrive™ clutch with clickers

- Transparent handguards
- Open toe-hold
- DS 2 skis
- · Adjustable ski stance
- Belt monitoring system

ROTAX® ENGINE	850 E-TEC®	
Engine details	Liquid-cooled, two-stroke, eRAVE™	
Horsepower	165	
Cylinders - Displacement	2 - 849 cc	
Bore - Stroke	82 mm - 80.4 mm	
Carburation	E-TEC® direct injection with additional booster injectors	
Fuel type – Octane	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	
POWERTRAIN		
Drive clutch	pDrive™ with clickers	
Driven clutch	QRS Vent Plus	
Drive sprocket pitch	73 mm/2.86 in.	
DRY WEIGHT		
Dry weight	214 kg/472 lb [146 in.] 220 kg/485 lb [154 in.]	
DIMENSIONS		
Overall vehicle length	3,174 mm/125 in. (146 in.) 3,284 mm/129.3 in. (154 in.)	
Overall vehicle width	1,140 to 1,180 mm/44.9 to 46.5 in.	
Overall vehicle height	1,283 mm/50.5 in.	
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.	
Track	Cobra: 146 x 15 x 1.6 in.	
(Length x Width x Profile)	Ice Cobra: 146 x 15 x 1.6 in. opt.	
	PowderMax†: 146 x 16 x 2.0 in. opt.	
	154 x 16 x 2.0 in.	
	154 x 16 x 2.5 in. opt.	

ULTIMATE Liquid Titanium / Carbon Black

ULTIMATE Black

SUSPENSION	
Front suspension	RAS™ 3
Front shock	KYB† PRO 36 R Easy-Adjust
Front suspension travel	220 mm/8.7 in.
Rear suspension	cMotion™
Center shock	KYB† PRO 40 Easy-Adjust
Rear shock	KYB† PRO 40 Easy-Adjust
Rear suspension travel	239 mm/9.4 in. (154, 165 in.)

FEATURES

Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 2
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	120 mm/4.7 in.
Starter	Electric, SHOT (opt. select configurations)
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)
Windshield	Optional
Runner – Carbide	Round 7/16 – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® engine

Next generation of the most advanced directinjection 2-stroke engine technology. Designed for reliability and durability with proven 4-stroke and long-lasting automotive technologies.



2 High-performance KYB PRO shock package

Extreme-capability, extreme-durability shocks for control in the toughest conditions. Easy adjust-equipped for dialed-in compression and rebound.



3 cMotion™ 146 or 154 rear suspension

Crossover-specific suspension uses best principles of the rMotion™ trail and tMotion™ mountain skids for confident cornering and agile boondocking.



BACKCOUNTRY™ X-RS® 146 850 E-TEC® SHOWN



4 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.



5 RS running boards

Designed for aggressive stand-up riding, they are flatter for most of their length, wider and strong. Thicker aluminum sheet, plus front and rear reinforcements to withstand tough landings.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

BACKCOUNTRY™ X®

A 50-50 sled with the most advanced technology, plus off-trail capability and rough-trail performance.



// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® engine
- High-performance shock package
- 7.8 in. wide LCD display with BRP Connect available
- RAS™ 3 front suspension
- cMotion[™] rear suspension
- E-TEC® SHOT™ starter available
- Improved deep-snow running boards with
- Glove box with 4 L/1 gal of storage
- large openings
 Glove box with 4
 Low windshield
- Backlit multifunction handlebar controls
- pDrive™ clutch with clickers
- Transparent handguards

- Open toe-hold
- NEW standard with two sets of LinQ attachment points
- DS 2 skis
- Adjustable ski stance
- Belt monitoring system

ROTAX® ENGINE	850 E-TEC®	
Engine details	Liquid-cooled, two-stroke, eRAVE™	
Horsepower	165	
Cylinders - Displacement	2 - 849 cc	
Bore – Stroke	82 mm – 80.4 mm	
Carburation	E-TEC® direct injection with additional booster injectors	
Fuel type – Octane	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	
POWERTRAIN		
Drive clutch	pDrive™ with clickers	
Driven clutch	QRS Vent Plus	
Drive sprocket pitch	73 mm/2.86 in.	
DRY WEIGHT		
Dry weight	209 kg/462 lb	
DIMENSIONS		
Overall vehicle length	3,174 mm/125 in.	
Overall vehicle width	1,140 to 1,180 mm/44.9 to 46.5 in.	
Overall vehicle height	1,283 mm/50.5 in.	
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.	
Track	Cobra: 146 x 15 x 1.6 in.	
(Length x Width x Profile)	Ice Cobra: 146 x 15 x 1.6 in. opt.	
	PowderMax†: 146 x 16 x 2.0 in. opt.	

COLOR

Scandinavian Blue / Orange Crush

Black

SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™ Plus
Front suspension travel	220 mm/8.7 in.

 Front shock
 HPG™ Plus

 Front suspension travel
 220 mm/8.7 in.

 Rear suspension
 cMotion™

 Center shock
 HPG™ Plus

 Rear shock
 KYB¹ PR0 36 Easy-Adjust

 Rear suspension travel
 239 mm/9.4 in.

FEATURES

FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 2
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	120 mm/4.7 in.
Starter	Electric, SHOT (opt. select configurations)
Reverse	RER™
Brake system	Brembo racing brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 in. – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® engine

Next generation of the most advanced directinjection 2-stroke engine technology. Designed for reliability and durability with proven 4-stroke and long-lasting automotive technologies.



2 Premium shock package

HPG Plus front and center shocks. KYB PRO 36 EA rear shock featuring compression adjustment with easy-adjust knob. All four shocks are aluminum and rebuildable/revalvable.



3 cMotion™ rear suspension

Crossover-specific suspension uses best principles of the rMotion™ trail and tMotion™ mountain skids for confident cornering and agile boondocking.



BACKCOUNTRY™ X® 146 850 E-TEC® SHOWN



4 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.



⁵ Pilot™ DS2 skis

Single keel with excellent sidehilling bite, thanks to thin outer edges. Narrow and thin, yet stiff. Shorter behind the spindle with flat tail for easier counter-steering and sidehilling.



6 E-TEC® SHOT™ starter

Push-button starting with almost no added weight. Uses energy stored in the lightweight ultracapacitor to turn the magneto and with E-TEC® technology, start the engine.

BACKCOUNTRYTM

Loaded with crossover-specific features for spending equal time riding on- or off-trail.



// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC engines available
- High-quality HPG shock package
- 4.5 in. digital display
- RAS™ 3 front suspension

ROTAX® ENGINE

- cMotion[™] rear suspension
- Electric starter

• Improved deep-snow running boards with large openings

600R E-TEC®

- Glove box with 4 L/1 gal of storage
- Low windshield with deflectors
- pDrive™ clutch with clickers
- Transparent handguards
- NEW standard with two sets of LinQ attachment points
- DS 2 skis

• Open toe-hold

- · Adjustable ski stance
- Belt monitoring system (850 E-TEC only)

KOIAA EHOINE	000 L 1L0	OUGH E IEU	OOLOK	
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Catalyst Grey / Octane	Blue
Horsepower	165	125	Black	
Cylinders - Displacement	2 - 849 cc	2 - 599.4 cc		
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	SUSPENSION	
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	Front suspension	
Fuel type – Octane	Premium unleaded – 91	Premium unleaded - 91	Front shock	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	Front suspension trave	el
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 gt	Rear suspension	
			- Center shock	
POWERTRAIN			Rear shock	
Drive clutch	pDrive™ with clickers	pDrive™ with clickers	Rear suspension travel	
Driven clutch	QRS Vent Plus	. QRS Vent	FFATUREO	
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	FEATURES	
· · · · · ·			- Frame	
DRY WEIGHT			Bodywork	
Dry weight	219 kg/483 lb	212 kg/466 lb	Skis	
			Seating	
DIMENSIONS			Handlebar	U-sha
Overall vehicle length	3,174 m	m/125 in.		•
Overall vehicle width	1,140 to 1,180 mm/44.9 to 46.5 in.		Riser block height	
Overall vehicle height	1,283 mm/50.5 in.		Starter	
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.		Reverse	
Track (Length x Width x Profile)	Cobra: 146 x 15 x 1.6 in.		Brake system	Brem
			Heated throttle lever/c	irine

850 E-TEC®

Black SUSPENSION Front suspension Front shock HPG™ Plus Front suspension travel 220 mm/8.7 in. Rear suspension cMotion™ Center shock HPG™ Rear shock HPG™ Rear suspension travel 239 mm/9.4 in.

FEATURES

COLOR

. =//	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 2
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital display
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



2 High-quality HPG shock package

Extremely capable high-pressure gas shocks by KYB.



3 cMotion™ rear suspension

Crossover-specific suspension uses best principles of the rMotion™ trail and tMotion™ mountain skids for confident cornering and agile



BACKCOUNTRY™ 146 850 E-TEC® SHOWN



4 Deep-snow running boards

Massive, strategically shaped openings keep the boards clear. A tall extruded edge adds stiffness and has aggressive boot grips.



⁵ Pilot™ DS2 skis

Single keel with excellent sidehilling bite, thanks to thin outer edges. Narrow and thin, yet stiff. Shorter behind the spindle with flat tail for easier counter-steering and sidehilling.



6 pDrive™ clutch with clickers

Clicker ramps allow easy adjustment for top RPM. Ultra-responsive shifting, impressive RMP consistency, lightweight and maintenance-free.

BACKCOUNTRY™ SPORT

For the value-oriented 50-50 rider wanting an advanced platform and modern engine technology.



// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI engine
- 4.5 in. digital display
- RAS™ 3 front suspension
 cMotion™ rear suspension

ROTAX® ENGINE Engine details

• Electric starter

- Improved deep-snow running boards with large openings
- Glove box with 4 L/1 gal of storage
- Low windshield
- pDrive™ clutch

600 EFI

Liquid-cooled, two-stroke

PowderMax[†]:

146 x 16 x 2.0 in. opt

- Brembo brake with braided stainless-steel brake line
- NEW standard with two sets of LinQ attachment
- DS 2 skis
- · Adjustable ski stance

	COLOR	
_	Catalyat	

Catalyst Grey / Black SUSPENSION		
Front shock	Motion Control	
Front suspension travel	220 mm/8.7 in.	
Rear suspension	cMotion™	
Center shock	Motion Control	
Rear shock	HPG™	
Rear suspension travel	239 mm/9.4 in.	

FEATURES

LEUINE2	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ DS 2
Seating	Trail compact
Handlebar	U-shaped aluminum with J-hooks
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital display
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 in. – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 600 EFI engine

600 cc-class fuel-injected engine delivering 85 horsepower and outstanding economy at an incredible value. Design based on the 600R E-TEC with proven reliability and ease of ownership at its core with an outsized fun factor.

2 Electric start

Saves time and energy, adding immense value for the rider.



3 cMotion™ rear suspension

Crossover-specific suspension uses best principles of the rMotion $^{\text{TM}}$ trail and tMotion $^{\text{TM}}$ mountain skids for confident cornering and agile boondocking.



BACKCOUNTRY™ SPORT 146 600 EFI SHOWN



4 RAS™ 3 front suspension

Similar geometry and steering to the RAS 3 mountain front end for capability and light steering feel on- and off-trail. Optimized for crossover usage, two ski stance positions dial in handling: 40.2 in. [102 cm] or 38.4 in. [97.5 cm].




5 Pilot™ DS2 skis

Single keel with excellent sidehilling bite, thanks to thin outer edges. Narrow and thin, yet stiff. Shorter behind the spindle with flat tail for easier counter-steering and sidehilling.




6 Ergo-step side panels

Design offers natural progression to three natural positions for different cornering styles, including a new, extreme-forward position.



MACH Z™

The return of a legend. For one year only.



- Rotax® 900 ACE™ Turbo R with cable throttle housing and launch control
- Smart-Shox semi-active suspension with high-performance KYB PRO shock package
- Lowered RAS™ X front suspension
- Lowered rMotion™ X rear suspension
- Rack steering system
- Exclusive coloration, dark smoke windshield and handguards and reflective decals.
- Standard with two sets of LinQ attachment points
- Two track options



- 7.8 in. wide LCD display with BRP Connect standard
- Electric starter
- RS running boards

- · Low windshield with deflectors
- Forward adjustable riser
- Transparent handguards

73 mm/2.86 in.

ROTAX® ENGINE	900 ACE™ TURBO R	
Engine details	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	
Horsepower	180	
Cylinders - Displacement	3 - 899 cc	
Bore – Stroke	73 mm – 69.7 mm	
Carburation	EFI	
Fuel type – Octane	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.3 L/3.5 qt	
POWERTRAIN		
Drive clutch Driven clutch	pDrive™ QRS Vent	

Drive sprocket pitch **DRY WEIGHT**

Dry weight 249 kg/548 lb	DKI WEIGHI	
	Dry weight	249 kg/548 lb

n	П	М	F	N	S	ı	N	N	9

Overall vehicle length	3,038 mm/119.6 in.
Overall vehicle width	1,209 - 1,232 - 1,255 mm/47.6 - 48.5 - 49.4 in.
Overall vehicle height	1,267 mm/49.9 in.
Ski stance	1,069 - 1,092 - 1,115 mm/42.1 - 43 - 43.9 in.
Track (Length x Width x Profile)	2-Ply Ripsaw: 137 x 15 x 1.25 in. Ice Ripper XT: 137 x 15 x 1.25 in.

Carbon Black / Liquid Titanium

• Backlit multifunction handlebar controls

COLOR

SUSPENSION		
Front suspension	RAS™ X	
Front shock	KYB† PRO Smart-Shox	
Front suspension travel	235 mm/9.3 in.	
Rear suspension	rMotion™ X	
Center shock	KABI DDU VU	

o oaoponoion	10.10 7.
Front shock	KYB† PRO Smart-Shox
Front suspension travel	235 mm/9.3 in.
Rear suspension	rMotion™ X
Center shock	KYB† PRO 40
Rear shock	KYB† PRO Smart-Shox
Rear suspension travel	292 mm/11.5 in.
FEATUREO	

REV® Gen4
Wide design
Pilot™ X
Trail with storage
U-shaped aluminum with J-hooks/ Dark smoke handguards
Adjustable-120 mm/4.7 in.
Electric
Electro-mechanic
Brembo racing brake with stainless-steel braided brake line
Standard
7.8 in. wide LCD color display
360 mm/14 in.
Round 7/16 – 4 in.
Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 900 ACE™ Turbo R with cable throttle housing and Launch Control

Now the most powerful engine ever offered in a Ski-Doo. Ferocious instant acceleration and top speed through bigger fuel injectors, increased boost and optimized intake and exhaust systems. The new cable-activated iTC throttle better matches a performance rider's profile while offering four driving modes including exclusive Launch Control.



2 Smart-Shox

An industry-first, Smart-Shox semi-active suspension instantly reads terrain and rider input to automatically dial in your suspension to give you the optimal ride in any conditions.



3 Lowered suspension

1.5 in. lower ride height for improved aerodynamics, lower center of gravity, more traction due to a better attack angle of the track and an aggressive look.



MACH Z™ 900 ACE™ TURBO R SHOWN



4 Large panoramic 7.8 in. wide LCD color display

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

5 Two track options

Choose the two-ply Ripsaw, pre-marked for studding, or the Ice Ripper XT with studded lugs direct from the factory.

6 Rack steering system

Derived from the MXZx race sled, further increases steering precision and straight tracking for a nimble and predictable ride in extreme bumps.

RENEGADE® X-RS® WITH COMPETITION PACKAGE

Powerful, lightweight and highly capable race-ready features.



- Rotax® 600R E-TEC® engine
- Racing KYB† PRO 40 shock package
- Two-ply Ripsaw II Track
- Low profile 90mm riser bloc
- Standard with 2 sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- 7.2 in. digital display
- RAS™ X front suspension
- rMotion™ X rear suspension
- Manual starter
- RS running boards

- pDrive™ clutch
- Low windshield with deflectors
- Transparent handguards
- Reinforced rails
- Open toe-hold
- Forward steering post position

- Pilot X skis

Bumpers (front/rear)

• Backlit multifunction handlebar controls

ROTAX® ENGINE	600R E-TEC®		
Engine details	Liquid-cooled, two-stroke, eRAVE™		
Horsepower	125		
Cylinders - Displacement	2 - 599.4 cc		
Bore - Stroke	72.3 mm – 73 mm		
Carburation	E-TEC® direct injection		
Fuel type – Octane	Premium unleaded – 91		
Fuel tank	36 L/9.5 US gal		
Oil tank capacity	3.4 L/3.6 qt		
POWERTRAIN			
Drive clutch Driven clutch	pDrive™ with clickers QRS		
Drive sprocket pitch	73 mm/2.86 in.		
DRY WEIGHT			
Dry weight	213 kg/468 lb		
DIMENSIONS			
Overall vehicle length	3,038 mm/119.6 in.		
Overall vehicle width	1,209 - 1,232 - 1,255 mm/47.6 - 48.5 - 49.4 in.		
Overall vehicle height	1,267 mm/49.9 in.		
Ski stance	1,069 - 1,092 - 1,115 mm/42.1 - 43 - 43.9 in.		
Track (Length x Width x Profile)	2-Ply Ripsaw II: 137 x 15 x 1.25 in.		

COLOR

Black Black	
SUSPENSION	
Front suspension	RAS™ X
Front shock	KYB PRO 40 R Easy-Adjust
Front suspension travel	265 mm/10.4 in.
Rear suspension	rMotion™ X
Center shock	KYB† PRO 40 Easy-Adjust (double-rate springs)
Rear shock	KYB† 40 Easy-Adjust
Rear suspension travel	292 mm/11.5 in.

FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ X
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	90 mm/3.5 in.
Starter	Manual
Reverse	RER™
Brake system	Brembo racing brake with stainless- steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display
Windshield	360 mm/14 in.
Runner – Carbide	Round 1/2 – 4 in.

Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 600R E-TEC® engine

The Rotax 600R E-TEC® engine with second-generation E-TEC® technology offers immediate throttle response, crisp acceleration while continuing to set the bar for reliability, and 2-stroke oil and fuel economy.



2 Competition shock package

The most robust shock package in the lineup for a race-ready setup.



3 Heavy-duty reinforcement

Competition-ready with reinforced rails and rear suspension plus heavy-duty track tensioner, acceleration link rods and arm extension.



RENEGADE® X-RS® WITH COMPETITION PACKAGE SHOWN



4 RS riser

90 mm height for a more aggressive rider position.

5 Two-ply Ripsaw II racing track

Two-ply for extra durability. Excellent traction in all conditions. Pre-marked for studding.

6 Rack steering system

Derived from the MXZx race sled, further increases steering precision and straight tracking for a nimble and predictable ride in extreme bumps.

RENEGADE® X-RS®

A hard-charging, race-inspired machine with the most advanced features and technology.





RENEGADE® X-RS® 900 ACE® TURBO R SHOWN

// WHAT'S NEW

- Smart-Shox semi-active suspension available
- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® available
- High-performance KYB† PRO shock package
- 7.8 in. wide LCD display with BRP Connect available
- RAS $^{\text{TM}}$ X front suspension
- $\bullet \ r Motion^{\text{\tiny TM}} \ X \ rear \ suspension$
- Electric starter

- RS running boards
- pDrive™ clutch
- Forward steering post position (850 E-TEC®)
- Rack steering system
- Forward adjustable riser
- Transparent handguards

- Open toe-hold
- Ski choices: Pilot™ X or Pilot™ TX (available with QAS)
- Backlit multifunction handlebar controls
- Optional adjustment package: rMotion™ X Quick Adjust™ system and Pilot™ TX skis
- NEW standard with two sets of LinQ attachment points

ROTAX® ENGINE	850 E-TEC®	900 ACE™ TURBO R		
Engine details	Liquid-cooled, two-stroke,	Liquid-cooled, four-stroke		
	eRAVE™	D.O.H.C., dry sump, turbocharged		
Horsepower	165	180		
Cylinders – Displacement	2 - 849 cc	3 - 899 cc		
Bore – Stroke	82 mm - 80.4 mm	73 mm - 69.7 mm		
Carburation	E-TEC® direct injection with additional booster injectors	EFI		
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91		
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal		
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt		
POWERTRAIN				
Drive clutch	pDrive™ with clickers	pDrive™		
Driven clutch	QRS Vent	QRS Vent		
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.		
DRY WEIGHT				
Dry weight	225 kg/495 lb	241 kg/531 lb		
DIMENSIONS				
Overall vehicle length	3,038 m	m/119.6 in.		
Overall vehicle width	1,209 - 1,232 - 1,255	mm/47.6 - 48.5 - 49.4 in.		
Overall vehicle height	1,267 m	nm/49.9 in.		
Ski stance	1,069 - 1,092 - 1,115	mm/42.1 - 43 - 43.9 in.		
Track		Saw [†] :		
(Length x Width x Profile)	137 x 15 x 1.25 in.			
	Ice Ripper XT:			
	$137 \times 15 \times 1.25$ in. opt. $137 \times 15 \times 1.5$ in. opt.			
	13/ x 15	x 1.5 in. opt.		

COLOR

Sunburst Yellow / Black

RAS™ X
KYB† PRO 36 Easy-Adjust KYB† PRO Smart-Shox w/ opt. SAS
265 mm/10.4 in.
rMotion™ X with QAS (optional)
KYB† PRO 40 Easy-Adjust
KYB† PRO 40 Easy-Adjust KYB† PRO Smart-Shox w/ opt. SAS
292 mm/11.5 in.

FEATURES

REV® Gen4		
Narrow design (2-stroke engines) Wide design (4-stroke engines)		
Pilot™ X Pilot™ TX (optional)		
Trail performance (2-stroke engines) Trail with storage (4-stroke engines)		
U-shaped aluminum with J-hooks/ Transparent handguards		
Adjustable-120 mm/4.7 in.		
Electric		
RER™ (850 E-TEC®) Electro-mechanical (900 ACE™ Turbo R)		
Brembo racing brake with stainless-steel braided brake line		
Standard		
7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)		
Optional		
Round 1/2 – 4 in.		
Std/Std		

// FEATURE HIGHLIGHTS




1 Rotax® 850 E-TEC® and 900 ACE™ Turbo R engines

The most powerful 2-stroke and 4-stroke options in the lineup, offering top performance for the most demanding riders.



2 High-performance KYB PRO shock package

Extreme-capability, extreme-durability shocks for control in the toughest conditions. Easy adjust-equipped for dialed-in compression.



3 Smart-Shox

An industry-first, Smart-Shox semi-active suspension instantly reads terrain and rider input to automatically dial in your suspension to give you the optimal ride in any conditions.



RENEGADE® X-RS® 850 E-TEC® SHOWN



4 RS running boards

Designed for aggressive stand-up riding, they are flatter for most of their length, wider and strong. Thicker aluminum sheet, plus front and rear reinforcements to withstand tough landings.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.


6 Rack steering system

Derived from the MXZx race sled, further increases steering precision and straight tracking for a nimble and predictable ride in extreme bumps.

RENEGADE® X®

High-performance and high-tech features for the most demanding rider.





- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse
- Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines
- High-performance shock package
- 7.8 in. wide LCD display with BRP Connect available (850 E-TEC and 900 ACE Turbo R only)
- RAS™ X front suspension
- rMotion™ X rear suspension

- Electric starter
- pDrive™ clutch
- Forward adjustable riser
- Transparent handguards
- Open toe-hold

RENEGADE® X® 900 ACE® TURBO R SHOWN

- Ski choices: Pilot TM X or Pilot TM TX (available with QAS on 850 E-TEC and 900 ACE Turbo R)
- Backlit multifunction handlebar controls

COLOR

Sunburst Yellow / Black

ROTAX® Engine	850 E-TEC®	600R E-TEC®	900 ACE™ TURBO R
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged
Horsepower	165	125	180
Cylinders – Displacement	2 - 849 cc	2 - 599.4 cc	3 - 899 cc
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	73 mm - 69.7 mm
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	EFI
Fuel type – Octane	Premium unleaded – 91	Premium unleaded - 91	Premium unleaded - 91
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	3.3 L/35 qt
POWERTRAIN			
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent	pDrive™ with clickers QRS	pDrive™ QRS Vent
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT			
Dry weight	221 kg/486 lb	214 kg/470 lb	238 kg/524 lb
DIMENSIONS			
Overall vehicle length		3,038 mm/119.6 in.	
Overall vehicle width	1,209 - 1,	232 - 1,255 mm/47.6 - 48	3.5 – 49.4 in.
Overall vehicle height		1,267 mm/49.9 in.	
Ski stance	1,069 – 1,092 – 1,115 mm/42.1 – 43 – 43.9 in.		
Track (Length x Width x Profile)	RipSaw ¹ : 137 x 15 x 1.25 in. Ice Ripper XT: 137 x 15 x 1.25 in. opt.		
		137 x 15 x 1.5 in. opt.	

- Optional adjustment package: rMotion™ X Quick Adjust™ system and Pilot™ TX skis (850 E-TEC and 900 ACE Turbo R)

SUSPENSION	
Front suspension	RAS™ X
Front shock	HPG™ Plus
Front suspension travel	243 mm/9.6 in.
Rear suspension	rMotion™ X with QAS (optional)
Center shock	HPG™ Plus
Rear shock	KYB† PRO 36 Easy-Adjust
Rear suspension travel	292 mm/11.5 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design (2-stroke engines) Wide design (4-stroke engines)
Skis	Pilot™ X Pilot™ TX (optional)
Seating	Trail performance (2-stroke engines Trail with storage (4-stroke engines
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	Adjustable-120 mm/4.7 in.
Starter	Electric
Reverse	RER™ (2-stroke engines) Electro-mechanic (4-stroke engines
Brake system	Brembo racing brake with stainless- steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)
Windshield	360 mm/14 in.
Runner – Carbide	Round 7/16 – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® and 900 ACE™ Turbo R engines

The most powerful 2-stroke and 4-stroke options in the lineup, offering top performance for the most demanding riders.



2 Premium shock package

HPG Plus front and center shocks. KYB PRO 36 EA rear shock featuring compression adjustment with easy-adjust knob. All four shocks are aluminum and rebuildable/revalvable.



3 Adjustment package

Totally transforms the handling characteristics of the sled according to riding style or conditions with unmatched ease. Includes rMotion X Quick Adjust System and Pilot TX skis.



RENEGADE® X-RS® 850 E-TEC® SHOWN



4 rMotion™ X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

(See website for image)

6 Three track choices

Superior performance assured with your choice of factory-installed Ripsaw or studded Ice Ripper tracks.

RENEGADE® ENDURO™

Adventure-ready with top-tier technology, comfort and performance.

// WHAT'S NEW

- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse
- 900 ACE Turbo 130 engine available
- 7.8 in. wide LCD display with BRP Connect
- rMotion™ X rear suspension with Air Control Suspension (ACS) rear shock
- RAS™ X front suspension
- · Visor plug standard
- Pilot TX skis
- Standard with two sets of LinQ attachment points



RENEGADE® ENDURO™ 900 ACE™ TURBO R SHOWN

RENEGADE® ENDURO™ 850 E-TEC® SHOWN

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC®, 600R E-TEC® and 900 ACE™ engines available
- pDrive™ clutch
- Studded track standard

Overall vehicle length

Overall vehicle width

Overall vehicle height

(Length x Width x Profile)

Ski stance

Track

- Electric starter
- Glove box with 4 L/1 gal of storage
- Heated trail seat with 7 L/1.85 gal of storage
- Medium windshield (17 in.) with air deflectors
- Heavy-duty front bumper

ROTAX® Engine	850 E-TEC®	600R E-TEC®	900 ACE™ TURBO R	900 ACE™ TURBO – 130	900 ACE™	COLOR	
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke	Liquid-cooled, four-stroke	Liquid-cooled, four-stroke D.O.H.C.,	Scandinavian Blue	e/Manta Green
			D.O.H.C., dry sump, turbocharged	D.O.H.C., dry sump, turbocharged	dry sump	Black	
Horsepower	165	125	180	130	95		
Cylinders -	2	2	3	3	3	FEATURES	
Displacement	849 cc	599.4 cc	899 cc	899 cc	899 cc	Frame	REV® Gen4
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	73 mm - 69.7 mm	73 mm - 69.7 mm	73 mm - 69.7 mm		
Carburation	E-TEC®	E-TEC®	EFI	EFI	EFI	Bodywork	Wide design
	direct injection	direct injection				Skis	Pilot™ TX
	with additional booster injectors					Seating	Trail heated with storage
Fuel type Octane	Premium unleaded 91	Premium unleaded 91	Premium unleaded 91	Premium unleaded 91	Regular unleaded 87	Handlebar	U-shaped aluminum with J-hooks
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal		
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt	Riser block	120 mm/4.7 in.
POWERTRAIN	V					height Starter	Electric
Drive clutch Driven clutch		pDrive™ with clickers QRS	pDrive™ QRS Vent	pDrive™ QRS Vent	pDrive™ with slider shoes – QRS	Reverse	RER™ (2-stroke engines)
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.		Electro-mechanic (4-stroke engines)
DRY WEIGHT	ı					Air radiator	
Dry weight	236 kg/519 lb	229 kg/504 lb	253 kg/558 lb	251 kg/552 lb	241 kg/529 lb	Brake system	Brembo brake with stainless-steel
DIMENSIONS			OHODENOLON				braided brake line
DIMENSIONS			SUSPENSION			Heated throttle	Standard

3,038 mm/119.6 in.

1,217 mm/47.9 in.

1,331 mm/52.4 in.

1,077 mm/42.4 in.

Ice Ripper XT:

137 x 15 x 1.25 in.

253 kg/558 lb	251 kg/552 lb	241 kg/529 lb	
SUSPENSION			
Front suspension	R	AS™ X	
Front shock	HPG™		
Front suspension travel	235 mm/9.3 in.		
Rear suspension	rMotion™ X		
Center shock	HPG™		
Rear shock	ACS (Air Cor	trol Suspension)	
Rear suspension travel	276 m	nm/10.9 in.	

COLOR

Black **FEATURES** Frame REV® Gen4 Bodywork Wide design Skis Pilot™ TX Seating Trail heated with storage Handlebar U-shaped aluminum with J-hooks Riser block 120 mm/4.7 in. heiaht Starter Electric RER™ Reverse (2-stroke engines) Electro-mechanic (4-stroke engines) Air radiator Brake system Brembo brake with stainless-steel braided brake line Heated throttle Standard lever/grips 7.8 in. wide LCD color Gauge type display Windshield 430 mm/17 in. Runner - Carbide Adjustable blade 1/4 Bumpers (front/rear) Heavy-duty/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® and 900 ACE™ Turbo R engines

The most powerful 2-stroke and 4-stroke options in the lineup, offering top performance for the most demanding riders.



2 rMotion™ X rear suspension with Air Control Shock (ACS)

rMotion X redefines big-bump capability in the harshest terrain, while improving overall handling thanks to a longer front arm with adjustableangle design. Combined with ACS and its on-thefly preload settings, you have the best of both handling and adjustable comfort.



3 RAS™ X front suspension

Flatter cornering and precision handling in all conditions. Developed in tandem with the rMotion X rear suspension to raise the bar in trail snowmobile chassis performance. Wider, adjustable ski stance and +10 mm of suspension stroke maximize stability, capability and comfort.



RENEGADE® ENDURO™ 900 ACE™ TURBO R SHOWN



4 Standard studded track

1.25 in. Ice Ripper XT direct from the factory with carbide studs for added grip.



5 Large panoramic 7.8 in. wide LCD color display

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.



6 Pilot™ TX skis

Redesigned with a longer front keel to provide more positive ski traction and less darting, this ski lets riders dial in their preferred amount of

RENEGADE® ADRENALINE®

Tight cornering, big-bumps, high speed and rough trails this sled conquers it all.



// WHAT'S NEW

- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse
- 900 ACE Turbo 130 engine available
- rMotion™ X rear suspension
- RAS™ X front suspension w/ wider ski stance
- Pilot X skis
- Standard with 2 sets of LinQ attachment points

RENEGADE® ADRENALINE® 850 E-TEC® SHOWN

RENEGADE® ADRENALINE® 900 ACE™ TURBO R SHOWN

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC®, 600R E-TEC® and 900 ACE™ engines available
- pDrive™ clutch
- High-quality HPG shock package
- 4.5 in. digital display
- Electric starter
- Glove box with 4 L/1 gal of storage
- Transparent handguards
- Low windshield (14 in.) with air deflectors

ROTAX® Engine	850 E-TEC®	600R E-TEC®	900 ACE™ Turbo r	900 ACE™ TURBO – 130	900 ACE™
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	165	125	180	130	95
Cylinders – Displacement	2 849 cc	2 599.4 cc	3 899 cc	3 899 cc	3 899 cc
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	73 mm - 69.7 mm	73 mm - 69.7 mm	73 mm - 69.7 mm
Carburation E-TEC® direct injection with additional booster injectors		E-TEC® direct injection	EFI	EFI	EFI
Fuel type Octane	Premium unleaded 91	Premium unleaded 91	Premium unleaded 91	Premium unleaded 91	Regular unleaded 87
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt
POWERTRAIN					
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent	pDrive™ with clickers QRS	pDrive™ QRS Vent	pDrive™ QRS Vent	pDrive™ with slider shoes – QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT					
Dry weight	221 kg/486 lb	214 kg/470 lb	238 kg/524 lb	236 kg/518 lb	226 kg/497 lb
DIMENSIONS			SUSPENSION		
Overall vehicle lengi	th 3,038 m	nm/119.6 in.	Front suspension		RAS™ X
Overall vehicle widtl	h 1,217 i	mm/47.9 in.	Front shock		HPG™
Overall vehicle heigh	ht 1,267 r	mm/49.9 in.	Front suspension	243	mm/9.6 in.
Ski stance	1,077 ו	mm/42.4 in.	travel		
Track		pSaw†:	Rear suspension	rM	otion™ X
[Length x Width x Profile]	137 x 1	L5 x 1.25 in.	Center shock		HPG™
			Rear shock		HPG™
			Rear suspension trave	el 292 r	mm/11.5 in.

COLOR

Sunburst Yellow / Black

Black

FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design (2-stroke engines) Wide design (4-stroke engines)
Skis	Pilot™ X
Seating	Trail performance (2-stroke engines) Trail with storage (4-stroke engines)
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™ (2-stroke engines) Electro-mechanic (4-stroke engines)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital display
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 in. – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® and 900 ACE™ Turbo R engines

The most powerful 2-stroke and 4-stroke options in the lineup, offering top performance for the most demanding riders.



2 Rotax® 900 ACE™ Turbo -130 engine

Powerful, lightweight and efficient, delivering instant acceleration at the punch of the throttle. Reliable, powerful performance with revised calibration of the drive-by-wire intelligent Throttle Control (iTC) for more linear and predictable response with three driving modes (Sport, Standard, ECO) and finger throttle.



3 rMotion™ X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



RENEGADE® ADRENALINE® 900 ACE™ TURBO R SHOWN



4 RAS™ X front suspension

Flatter cornering and precision handling in all conditions. Developed in tandem with the rMotion X rear suspension to raise the bar in trail snowmobile chassis performance. Wider, adjustable ski stance and +10 mm of suspension stroke maximize stability, capability and comfort.



5 High-quality HPG shock package

Extremely capable high-pressure gas shocks by



6 Pilot™ X skis

Completely redesigned skis to match flawlessly with the most ride-compliant suspensions in the industry. Offering more positive ski traction and reduced darting for confident performance.

RENEGADE® SPORT

Value-oriented with exceptional handling, bump capability and light off-trail riding.



// PACKAGE HIGHLIGHTS

- Rotax® 600 ACE™ with 420W magneto and 600 EFI engines available
- HPG^TM rear shock
- 4.5 in. digital display
- RAS™ 3 front suspension
- SC™-5M rear suspension

- Standard electric start
- Glove box with 4 L/1 gal of storage
- · Low windshield (14 in.)
- D.E.S.S.™ key (600 ACE™)
- Brembo brake with braided stainless-steel brake line
- Ergo-step side panels
- U-shaped aluminum handlebar with integrated J-hooks
- Pilot 5.7 skis
- NEW standard with two sets of LinQ attachment points

ROTAX® ENGINE	600 EFI	600 ACE™	
Engine details	Liquid-cooled, two-stroke	Liquid-cooled, four-stroke D.O.H.C., dry sump	
Horsepower	85	62	
Cylinders – Displacement	2 - 599.4 cc	2 - 600 cc	
Bore – Stroke	72.3 mm - 73 mm	74 mm - 69.7 mm	
Carburation	EFI	EFI	
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	2.1 L/2.2 qt	
POWERTRAIN			
Drive clutch	pDrive™ with slider shoes	eDrive™ II	
Driven clutch	QRS	QRS	
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	
DRY WEIGHT			
Dry weight	200 kg/442 lb	213 kg/469 lb	
DIMENSIONS			
Overall vehicle length	3,038 mn	n/119.6 in.	
Overall vehicle width	1,217 mm/47.9 in.		
Overall vehicle height	1,267 mm/49.9 in.		
Ski stance	1,077 mm/42.4 in.		
Track	Со	bra:	
(Length x Width x Profile)	137 x 15	x 1.25 in.	

Sunburst Yellow / Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	Motion Control
Front suspension travel	220 mm/8.7 in.
Rear suspension	SC™-5M
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	245 mm/9.6 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design (2-stroke engines) Wide design (4-stroke engines)
Skis	Pilot™ 5.7
Seating	Trail performance (2-stroke engines Trail with storage (4-stroke engines
Handlebar	U-shaped aluminum with J-hooks
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™ (600 EFI) Mechanical (600 ACE™)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital display
Windshield	360 mm/14 in.
Runner – Carbide	Square 3/8 in – 4 in.

// FEATURE HIGHLIGHTS



1 Rotax® 600 ACE™ and 600 EFI engines

Two easy-to-own, reliable and fuel-efficient choices. 60 hp* (600 ACE) or 85 hp* (600 EFI) versions ensure great performance and an incredible value.

*Observed HP metric based on internal dyno test in optimal conditions.



2 HPG™ rear shock

High-quality KYB high-pressure gas shock for excellent performance and reliability.

3 Electric start

Saves time and energy, adding immense value for the rider.



RENEGADE® SPORT 600 EFI SHOWN



4 Ergo-step side panels

Design offers natural progression to three natural positions for different cornering styles, including a new, extreme-forward position.



5 RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



6 Pilot™ 5.7 skis

Deliver outstanding grip and bite in corners with virtually no darting.

MXZ® X-RS®

A non-compromising race-inspired sled capable of taking on the roughest trails with ease.



// WHAT'S NEW

- Smart-Shox semi-active suspension available (850 E-TEC only)
- Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines
- High-performance KYB PRO shock package
- 7.8 in. wide LCD display with BRP Connect available
- RAS™ X front suspension
- rMotion™ X rear suspension
- Electric starter

- RS running boards
- pDrive™ clutch
- Forward steering post position
- · Backlit multifunction handlebar controls
- Rack steering system
- Forward adjustable riser

- Transparent handguards
- Open toe-hold
- Ski choices: Pilot™ X or Pilot™ TX
- (available with opt. QAS)
- Optional adjustment package: rMotion™ X Quick Adjust™ system and Pilot™ TX skis (850 E-TEC only)

ROTAX® ENGINE	850 E-TEC®	600R E-TEC®	COLOR	
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Hyper Silver / Carbon Bla	ack
Horsepower	165	125	Black	
Cylinders - Displacement	2 - 849 cc	2 - 599.4 cc	Black	
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	SUSPENSION	
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	Front suspension	
Fuel type – Octane	Premium unleaded – 91	Premium unleaded - 91	Front shock	K'
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	Front suspension travel	
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	Rear suspension	rMo
			Center shock	11110
POWERTRAIN			Rear shock	
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent	pDrive™ with clickers ORS		K'
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	Rear suspension travel	
DRY WEIGHT			FEATURES	
	222 1 / 400 15	210 1 //-70 15	- Frame	
Dry weight	222 kg/490 lb	216 kg/476 lb	- Bodywork	
DIMENSIONS			Skis	
Overall vehicle length	2,925 mm	n/115.2 in.	Castina	
Overall vehicle width	1,209 - 1,232 - 1,255 mm/47.6 - 48.5 - 49.4 in.		Seating	11 -6-
Overall vehicle height	1,267 mm/49.9 in.		Handlebar	U-sha
Ski stance	1,069 - 1,092 - 1,115 mm/42.1 - 43 - 43.9 in.		Riser block height	A
Track	RipSaw [†] :		Starter	
(Length x Width x Profile)	129 x 15 x 1.25 in.		Reverse	
		pper XT:	Brake system	Bremb
		1.25 in. opt. 1.5 in. opt.	Diake System	DIEIIID
	123 x 13 x	1.0 п. орс.	Heated throttle lever/gr	ins

Front suspension	RAS™ X
Front shock	KYB† PRO 36 Easy-Adjust KYB† PRO Smart-Shox (opt.)
Front suspension travel	265 mm/10.4 in.
Rear suspension	rMotion™ X with QAS (optional)
Center shock	KYB† PRO 40 Easy-Adjust
Rear shock	KYB [†] PRO 40 Easy-Adjust KYB [†] PRO Smart-Shox (opt.)
Rear suspension travel	292 mm/11.5 in.

Rear suspension travel	292 mm/11.5 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ X Pilot™ TX (optional)
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	Adjustable-120 mm/4.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo racing brake with stainless- steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)
Windshield	Optional
Runner - Carbide	Round 1/2 - 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



2 High-performance KYB PRO shock package

Extreme-capability, extreme-durability shocks for control in the toughest conditions. Easy adjust-equipped for dialed-in compression.



3 Smart-Shox

Industry-first, innovative semi-active KYB shock technology provides the ultimate suspension performance available in snowmobiles. The system constantly reads engine parameters and chassis inputs, including steering, to adjust damping of shocks as needed to deliver antibottoming, lateral stability and forward and aft pitch control. Comfort, Sport and Sport + modes make it easy to fine-tune on the fly.



MXZ® X-RS® 850 E-TEC® SHOWN



4 RS running boards

Designed for aggressive stand-up riding, they are flatter for most of their length, wider and strong. Thicker aluminum sheet, plus front and rear reinforcements to withstand tough landings.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

6 Rack steering system

Derived from the MXZx race sled, further increases steering precision and straight tracking for a nimble and predictable ride in extreme bumps.

MXZ® X®

High-tech features and racing DNA for hard-core trail riders.



// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines
- High-performance shock package
- 7.8 in. wide LCD display with BRP Connect available
- \bullet RAS $^{\text{\tiny{TM}}}$ X front suspension

DOTAV® ENCINE

- rMotion™ X rear suspension
- Electric starter

- pDrive™ clutch
- Backlit multifunction handlebar controls
- Low windshield (14 in.) with air deflectors

COOD E TECR

- Forward adjustable riser
- Transparent handguards
- Open toe-hold

OFO F TECR

- Ski choices: Pilot™ X or Pilot™ TX (available with opt. QAS)
- Optional adjustment package: rMotion™ X Quick Adjust™ system and Pilot™ TX skis [850 E-TEC only]
- NEW standard with two sets of LinQ attachment noints

ROTAX® ENGINE	850 E-TEC®	600R E-TEC®	COLOR
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	Catalyst Grey / Black
Horsepower	165	125	Black Black
Cylinders - Displacement	2 - 849 cc	2 - 599.4 cc	- Brader
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	SUSPENSION
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	Front suspension
Fuel type - Octane	Premium unleaded – 91	Premium unleaded - 91	Front shock
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	Front suspension trav
Oil tank capacity	3.4 L/3.6 gt	3.4 L/3.6 qt	Rear suspension
оп тапк сараситу	3.4 L/ 3.0 qt	3.4 L/ 3.0 qt	 Center shock
POWERTRAIN			Rear shock
Drive clutch	pDrive™ with clickers	pDrive™ with clickers	 Rear suspension trave
Driven clutch	QRS Vent	QRS	FEATURES
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	
			Frame
DRY WEIGHT			Bodywork
Dry weight	216 kg/476 lb	210 kg/462 lb	Skis
DIMENSIONS			Seating
Overall vehicle length	2,925 mm/115.2 in.		Handlebar
Overall vehicle width	1,209 - 1,232 - 1,255 mm/47.6 - 48.5 - 49.4 in.		
Overall vehicle height	1,267 mm/49.9 in.		Riser block height
Ski stance	1,069 - 1,092 - 1,115 mm/42.1 - 43 - 43.9 in.		Starter
Track	RipSaw [†] :		Reverse
(Length x Width x Profile)	129 x 15	x 1.25 in.	Brake system
	Ice Rip	per XT:	
		1.25 in. opt.	Heated throttle lever/
	129 x 15 x	1.5 in. opt.	_ Gauge type

COLOD

OHODENOLON	
Black	
Catalyst Grey / Black	

Front suspension	RAS™ X
Front shock	HPG™ Plus
Front suspension travel	243 mm/9.6 in.
Rear suspension	rMotion™ X with QAS (optional)
Center shock	HPG™ Plus
Rear shock	KYB† PRO 36 Easy-Adjust
Rear suspension travel	292 mm/11.5 in.

ooks/
n.
h e line
y (opt.)

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



2 Premium shock package

HPG Plus front and center shocks. KYB PRO 36 EA rear shock featuring compression adjustment with easy-adjust knob. All four shocks are aluminum and rebuildable/revalvable.





3 Adjustment package

Totally transforms the handling characteristics of the sled according to riding style or conditions with unmatched ease. Includes rMotion X Quick Adjust System and Pilot TX skis.



MXZ® X® 850 E-TEC® SHOWN



4 rMotion™ X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

(See website for image)

6 Three track choices

Superior performance assured with your choice of factory-installed Ripsaw or studded Ice Ripper tracks.

MXZ® TNT®

Advancing its legacy as a favorite of agressive trail riders.



COLOR

Runner - Carbide

Bumpers (front/rear)

// WHAT'S NEW

- RAS™ X front suspension w/ wider ski stance
- rMotion™ X rear suspension
- Pilot X skis
- Standard with two sets of LinQ attachment points

// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® and 600R E-TEC® engines
- High-quality HPG shock package
- 4.5 in. digital displayElectric starter

ROTAX® ENGINE

- pDrive™ clutch
- Low windshield (14 in.) with air deflectors

600R E-TEC®

- Transparent handguards
- Open toe-hold

Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, two-stroke, eRAVE™	
Horsepower	165	125	
Cylinders - Displacement	2 - 849 cc	2 - 599.4 cc	
Bore – Stroke	82 mm - 80.4 mm	72.3 mm - 73 mm	
Carburation	E-TEC® direct injection with additional booster injectors	E-TEC® direct injection	
Fuel type – Octane	Premium unleaded – 91	Premium unleaded – 91	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	
POWERTRAIN			
Drive clutch Driven clutch	pDrive™ with clickers QRS Vent	pDrive™ with clickers QRS	
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	
DRY WEIGHT			
Dry weight	216 kg/475 lb	209 kg/460 lb	
DIMENSIONS			
Overall vehicle length	2,925 mm	n/115.2 in.	
Overall vehicle width	1,217 mm/47.9 in.		
Overall vehicle height	1,267 mm/49.9 in.		
Ski stance	1,077 mm/42.4 in.		
Track	RipS	Saw†:	
(Length x Width x Profile)	129 x 15 x 1.25 in.		
	Ice Ripper XT:		
	129 x 15 x 1.25 in. opt.		

850 E-TEC®

- Ergo-step side panels
- RER™ electronic reverse
- RF D.E.S.S.™ key

Catalyst Grey / Black

SUSPENSION	
Front suspension	RAS™ X
Front shock	HPG™
Front suspension travel	235 mm/9.3 in.
Rear suspension	rMotion™ X
Center shock	HPG™
Rear shock	HPG™
Rear suspension travel	272 mm/10.7 in.
Frame	REV® Gen4
Frame	REV® Gen4
Bodywork	Narrow design
Skis	Pilot™ X
Seating	Trail performance
Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	RER™
Brake system	Brembo brake with stainless-stee braided brake line
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital display
Windshield	360 mm/14 in

Square 3/8 in. – 4 in. Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 850 E-TEC® and 600R E-TEC® engines

Incredible power and unmatched dynamic response with exclusive E-TEC® direct-injection technology. Plasma-coated, mono-block cylinders are used for exceptional durability, while the precision of E-TEC® injection means you get excellent fuel and oil economy.



² rMotion™ X rear suspension

Built upon the same principles rMotion suspensions are renowned for, and then some. Completely redesigned for unmatched big-bump absorption and incredible comfort. Longer front arm with exclusive adjustable-angle design fits ideally with RAS X front suspension, creating superior cornering on trail.



3 RAS™ X front suspension

Flatter cornering and precision handling in all conditions. Developed in tandem with the rMotion X rear suspension to raise the bar in trail snowmobile chassis performance. Wider, adjustable ski stance and +10 mm of suspension stroke maximize stability, capability and comfort.



MXZ® TNT® 850 E-TEC® SHOWN



4 High-quality HPG shock package

Extremely capable high-pressure gas shocks by KYB.



⁵ Pilot™ X skis

Completely redesigned skis to match flawlessly with the most ride-compliant suspensions in the industry. Offering more positive ski traction and reduced darting for confident performance.



6 Ice Ripper track option

1.25 in. Ice Ripper XT direct from the factory with carbide studs for added grip.

MXZ® SPORT

Dynamic trail performance and value-oriented features.



MXZ® SPORT 600 EFI SHOWN

// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI engine
- 4.5 in. digital display
- RAS™ 3 front suspension
- SC[™]-5M rear suspension

- Electric starter standard
- Low windshield (14 in.)
- U-shaped aluminum handlebar with integrated
- Ergo-step side panels
- Brembo brake with braided stainless-steel brake line NEW standard with set of LinQ attachment points

ROTAX® ENGINE	600 EFI	
Engine details	Liquid-cooled, two-stroke	
Horsepower	85	
Cylinders - Displacement	2 - 599.4 cc	
Bore – Stroke	72.3.7 mm – 73 mm	
Carburation	EFI	
Fuel type – Octane	Regular unleaded - 87	
Fuel tank	36 L/9.5 US gal	
Oil tank capacity	3.4 L/3.6 qt	
POWERTRAIN		
Drive clutch	pDrive™	
Driven clutch	QRS	
Drive sprocket pitch	73 mm/2.86 in.	
DRY WEIGHT		
Dry weight	198 kg/437 lb	
DIMENSIONS		
Overall vehicle length	2,925 mm/115.2 in.	
Overall vehicle width	1,217 mm/47.9 in.	
Overall vehicle height	1,267 mm/49.9 in.	
Ski stance	1,077 mm/42.4 in.	
Track (Length x Width x Profile)	RipSaw': 129 x 15 x 1.25 in.	

COLOR

FEATURES

USPENSION	DAOTM 7
Front suspension	RAS™ 3
Front shock	Motion Control
Front suspension travel	220 mm/8.7 in.
Rear suspension	SC™-5M
Center shock	Motion Control
Rear shock	Motion Control
Rear suspension travel	245 mm/9.6 in.

Frame	REV® Gen4	
Bodywork	Narrow design	
Skis	Pilot™ 5.7	
Seating	Trail compact	
Handlebar	U-shaped aluminum with J-hooks	
Riser block height	120 mm/4.7 in.	
Starter	Electric	
Reverse	RER™	
Brake system	Brembo brake with stainless-steel	

braided brake line Heated throttle lever/grips Standard Gauge type 4.5 in. digital display 360 mm/14 in. Windshield Runner - Carbide Square 3/8 in. - 4 in. Bumpers (front/rear) Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 600 EFI engine

600 cc-class fuel-injected engine delivering 85 horsepower and outstanding economy at an incredible value. Design based on the 600R E-TEC with proven reliability and ease of ownership at its core with an outsized fun factor.

2 Brembo disc brake

Fade-resistant, world-renowned stopping power from hydraulic brake. Braided stainless-steel line delivers a direct, solid feel and greater braking



3 SC™-5M rear suspension

Offers great balance of comfort and performance.



MXZ® SPORT 600 EFI SHOWN



4 RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



5 Pilot™ 5.7 skis

Deliver outstanding grip and bite in corners with virtually no darting.



6 Ergo-step side panels

Design offers natural progression to three natural positions for different cornering styles, including a new, extreme-forward position.

GRAND TOURING LIMITED

The ultimate in 2-up trail comfort and technology with dynamic engine options.

// WHAT'S NEW

- Rotax® 900 ACE™ Turbo R with cable throttle housing and electro-mechanical reverse
- 900 ACE Turbo 130 engine available
- Luxury Package available: Includes 7.8 in. wide LCD display with BRP Connect, premium Liquid Titanium color and studded track
- RAS™ X front suspension w/ wider ski
- rMotion™ X rear suspension with Air Control Suspension (ACS) rear shock



GRAND TOURING LIMITED 900 ACE™ TURBO R W/ LIMITED PACKAGE SHOWN

// PACKAGE HIGHLIGHTS

- Premium Protection: 23 in. ultra-high windshield, side panel wind deflectors, rear snow deflector and running boards with small openings
- · Large rear LinQ cargo box with 62 L/16.1 gal of
- Premium heated 2-up seat with heated passenger handholds and air deflectors
- ${f \cdot}$ Glove box with 4 L/1 gal of storage
- · Heated boot plug
- Heated visor outlets for driver and passenger • pDrive™ clutch

- Electro-mechanical reverse
- Ergo-step side panels

- SilentDrive $^{\text{TM}}$ system with 15 x 137 x 1.25 in. Silent
- Forward adjustable riser
- · Heavy-duty rear bumper
- Backlit multifunction handlebar controls
- Pivoting mirrors
- RF D.E.S.S.™ key

ROTAX® ENGINE	900 ACE™ Turbo r	900 ACE™ TURBO – 130	900 ACE™	
Engine details	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump	
Horsepower	180	130	95	
Cylinders - Displacement	3 - 899 cc	3 - 899 cc	3 - 899 cc	
Bore - Stroke	73 mm - 69.7 mm	73 mm - 69.7 mm	73 mm - 69.7 mm	
Carburation	EFI	EFI	EFI	
Fuel type – Octane	Premium unleaded - 91	Premium unleaded - 91	Regular unleaded – 87	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt	
POWERTRAIN				
Drive clutch Driven clutch	pDrive™ QRS Vent	pDrive™ QRS Vent	pDrive™ with slider shoes QSR	
Drive sprocket pitch	36 mm/1.43 in.	36 mm/1.43 in.	36 mm/1.43 in.	
DRY WEIGHT				
Dry weight	268 kg/590 lb	266 kg/586 lb	254 kg/559 lb	
DIMENSIONS				
Overall vehicle length		3,127 mm/123.1 in.		
Overall vehicle width		1,217 mm/47.9 in.		
Overall vehicle height	1,513 mm/59.6 in.			
Ski stance	1,077 mm/42.4 in.			
Track (Length x Width x Profile)	Silent Track II: 137 x 1.5 x 1.25 in. Studded Silent Track II:			
	137 x 15 x 1.25 in. Luxury Package only			

COLOR

Liquid Titanium (w/ Luxury Package only)

Black

SUSPENSION

Front suspension	RAS™ X	
Front shock	HPG™	
Front suspension travel	225 mm/8.9 in.	
Rear suspension	rMotion™ X	
Center shock	HPG™	
Rear shock	ACS (Air Control Suspension)	
Rear suspension travel	276 mm/10.9 in.	

FEATURES

Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 5.7 SL
Seating	2-up heated
Handlebar	U-shaped aluminum
Riser block height	Adjustable-120 mm/4.7 in.
Starter	Electric
Reverse	Electro-mechanic
Air radiator	Fan (Turbo engines only)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver and passenger)
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (w/ Luxury Package)
Windshield	585 mm/23 in. with mirrors
Runner – Carbide	Round 1/2 – 4 in.
Bumpers (front/rear)	Std/Heavy-duty

// FEATURE HIGHLIGHTS



1 Rotax® 900 ACE™ Turbo R with cable throttle housing

Now the most powerful engine ever offered in a Ski-Doo. Ferocious instant acceleration and top speed through bigger fuel injectors, increased boost and optimized intake and exhaust systems. The new cable-activated iTC throttle better matches a performance rider's profile while offering three driving modes.



2 Rotax® 900 ACE™ Turbo – 130 engine

Powerful, lightweight and efficient, delivering instant acceleration at the punch of the throttle. Reliable, powerful performance with revised calibration of the drive-by-wire intelligent Throttle Control (iTC) for more linear and predictable response with three driving modes (Sport, Standard, ECO) and finger throttle.



3 Luxury Package

Three premium features consisting of a distinctive Liquid Titanium coloration, 7.8 in. wide LCD display with BRP Connect and a studded Silent Track II.



GRAND TOURING LIMITED 900 ACE™ TURBO R W/ LIMITED PACKAGE SHOWN



4 rMotion™ X rear suspension with Air Control Shock (ACS)

rMotion X redefines big-bump capability in the harshest terrain, while improving overall handling thanks to a longer front arm with adjustableangle design. Combined with ACS and its on-thefly preload settings, you have the best of both handling and adjustable comfort.



5 Large cargo box

Hard-top weather-resistant LinQ box adds 62 L (16.1 gal) of storage on the tunnel.



6 Heated 2-up seat

Premium 2-up heated seat with backrest, including handholds.

GRAND TOURING SPORT

Trail comfort and 2-up features with precision handling and savvy style.



// PACKAGE HIGHLIGHTS

- Rotax® 900 ACE™ and 600 ACE™ engines with 420W magneto
- 23 in. ultra-high windshield with side deflectors
- 2-up seat with heated passenger handholds and air deflectors
- 4.5 in. digital display
- RAS™ 3 front suspension
- SC[™]-5M rear suspension

ROTAX® ENGINE

- Heated driver's visor power outlet
- pDrive™ clutch (900 ACE™)
- Pivoting mirrors
- Reversible throttle lever (thumb or finger activated)
- Brembo brake with braided stainless-steel brake line

600 ACE™

- iTC™ Engine mapping modes (Standard, Sport or ECO®)
- Pilot™ 5.7 SL skis
- Mechanical reverse
- SilentDrive™ system with 15 x 137 x 1.25 in. Silent Track II
- NEW standard with two sets of LinQ attachment points

KOIAX LIIOINL	JUU ACL	OUU ACL	
Engine details	Liquid-cooled, four-stroke	Liquid-cooled, four-stroke	
	D.O.H.C., dry sump	D.O.H.C., dry sump	
Horsepower	95	62	
Cylinders – Displacement	3 - 899 cc	2 - 600 cc	
Bore – Stroke	73 mm - 69.7 mm	74 mm - 69.7 mm	
Carburation	EFI	EFI	
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87	
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	
Oil tank capacity	3.3 L/3.5 qt	2.1 L/2.2 qt	
POWERTRAIN			
Drive clutch	pDrive™ with slider shoes	eDrive™ 2	
Driven clutch	QRS	QRS	
Drive sprocket pitch	36 mm/1.43 in.	36 mm/1.43 in.	
DRY WEIGHT			
Dry weight	241 kg/530 lb	231 kg/509 lb	
DIMENOLONO	-		
DIMENSIONS		12022	
Overall vehicle length		n/123.1 in.	
Overall vehicle width	1,217 mm/47.9 in.		
Overall vehicle height	1,513 mm/59.6 in.		
Ski stance	1,077 m	m/42.4 in.	
Track		Track II:	
(Length x Width x Profile)	137 x 15 x 1.25 in.		

900 ACE™

Catalyst Grey / Black	
SUSPENSION	
Front suspension	RAS™ 3
Front shock	Motion Control
Front suspension travel	245 mm/8.9 in.
Rear suspension	SC™-5M
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	245 mm/9.6 in.
FEATURES Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 5.7 SL
Seating	2-up
Handlebar	U-shaped aluminum
Riser block height	120 mm/4.7 in.
Starter	Electric
Reverse	Mechanical
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver and passenger)
Gauge type	4.5 in. digital display
Windshield	585 mm/23 in. with mirrors
Runner – Carbide	Round 1/2 – 4 in.
Bumpers (front/rear)	Std/Std

// FEATURE HIGHLIGHTS



1 Rotax® 900 ACE™ and 600 ACE™ engines

Two reliable, low-maintenance choices with proven ACE technology and Intelligent Throttle Control (ITC) with three driving modes. The 60 hp* 600 ACE is the industry's fuel-economy leader, and the 95 hp* 900 ACE ensures lively performance at an incredible value.

*Observed HP metric based on internal dyno test in optimal conditions.



2 RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



3 HPG™ rear shock

High-quality KYB high-pressure gas shock for excellent performance and reliability.



GRAND TOURING SPORT 900 ACE™ SHOWN



(See website for image)

4 SilentDrive™ system

Clearly noticeable track drivers, interior track design and suspension geometry designed to reduce sound for the rider as well as up to 70% less vibration to the rider's feet.

5 Ultra-high windshield

Sculpted to offer improved rider and passenger wind deflection.



6 Modular 2-up seat

2-up seat with passenger handholds and air

EXPEDITION® XTREME™

The high-performance sport-utility sled with capability to go just about anywhere.



// PACKAGE HIGHLIGHTS

- Rotax® 850 E-TEC® engine
- KYB† PRO 36 aluminum piggyback rear shock with compression adjusters
- HPG™ Plus front shocks
- 4.5 in. digital display
- RAS™ 3 front suspension
- SC[™]-5U articulating rear suspension with locking mechanism (no tool required)
- 20 in. wide Multi-LinQ plate with 125 lb/56.7 kg
- Air radiator with fan
- Deep-snow running boards with large openings
- pDrive™ clutch with clickers
- Low handlebar strap

- Flexible handguards

- Easy-shift transmission (H-L-N) with RER™ electronic
- Pilot™ DS 3 skis
- Adjustable ski stance
- RF D.E.S.S.™ key
- NEW two color options

ROTAX® ENGINE	850 E-TEC®		
Engine details	Liquid-cooled, two-stroke, eRAVE™		
Horsepower	165		
Cylinders - Displacement	2 - 849 cc		
Bore - Stroke	82 mm - 80.4 mm		
Carburation	E-TEC® direct injection with additional booster injectors		
Fuel type – Octane	Premium unleaded – 91		
Fuel tank	42 L/11.1 US gal		
Oil tank capacity	3.4 L/3.6 qt		
POWERTRAIN			
Drive clutch	pDrive™ with clickers		
Driven clutch	QRS		
Drive sprocket pitch	73 mm/2.86 in.		
DRY WEIGHT			
Dry weight	271 kg/596 lb		
DIMENSIONS			
Overall vehicle length	3,293 mm/129.6 in.		
Overall vehicle width	1,140 to 1,180 mm/44.9 to 46.5 in.		
Overall vehicle height	1,280 mm/50.4 in.		
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.		
Track	Cobra WT:		
(Length x Width x Profile)	154 x 20 x 1.8 in.		

COLOR

Arctic Desert / Black Black

SUSPENSION	
Front suspension	RAS™ 3
Front shock	HPG™ Plus
Front suspension travel	220 mm/8.7 in.
Rear suspension	SC™-5U
Center shock	HPG™ Plus
Rear shock	KYB† PRO 36
Rear suspension travel	239 mm/9.4 in.

Rear suspension travel	239 mm/9.4 in.	
FEATURES		
Frame	REV® Gen4	
Bodywork	Wide design	
Skis	Pilot™ DS 3	
Seating	1-up modular with rear seat storage	
Handlebar	U-shaped aluminum with J-hooks/ Low grab handle/Flexible handguards	
Riser block height	145 mm/5.7 in.	
Starter	Electric	
Reverse	RER™	
Air radiator	Fan	
Brake system	Brembo brake with stainless-steel braided brake line	
Heated throttle lever/grips	Standard	
Gauge type	4.5 in. digital display	
Windshield	360 mm/14 in.	
Runner – Carbide	Square 3/8 in. – 4 in.	
Bumpers (front/rear)	Heavy-duty/Std	

// FEATURE HIGHLIGHTS



1 Like a Summit® with a 20 in. wide track

The REV® Gen4 platform paired with the hybrid RAS 3 front suspension allows effortless maneuvers in deep-snow, while the 20 x 154 x 1.8 in. Cobra track provides incredible flotation



2 Rotax® 850 E-TEC® engine

Next generation of the most advanced directinjection two-stroke engine technology. Designed for reliability and durability with proven four-stroke and long-lasting automotive technologies.



3 KYB† PRO 36 piggyback rear shock with compression adjustment

Extreme-capability, extreme-durability shocks with compression adjustment for optimized control in the toughest conditions. Lightweight aluminum and rebuildable/revalvable.



EXPEDITION® XTREME™ 850 E-TEC® SHOWN



4 HPG™ Plus front shocks

Highest-quality KYB lightweight rebuildable highpressure gas shocks. Rebuildable and revalvable.



5 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.



6 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.

EXPEDITION® SE

The utmost touring sport-utility vehicle with an incredible list of work and luxury features.



// WHAT'S NEW

· Two color options

// PACKAGE HIGHLIGHTS

- Rotax® 600R E-TEC®, 900 ACE™ Turbo 150 and 900 ACE™ engines
- Air Control Suspension (ACS) rear shock
- 7.8 in. wide LCD display with BRP Connect available (ACE engines only)
- RAS™ 3 front suspension
- SC™-5U articulating rear suspension with locking mechanism (no tool required)
- 20 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- Air radiator with fan
- Deep-snow running boards with large openings
- Removable passenger seat with heated grips
- Ultra-large LinQ utility cargo box with 135 L/35.7 US gal of storage
- Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. [1,200 lb/544 kg std.]
- High-capacity battery
- Forward adjustable riser

- Easy-shift transmission [H-L-N] with RER™ electronic reverse [2-stroke]/electro-mechanical reverse
- 23 in. ultra-high windshield with side deflectors
- Pivoting mirrors
- Pilot 7.4 skis
- Heated driver's visor power outlet
- pDrive™ clutch
- RF D.E.S.S.™ key
- Backlit multifunction handlebar controls

ROTAX® Engine	600R E-TEC®	900 ACE™ TURBO - 150	900 ACE™	
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump	
Horsepower	125	150	95	
Cylinders – Displacement	2 - 599.4 cc	3 - 899 cc	3 - 899 cc	
Bore – Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm	73 mm - 69.7 mm	
Carburation	E-TEC® direct injection	EFI	EFI	
Fuel type – Octane	Premium unleaded - 91	Premium unleaded - 91	Regular unleaded – 87	
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal	
Oil tank capacity	3.4 L/3.6 qt	3.3 L/3.5 qt	3.3 L/3.5 qt	
POWERTRAIN				
Drive clutch Driven clutch	pDrive™ with clickers QRS	pDrive™ QRS Vent	pDrive™ with slider shoes QRS	
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	
DRY WEIGHT				
Dry weight	290 kg/639 lb	315 kg/694 lb	303 kg/666 lbs.	
DIMENSIONS				
Overall vehicle length		3,256 mm/128.2 in.		
Overall vehicle width	1,200 to 1,240 mm/47.7 to 48.8 in.			
Overall vehicle height	1.513 mm/59.6 in.			
Ski stance	975 or 1,020 mm/38.4 or 40.2 in.			
Track	Silent Cobra WT:			
(Length x Width x Profile)	154 x 20 x 1.5 in.			
	Silent Ice Cobra WT:			
		154 x 20 x 1.5 in. opt.		
	Cobra WT: 154 x 20 x 1.8 in. opt.			

Liquid Titanium / Black

COLOR

Liquid IItaliidiii / Black				
Black Black				
SUSPENSION				
Front suspension	RAS™ 3			
Front shock	HPG™			
Front suspension travel	220 mm/8.7 in.			
Rear suspension	SC™-5U			
Center shock	HPG™			
Rear shock	ACS (Air Control Suspension)			
Rear suspension travel	239 mm/9.4 in.			

FFATURES

FEATURES			
Frame	REV® Gen4		
Bodywork	Wide design		
Skis	Pilot™ 7.4		
Seating	2-up modular with underseat storage		
Handlebar	U-shaped aluminum with J-hooks/Low grab handle		
Riser block height	Adjustable-120 mm/4.7 in.		
Starter	Electric		
Reverse	RER™ (2-stroke)		
	Electro-mechanic (4-stroke)		
Air radiator	High-efficiency w/ fan (4-stroke) Fan (2-stroke)		
Brake system	Brembo brake with stainless-steel braided brake line		
Heated throttle lever/grips	Standard (driver and passenger)		
Gauge type	7.2 in. wide digital display 7.8 in. wide LCD color display (opt. on ACE engines)		
Windshield	585 mm/23 in. with mirrors		
Runner – Carbide	Square 3/8 in. – 4 in.		
Bumpers (front/rear)	Heavy-duty/Hitch receiver		

// FEATURE HIGHLIGHTS



1 Rotax® 900 ACE™ Turbo - 150 engine

With a Rotax-built turbocharger specifically designed for the 900 ACE engine, riders get the technology they love with the reliable, powerful performance they demand in one advanced engine package.



2 SC[™]-5U rear suspension with Air Control Shock (ACS)

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing. Combined with ACS and its on-the-fly preload settings, you have the best of both utility functions and adjustable comfort.



3 Ultra-large LinQ utility cargo box

135 L/35.7 gal of lockable, weather-resistant storage capacity. Incorporated hatchet and saw holder, plus attachment points for bungees and two 16 in. LinQ positions on top for expandable accessory use.



EXPEDITION® SE 900 ACE™ TURBO SHOWN



4 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb [56.7 kg] of cargo capacity.



5 Large panoramic 7.8 in. wide LCD color display available

Wide-screen full-color display lets riders truly customize their ride from behind the bars. Choose your preferred sled info, and see app integrated-information in a split-screen format with GPS, Bluetooth music, helmet-to-helmet communication and more.

(See website for image)

6 Three utility track choices

Choose from three different factory-installed Silent Cobra tracks, with or without carbine studs for extra traction in icy conditions.

EXPEDITION® SWT

A supreme deep-snow sport-utility vehicle with unrivaled flotation and an exemplary list of utility features.



// WHAT'S NEW

- High-quality HPG shock package
- Two color options

// PACKAGE HIGHLIGHTS

- Rotax® 600R E-TEC®, 900 ACE™ Turbo 150 and 900 ACE™ engines
- 24 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- 4.5-in. digital display
- RAS™ 3 front suspension
- SC™-5U articulating rear suspension with locking mechanism (no tool required)
- Air radiator with fan
- Deep-snow running boards with large openings
- Removable passenger seat with heated grips
- High passenger backrest
 Hitch receiver with 1,500 H
- Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. [1,200 lb/544 kg std.]
- High-capacity battery
- Easy-shift transmission (H-L-N) with RER™ electronic reverse (2-stroke) / electro-mechanical reverse (4-stroke)
- 23 in. Ultra-high windshield with side deflectors
- Pivoting mirrors
- Pilot 7.4 skis
- · Heated driver's visor power outlet
- Low handlebar strap
- pDrive™ clutch
- RF D.E.S.S.™ key

ROTAX® Engine	600R E-TEC®	900 ACE™ TURBO – 150	900 ACE™	COLOR
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump	Lava Red / Black
Horsepower	125	150	95	
Cylinders – Displacement	2 - 599.4 cc	3 - 899 cc	3 - 899 cc	SUSPENSION
Bore – Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm	73 mm - 69.7 mm	Front suspension
Carburation	E-TEC® direct injection	EFI	EFI	Front shock
Fuel type – Octane	Premium unleaded - 91	Premium unleaded - 91	Regular unleaded – 87	Front suspension travel
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal	Rear suspension
Oil tank capacity	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt	Center shock
POWERTRAIN				Rear shock Rear suspension travel
Drive clutch Driven clutch	pDrive™ with clickers QRS	pDrive™ QRS Vent	pDrive™ with slider shoes QRS	FEATURES
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	Frame
DRY WEIGHT				Bodywork
Dry weight	285 kg/626 lb	309 kg/681 lb	296 kg/650 lb	Skis
Dry Worgint	Loo kg/ oLo tb	000 kg/001 kb	200 kg/ 000 tb	Seating
DIMENSIONS				Handlebar
Overall vehicle length		3,256 mm/128.2 in.		Riser block height
Overall vehicle width	1,2	00 to 1,240 mm/47.7 to 48	3.8 in.	Starter
Overall vehicle height	1,513 mm/59.6 in.			Reverse
Ski stance	97	5 or 1,020 mm/38.4 or 40.	2 in.	1.010100
Track (Length x Width x Profile)		Silent Cobra WT: 154 x 24 x 1.5 in.		Air radiator

SUSPENSION Front suspension RAS™ 3 Front shock HPG™ Front suspension travel 220 mm/8.7 in. Rear suspension SC™-5U Center shock HPG™ Rear shock HPG™ Rear suspension travel 239 mm/9.4 in.

Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 7.4
Seating	2-up modular with underseat storage
Handlebar	U-shaped aluminum with J-hooks/ Low grab handle
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (2-stroke) Electro-mechanic (4-stroke)
Air radiator	High-efficiency w/ fan (4-stroke) Fan (2-stroke)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver and passenger)
Gauge type	4.5 in. digital display
Windshield	585 mm/23 in.
Runner – Carbide	Square 3/8 in. – 4 in.
Bumpers (front/rear)	Heavy Duty/Hitch receiver

// FEATURE HIGHLIGHTS



1 Rotax® 900 ACE™ Turbo – 150 engine

With a Rotax-built turbocharger specifically designed for the 900 ACE engine, riders get the technology they love with the reliable, powerful performance they demand in one advanced engine package.



2 Utility 2-up utility seat

The ideal combination of comfort and convenience. Driver and passenger seat offering comfort and maneuverability for the driver, and convenience and protection for the passenger. Shielded and heated passenger hand grips.



3 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.



EXPEDITION® SWT 900 ACE™ TURBO SHOWN



4 RAS™ 3 front suspension

Similar geometry and steering to the RAS 3 mountain front end for capability and light steering feel on- and off-trail. Optimized for crossover usage, two ski stance positions dial in handling: 40.2 in. (102 cm) or 38.4 in. (97.5 cm).



5 24 in. Super Wide Track (SWT)

The industry's largest footprint provides unmatched traction and helps achieve the lowest ground pressure in snowmobiling.



6 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.

EXPEDITION® LE

A hybrid touring sport-utility vehicle with premium features for off-trail exploration and on-trail cruises.



// WHAT'S NEW

- High-quality HPG shock package
- Two color options

// PACKAGE HIGHLIGHTS

- Rotax® 600R E-TEC®, 900 ACE™ Turbo 150 and 900 ACE™ engines
- 20 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- 4.5 in. digital display
- RAS™ 3 front suspension
- SC™-5U articulating rear suspension with locking mechanism (no tool required)
- Air radiator with fan

- Deep-snow running boards with large openings • Removable passenger seat with heated grips
- Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. [1,200 lb/544 kg std.]
- High-capacity battery
- Easy-shift transmission (H-L-N) with RER™ electronic reverse (2-stroke)/electro-mechanical reverse (4-stroke)
- 23 in. ultra-high windshield with side deflectors
- Pivoting mirrors
- Pilot 7.4 skis
- Heated driver's visor power outlet
- Low handlebar strap
- pDrive™ clutch
- RF D.E.S.S.™ key

ROTAX® Engine	600R E-TEC®	900 ACE™ TURBO – 150	900 ACE™
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump, turbocharged	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	125	150	95
Cylinders - Displacement	2 - 599.4 cc	3 - 899 cc	3 - 899 cc
Bore – Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm	73 mm - 69.7 mm
Carburation	E-TEC® direct injection	EFI	EFI
Fuel type – Octane	Premium unleaded - 91	Premium unleaded - 91	Regular unleaded – 87
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal
Oil tank capacity	3.3 L/3.5 qt	3.3 L/3.5 qt	3.3 L/3.5 qt
POWERTRAIN			
Drive clutch Driven clutch	pDrive™ with clickers QRS	pDrive™ QRS Vent	pDrive™ with slider shoes QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT			
Dry weight	280 kg/616 lb	304 kg/669 lb	290 kg/639 lb
DIMENSIONS			
Overall vehicle length	-	3,256 mm/128.2 in.	
Overall vehicle width	1,2	00 to 1,240 mm/47.7 to 48	3.8 in.
Overall vehicle height		1,513 mm/59.6 in.	
Ski stance	97	5 or 1,020 mm/38.4 or 40.	.2 in.
Track (Length x Width x Profile)		Silent Cobra WT: 154 x 20 x 1.5 in.	

COLOR Neo Yellow / Black Black SUSPENSION Front suspension RAS™ 3 Front shock HPG™ Front suspension travel 220 mm/8.7 in. Rear suspension SC™-5U Center shock HPG™ Rear shock HPG™ 239 mm/9.4 in Rear suspension travel **FEATURES** Frame REV® Gen4 Bodywork Wide design Pilot™ 7.4 Skis Seating 2-up modular with underseat storage U-shaped aluminum with J-hooks/ Handlebar Low grab handle Riser block height 145 mm/5.7 in. Starter Electric Reverse RER™ (2-stroke) Electro-mechanic (4-stroke) Air radiator High-efficiency w/ fan (4-stroke) Fan (2-stroke) Brembo brake with stainless-steel Brake system braided brake line Heated throttle lever/grips Standard (driver and passenger) Gauge type 4.5 in. digital display 585 mm/23 in. with mirrors Windshield Runner - Carbide Square 3/8 - 4 in. Bumpers (front/rear) Heavy-duty/Hitch receiver

// FEATURE HIGHLIGHTS



1 Rotax® 900 ACE™ Turbo – 150 engine

With a Rotax-built turbocharger specifically designed for the 900 ACE engine, riders get the technology they love with the reliable, powerful performance they demand in one advanced engine package.



2 Utility 2-up utility seat

The ideal combination of comfort and convenience. Driver and passenger seat offering comfort and maneuverability for the driver, and convenience and protection for the passenger. Shielded and heated passenger hand grips.



3 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.



EXPEDITION® LE 900 ACE™ TURBO SHOWN



4 RAS™ 3 front suspension

Similar geometry and steering to the RAS 3 mountain front end for capability and light steering feel on- and off-trail. Optimized for crossover usage, two ski stance positions dial in handling: 40.2 in. (102 cm) or 38.4 in. (97.5 cm).



5 20" wide track

Superb flotation and towing capability.



6 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb [56.7 kg] of cargo capacity.

EXPEDITION® SPORT

Ultra-responsive chassis for on- or off-trail rides and extensive array of sport-utility and 2-up features.



// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI, 900 ACE™ and 600 ACE™ engines with Brembo brake with braided stainless-steel brake line 420W magneto available
- pDrive™ clutch (600 EFI and 900 ACE™)
- 4.5-in. digital display
- RAS™ 3 front suspension
- SC[™]-5U articulating rear suspension with locking mechanism (no tool required)
- Heavy duty rear bumper with tongue-type hitch · Air radiator with fan and engine oil cooler
- 2-up seat with removable LinQ passenger backrest

• Deep-snow running boards with large openings

- NEW standard with 2 sets of LinQ attachment points
- · Adjustable ski stance
- Pilot™ DS 2 skis

ROTAX® ENGINE	600 EFI	900 ACE™	600 ACE™
Engine details	Liquid-cooled,	Liquid-cooled,	Liquid-cooled,
	two-stroke	four-stroke D.O.H.C.,	four-stroke D.O.H.C.,
		dry sump	dry sump
Horsepower	85	95	62
Cylinders – Displacement	2 - 599.4 cc	3 - 899 cc	2 - 600.0 cc
Bore - Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm	74 mm - 69.7 mm
Carburation	EFI	EFI	EFI
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87	Regular unleaded - 87
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	3.3 L/3.5 qt	2.1 L/2.2 qt
POWERTRAIN			
Drive clutch		pDrive™ with slider shoes	eDrive™ 2
Driven clutch	QRS	QRS	QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT			
Dry weight	228 kg/502 lb	251 kg/552 lb	241 kg/531 lb
DIMENSIONS			
Overall vehicle length		3,309 mm/130.3 in.	
Overall vehicle width	1,14	10 to 1,180 mm/44.9 to 46.	5 in.
Overall vehicle height		1,513 mm/59.6 in.	
Ski stance	97	5 or 1,020 mm/38.4 or 40.2	in.
Track		Charger:	
(Length x Width x Profile)		154 x 16 x 1.5 in.	

COLOR White / Black SUSPENSION RAS™ 3 Front suspension Front shock Motion Control Front suspension travel 210 mm/8.3 in. Rear suspension Center shock Motion Control Rear shock Rear suspension travel 239 mm/9.4 in. **FEATURES** REV® Gen4 Frame Bodywork Wide design Pilot™ DS 2 Seating 2-up U-shaped aluminum with J-hooks Handlebar Riser block height 145 mm/5.7 in. Starter Electric RER™ (600 EFI) Reverse Mechanical (ACE™ engines) Air radiator Fan (4-stroke only) Brembo brake with stainless-steel Brake system braided brake line Heated throttle lever/grips Standard (driver only) 4.5 in. digital display Gauge type Windshield 585 mm/23 in. Runner - Carbide Square 3/8 - 4 in. Bumpers (front/rear) Std/Heavy Duty with tongue-type hitch

// FEATURE HIGHLIGHTS

(See website for image)

1 Three engine choices

with the right power for any rider.

This versatile model benefits from three reliable,

easy-to-own and fuel-efficient engine choices



2 Modular 2-up seat

Easily remove or install the passenger backrest and handholds with the LinQ system.



3 RAS™ 3 front suspension

Stable and precise front suspension design and geometry, optimized for the REV Gen4 platform.



EXPEDITION® SPORT 900 ACE™ SHOWN



4 Air radiator with fan (ACE™ engines only)

Extra cooling capacity when pulling heavy load, in low-snow conditions or at low speed.

5 Deep-snow running boards

Massive, strategically shaped openings keep the boards clear. A tall extruded edge adds stiffness and has aggressive boot grips.



6 SC™-5U articulating rear suspension

TUNDRA™ LT

Great off-trail and deep-snow performance with light-utility capability.



// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI and 600 ACE™ engine with 650W magneto available
- HPG™ rear shock
- 4.5 in. digital display
- LTS telescopic front suspension
- SC[™]-5U articulating rear suspension with locking mechanism (no tool required)
- Brembo brake with braided stainless-steel brake line
- Heavy-duty rear bumper with tongue-type hitch
- Air radiator with fan
- locking Standard electric start
 - Deep-snow running boards with large openings
 - Standard with two sets of LinQ attachment points
 - Pilot™ DS 2 skis
 - Low handlebar strap

ROTAX® ENGINE	600 EFI	600 ACE™
Engine details	Liquid-cooled, two-stroke	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	85	62
Cylinders - Displacement	2 - 599.4 cc	2 - 600 cc
Bore - Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm
Carburation	EFI	EFI
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87
Fueltank	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	2.1 L/2.2 qt
POWERTRAIN		
Drive clutch	pDrive™ with slider shoes	eDrive™ 2
Driven clutch	QRS	QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT		
Dry weight	223 kg/491 lb	234 kg/515 lb
DIMENSIONS		
Overall vehicle length	3,259 mn	n/129.3 in.
Overall vehicle width		/39.1 in.
Overall vehicle height	1,513 mi	m/59.6 in.
Ski stance	813 mi	m/32 in.
Track	Cha	rger:
(Length x Width x Profile)	154 x 10	3 x 1.5 in.

Neo Yellow / Black	
SUSPENSION	
Front suspension	LTS
Front shock	Motion Control
Front suspension travel	150 mm/5.9 in.
Rear suspension	SC™-5U
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.
FEATURES	
Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ DS 2
Seating	Short 2-up
Handlebar	U-shaped aluminum with J-hooks/ Low grab handle
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (600 EFI) Mechanical (600 ACE™)
Air radiator	Fan
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard
Gauge type	4.5 in. digital display
Windshield	430 mm/17 in.
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Std/Heavy-duty with tongue-type hitch

// FEATURE HIGHLIGHTS



1 Rotax® 600 ACE™ and 600 EFI engines

Two easy-to-own, reliable and fuel-efficient choices. 60 hp* (600 ACE) or 85 hp* (600 EFI) versions ensure great performance and an incredible value.

*Observed HP metric based on internal dyno test in optimal conditions.

2 154 in. track length

Provides extra flotation and traction when riding in deep-snow.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.



TUNDRA™ LT 600 EFI SHOWN



4 Air radiator with fan

Extra cooling capacity when pulling heavy load, in low-snow conditions or at low speed.



5 SC™-5U articulating rear suspension

The articulated rail maximizes deep-snow traction in reverse, and its toolless locking mechanism is ideal for towing.



6 Heavy-duty rear bumper

For extra protection and extreme utility.

TUNDRA™ SPORT

Economical, nimble and fun light-utility vehicle.



// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI and 600 ACE™ engine with 650W magneto available
- $HPG^{™}$ rear shock
- 4.5 in. digital display
- LTS telescopic front suspension
- cMotion[™] rear suspension
- Brembo brake with braided stainless-steel brake line
- Heavy-duty rear bumper
- Air radiator with fan (600 ACE only)
- Standard electric start
- Deep-snow running boards with large openings
- NEW standard with two sets of LinQ attachment points
- Pilot™ DS 2 skis

ROTAX® ENGINE	600 EFI	600 ACE™
Engine details	Liquid-cooled, two-stroke	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	85	62
Cylinders – Displacement	2 - 599.4 cc	2 - 600 cc
Bore – Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm
Carburation	EFI	EFI
Fuel type – Octane	Regular unleaded – 87	Regular unleaded – 87
Fuel tank	36 L/9.5 US gal	36 L/9.5 US gal
Oil tank capacity	3.4 L/3.6 qt	2.1 L/2.2 qt
POWERTRAIN		
Drive clutch	pDrive™ with slider shoes	eDrive™ 2
Driven clutch	QRS	QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT		
Dry weight	212 kg/466 lb	221 kg/486 lb
DIMENSIONS		
Overall vehicle length	3,110 mr	m/122.4 in.
Overall vehicle width		n/39.1 in.
Overall vehicle height	1,369 m	m/53.9 in.
Ski stance	813 m	m/32 in.
Track	Ca	bra:
(Length x Width x Profile)	146 x 1	6 x 1.6 in.

COLOR Neo Yellow / Black SUSPENSION Front suspension LTS Front shock Motion Control Front suspension travel 150 mm/5.9 in. Rear suspension cMotion™ Center shock Motion Control Rear shock Rear suspension travel 245 mm/9.6 in. **FEATURES** REV® Gen4 Frame Bodywork Wide design Pilot™ DS 2 Skis Seating Short 2-up Handlebar U-shaped aluminum with J-hooks Riser block height 145 mm/5.7 in. Starter Electric RER™ (600 EFI) Reverse Mechanical (600 ACE $^{\text{TM}}$) Air radiator Fan (600 ACE only) Brembo brake with stainless-steel Brake system braided brake line Heated throttle lever/grips Standard 4.5 in. digital display Gauge type Windshield 430 mm/17 in. Runner - Carbide Square 3/8 - 4 in. Bumpers (front/rear) Std/Heavy-duty

// FEATURE HIGHLIGHTS



1 Rotax® 600 ACE™ and 600 EFI engines

Two easy-to-own, reliable and fuel-efficient choices. 60 hp* (600 ACE) or 85 hp* (600 EFI) versions ensure great performance and an incredible value.

*Observed HP metric based on internal dyno test in optimal conditions.



Outstanding versatility on rough trails or in deep-snow.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.



TUNDRA™ SPORT 600 ACE™ SHOWN



4 Air radiator with fan (600 ACE only)

Extra cooling capacity when pulling heavy load, in low-snow conditions or at low speed.



5 cMotion™ rear suspension

Crossover-specific suspension uses best principles of the rMotion™ trail and tMotion™ mountain skids for confident cornering and agile boondocking.



6 Heavy-duty rear bumper

For extra protection and extreme utility.

SKANDIC® SWT

Optimal off-trail traction and flotation with the widest track in the industry.



// PACKAGE HIGHLIGHTS

- Rotax® 600R E-TEC® engine or 900 ACE™ engine with 650W magneto available NEW two color options Pemovable passengers
- $HPG^{™}$ rear shock
- 24 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- 4.5 in. digital display
- LTS telescopic front suspension
- SC™-5U articulating rear suspension with locking mechanism (no tool required)
- Removable passenger seat with grips
- 23 in. ultra-high windshield with side deflectors
- Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. (1,200 lb/544 kg std.)
- Air radiator with fan
- · Standard electric start

- Deep-snow running boards with large openings
- Easy-shift transmission (H-L-N) with RER™ electronic reverse (2-stroke)/electro-mechanical reverse (4-stroke)
- Pivoting mirrors
- pDrive™ clutch
- Low handlebar strap
- Pilot 7.4 skis

ROTAX® ENGINE	600R E-TEC®	900 ACE™
Engine details	Liquid-cooled, two-stroke, eRAVE™	Liquid-cooled, four-stroke D.O.H.C., dry sump
Horsepower	125	95
Cylinders - Displacement	2 - 599.4 cc	3 - 899 cc
Bore - Stroke	72.3 mm - 73 mm	73 mm - 69.7 mm
Carburation	E-TEC® direct injection	EFI
Fuel type – Octane	Premium unleaded – 91	Regular unleaded – 87
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal
Oil tank capacity	3.4 L/3.6 qt	3.3 L/3.5 qt
POWERTRAIN		
Drive clutch Driven clutch	pDrive™ with clickers QRS	pDrive™ with slider shoes QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.
DRY WEIGHT		
Dry weight	287 kg/633 lb	298 kg/657 lb
DIMENSIONS		
Overall vehicle length	3.222 mm	n/126.9 in.
Overall vehicle width		m/42.8 in.
Overall vehicle height	1,513 mr	m/59.6 in.
Ski stance	889 mr	m/35 in.
Track	Silent Co	obra SWT:
(Length x Width x Profile)	154 x 24	4 x 1.5 in.

COLOR

Lava Red / Black Black

Front suspension	LTS
Front shock	Motion Control
Front suspension travel	150 mm/5.9 in.
Rear suspension	SC™-5U
Center shock	Motion Control
Rear shock	HPG™
Rear suspension travel	239 mm/9.4 in.

Frame	REV® Gen4
Bodywork	Wide design
Skis	Pilot™ 7.4
Seating	2-up modular with underseat storage
Handlebar	U-shaped aluminum with J-hooks/ Low grab handle
Riser block height	145 mm/5.7 in.
Starter	Electric
Reverse	RER™ (2-stroke) Electro-mechanic (4-stroke)
Air radiator	High-efficiency w/ fan (4-stroke) Fan (2-stroke)
Brake system	Brembo brake with stainless-steel braided brake line
Heated throttle lever/grips	Standard (driver only)
Gauge type	4.5 in. digital display
Windshield	585 mm/23 in. with mirrors
Runner – Carbide	Square 3/8 – 4 in.
Bumpers (front/rear)	Heavy-duty/Std

with tongue-type hitch

// FEATURE HIGHLIGHTS



1 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.



2 Utility 2-up utility seat

The ideal combination of comfort and convenience. Driver and passenger seat offering comfort and maneuverability for the driver, and convenience for the passenger.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.



SKANDIC® SWT 900 ACE™ SHOWN



4 Pilot™ 7.4 skis

Designed to provide better reverse capability, more floatation off trail and more positive steering on trail and while hauling loads.



5 24 in. super wide track (SWT)

The industry's largest footprint provides unmatched traction and helps achieve the lowest ground pressure in snowmobiling.



6 SC™-5U articulating rear suspension

SKANDIC® WT

Hardworking off-trail performance and towing capacity.



// PACKAGE HIGHLIGHTS

- Rotax® 600 R E-TEC and 600 EFI, 2-stroke or 900 ACE™ and 600 ACE™ engines with 650W magneto
- HPG™ rear shock
- 20 in. wide Multi-LinQ plate with 125 lb/56.7 kg cargo capacity
- 4.5 in. digital display

DRY WEIGHT

Dry weight

- LTS telescopic front suspension
- SC[™]-5U articulating rear suspension with locking mechanism (no tool required)

• Removable passenger seat with grips

- 23 in. ultra-high windshield with side deflectors
- Hitch receiver with 1,500 lb/680 kg towing capacity when equiped with an HD rear bumper. (1,200 lb/544 kg std.)
- · Air radiator with fan
- Standard electric start
- Deep-snow running boards with large openings
- Easy-shift transmission (H-L-N) with RER™ electronic

reverse [2-stroke]/electro-mechanical reverse [4-stroke]

- Pivoting mirrors
- pDrive™ clutch
- Low handlebar strap
- NEW two color options

COLOR

Bumpers (front/rear)

ROTAX® ENGINE	600R E-TEC®	600 EFI	900 ACE™	600 ACE™
Engine details	Liquid-cooled,	Liquid-cooled,	Liquid-cooled, four-stroke L	iquid-cooled, four-stroke
	two-stroke, eRAVE™	two-stroke	D.O.H.C., dry sump	D.O.H.C., dry sump
Horsepower	125	85	95	62
Cylinders -	2	2	3	3
Displacement	599.4 cc	599.4 cc	899 cc	600 cc
Bore - Stroke	72.3 mm - 73 mm	72.3 mm - 73 mm	73 mm - 69.7 mm	74 mm - 69.7 mm
Carburation	E-TEC® direct injection	EFI	EFI	EFI
Fuel type Octane	Premium unleaded 91	Regular unleaded 87	Regular unleaded 87	Regular unleaded 87
Fuel tank	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal	42 L/11.1 US gal
Oil tank capacity	3.4 L/3.6 qt	3.4 L/3.6 qt	3.3 L/3.5 qt	2.1 L/2.2 qt
POWERTRAIN				
Drive clutch Driven clutch	pDrive™ with clicker QRS	pDrive™ with slider shoes QRS	pDrive™ with slider shoes QRS	eDrive™ 2 QRS
Drive sprocket pitch	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.	73 mm/2.86 in.

DIMENSIONS	
Overall vehicle length	3,222 mm/126.9 in.
Overall vehicle width	1,089 mm/42.8 in.
Overall vehicle height	1,513 mm/59.6 in.
Ski stance	889 mm/35 in.
Track	Cobra WT:
(Length x Width x Profile)	154 x 20 x 1.5 in.

271 kg/596 lb

61 kg/575 lb	282 kg/620 lb	272 kg/598 lb
SUSPEN	SION	
Front suspe	nsion	LTS
Front shock		Motion Control
Front susper travel	nsion	150 mm/5.9 in.
Rear suspen	sion	SC™-5U
Center shock	(Motion Control
Rear shock		HPG™
Rear suspen	sion travel	239 mm/9.4 in.

Lava Red / Black Black **FEATURES** Frame REV® Gen4 Bodywork Wide design Skis Pilot™ 7.4 Seating 2-up modular with underseat storage Handlebar U-shaped aluminum with J-hooks/ Low grab handle Riser block 145 mm/5.7 in. heiaht Starter Electric RER™ Reverse (2-stroke) Flectro-mechanic (4-stroke) Air radiator High-efficiency w/ fan (4-stroke) Fan (2-stroke) Brake system Brembo brake with stainless-steel braided brake line Standard (driver only) Heated throttle lever/grips Gauge type 4.5 in. digital display 585 mm/23 in. Windshield with mirrors Square 3/8 in. -Runner - Carbide 14 in.

Heavy-duty/Std with tongue-type hitch

// FEATURE HIGHLIGHTS



1 Multi-LinQ plate

Standard LinQ adaptable storage. Fits 16- and 20-inch-wide LinQ accessories to maximize accessory options. Up to 125 lb (56.7 kg) of cargo capacity.



2 Utility 2-up utility seat

The ideal combination of comfort and convenience. Driver and passenger seat offering comfort and maneuverability for the driver, and convenience for the passenger.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.



SKANDIC® WT 900 ACE™ SHOWN



(See website for image)

4 Four engine options

This versatile model benefits from four reliable and easy-to-own engine choices. Powerful 4and 2-stroke options ensure the right match for any rider.



5 20" wide track

Superb flotation and towing capability.



6 SC™-5U articulating rear suspension

SKANDIC® SPORT

The best 20 in. utility value in snowmobiling.



// PACKAGE HIGHLIGHTS

- Rotax® 600 EFI engine
- HPG™ rear shock
- 4.5 in. digital display
- LTS telescopic front suspension
- 1-up modular with rear seat storage
- Medium (17 in.) windshield with air deflectors
- Standard electric start
- SC™-5U articulating rear suspension with locking mechanism (no tool required)

ROTAX® ENGINE	600 EFI						
Engine details	Liquid-cooled, two-stroke						
Horsepower	85						
Cylinders - Displacement	2 - 599.4 cc						
Bore - Stroke	72.3 mm – 73 mm						
Carburation	EFI						
Fuel type – Octane	Regular unleaded - 87						
Fuel tank	42 L/11.1 US gal						
Oil tank capacity	3.4 L/3.6 qt						
POWERTRAIN							
Drive clutch	pDrive™ with slider shoes						
Driven clutch	QRS						
Drive sprocket pitch	73 mm/2.86 in.						
DRY WEIGHT							
Dry weight	236 kg/520 lb						
DIMENSIONS							
Overall vehicle length	3,259 mm/129.3 in.						
Overall vehicle width	1,089 mm/42.8 in.						
Overall vehicle height	1,369 mm/53.9 in.						
Ski stance	889 mm/35 in.						
Track	Utility WT						
(Length x Width x Profile)	154 x 20 x 1.25 in.						

CULUD

Catalyst Grey / Black								
SUSPENSION								
Front suspension	LTS							
Front shock	Motion Control							
Front suspension travel	150 mm/5.9 in.							
Rear suspension	SC™-5U							
Center shock	Motion Control							
Rear shock	HPG™							
Rear suspension travel	239 mm/9.4 in.							
FEATURES Frame Bodywork	REV® Gen4							
Bodywork	Wide design							
Skis	Pilot™ 7.4							
Seating	1-up modular with rear seat storage							
Handlebar	U-shaped aluminum with J-hooks							
Riser block height	145 mm/5.7 in.							
Starter	Electric							
Reverse	RER™							
Brake system	Brembo brake with stainless-steel braided brake line							
Heated throttle lever/grips	Standard							
Gauge type	4.5 in. digital display							
Windshield	430 mm/17 in.							
Runner – Carbide	Square 3/8 in. – 4 in.							
Bumpers (front/rear)	Std/Std							

• Deep-snow running boards with large openings

• RER™ electronic reverse

• pDrive™ clutch

// FEATURE HIGHLIGHTS



1 Rotax® 600 EFI engine

600 cc-class fuel-injected engine delivering 85 horsepower and outstanding economy at an incredible value. Design based on the 600R E-TEC with proven reliability and ease of ownership at its core with an outsized fun factor.



2 Utility 1-up seat

Big comfort with premium ride quality feel. Storage compartment behind the seat.



3 LTS front suspension

Industry-exclusive telescopic front suspension enables a large, flat belly pan for exceptional deep-snow flotation.



SKANDIC® SPORT 600 EFI SHOWN



4 Pilot™ 7.4 skis

Designed to provide better reverse capability, more floatation off trail and more positive steering on trail and while hauling loads.

(See website for image)

5 20" wide track

Superb flotation and towing capability.



6 SC™-5U articulating rear suspension

70 | VEHICLE SPECIFICATIONS | COMPARATIVE CHART | VEHICLE SPECIFICATIONS | 71

COMPARATIVE CHART

		DEEP-SNOW					CROSSOVER										
		SUMMIT FREERIDE				BACKCOUNTRY BACKCOUNTRY			COUNTRY	МАСН			RENE	GADE			
				NEW	100000000000000000000000000000000000000						NEW	NEW			5.32		
SPECIFI	ICATIONS			S.	W.	W.	·		- CA	- Of	S.	·	W.	W.	·	·	and the
		X WITH EXPERT PACKAGE	Х	EDGE	SP	FREERIDE	X-RS	Х	BACKCOUNTRY	SPORT	Z	X-RS WITH COMPETITION PACKAGE	X-RS	х	ENDURO	ADRENALINE	SPORT
co	LOR	ULTIMATE Liquid Titanium / Carbon Black ULTIMATE Triple Black	ULTIMATE Scandinavian Blue / Orange Crush Triple Black	ULTIMATE Catalyst Grey/Octane Blue ULTIMATE Black	Black/Orange Crush Black	Arctic Desert	ULTIMATE Liquid Titanium / Carbon Black ULTIMATE Black	Scandinavian Blue / Orange Crush Black	Catalyst Grey/Octane Blu Black	Catalyst Grey/Black	Carbon Black/Liquid Titanium	Black	Sunburst Yellow/Black Black	Sunburst Yellow/Black Black	Scandinavian Blue/ Manta Green Black	Sunburst Yellow/Black Black	Sunburst Yellow/Black
FEATURES	Skis	Pilot DS 3	Pilot DS 3	Pilot DS 3	Pilot DS 3	Pilot DS 3	Pilot DS 2	Pilot DS 2	Pilot DS 2	Pilot DS 2	Pilot X	Pilot X	Pilot X Pilot TX (optional)	Pilot X Pilot TX (optional)	Pilot TX	Pilot X	Pilot 5.7
	Seat	Deep-snow ultra compact and lightweight	Deep-snow compact and lightweight	Deep-snow compact and lightweight	Deep-snow	Deep-snow compact and lightweight	Trail performance	Trail performance	Trail performance	Trail compact	Trail with storage	Trail performance	Trail performance (2-stroke engines) Trail with storage (4-stroke engines)	Trail performance [2-stroke engines] Trail with storage [4-stroke engines]	Trail heated with storage	Trail performance (2-stroke engines) Trail with storage (4-stroke engines)	Trail performance (2-stroke engines) Trail with storage (4-stroke engines)
	Handlebar	Tapered U-shaped aluminum with J-hooks/ Low grab handle/ Flexible handguards	Tapered U-shaped aluminum with J-hooks/ Low grab handle	Tapered U-shaped aluminum with J-hooks/ Low grab handle	Tapered U-shaped aluminum with J-hooks/ Low grab handle	Tapered U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminu with J-hooks / Transparent handguards	M U-shaped aluminum with J-hooks	U-shaped aluminum with J-hooks / Dark smoke handguards	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks	U-shaped aluminum with J-hooks / Transparent handguards	U-shaped aluminum with J-hooks
	Starter	SHOT	SHOT, Electric (opt. select models), Manual (opt. select models)	SHOT	Electric, SHOT (opt.), Manual (opt. select models)	850 E-TEC: SHOT, Electric (opt. Select models) 850 E-TEC Turbo: SHOT	Electric, SHOT (opt. select configurations)	Electric, SHOT (opt. select configurations)	Electric	Electric	Electric	Manual	Electric	Electric	Electric	Electric	Electric
	Reverse	RER	RER	RER	RER	RER	RER	RER	RER	RER	Electro-mechanic	RER	RER (850 E-TEC) Electro-mechanical (900 ACE Turbo R)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (600 EFI) Mechanical (600 ACE)
	Windshield height (in.)	Optional	Optional	Optional	Optional	Optional	Optional	14	14	14	14	14	Optional	14	17	14	14
GAUGE	Туре	Compact	Compact	Compact	Compact	Compact	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	4.5 in. digital displ	ay 4.5 in. digital displa	7.8 in. wide LCD color display	7.2 in. wide digital display	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	7.8 in. wide LCD color display	4.5 in. digital display	4.5 in. digital display
	Front suspension	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	RAS X	RAS X	RAS X	RAS X	RAS X	RAS X	RAS 3
SUSPENSION	Front shock	HPG Plus with lightweight springs	HPG Plus	HPG	HPG	KYB PRO 36 R Easy-Adjust	KYB PRO 36 R Easy-Adjust	HPG Plus	HPG Plus	Motion Control	KYB PRO Smart-Shox	KYB PRO 40 R Easy-Adjust	KYB PRO 36 Easy-Adjust KYB PRO Smart-Shox w/ opt. SAS	HPG Plus	HPG	HPG	Motion Control
	Rear N suspension	tMotion with adjustable limiter strap	tMotion	tMotion	tMotion	tMotion	cMotion	cMotion	cMotion	cMotion	rMotion X	rMotion X	rMotion X with QAS (optional)	rMotion X with QAS (optional)	rMotion X	rMotion X	SC-5M
	Center shock	HPG Plus with lightweight spring	HPG Plus	HPG	HPG	KYB PRO 40 Easy-Adjust	KYB PRO 40 Easy-Adjust	HPG Plus	HPG	Motion Control	KYB PRO 40	KYB PRO 40 Easy-Adjust (double-rate springs)	KYB PRO 40 Easy-Adjust	HPG Plus	HPG	HPG	Motion Control
	Rear shock	KYB PRO 36 Easy-Adjust	HPG Plus	HPG	HPG	KYB PRO 40 Easy-Adjust	KYB PRO 40 Easy-Adjust	KYB PRO 36 Easy-Adjust	HPG	HPG	KYB PRO Smart-Shox	KYB PRO 40 Easy-Adjust	KYB PRO 40 Easy-Adjust KYB PRO Smart-Shox w/ opt. SAS	KYB PRO 36 Easy-Adjust	ACS (Air Control Suspension)	HPG	HPG
ROTAX ENGINE	Engine	850 E-TEC Turbo 850 E-TEC	850 E-TEC Turbo 850 E-TEC	850 E-TEC	850 E-TEC 600R E-TEC	850 E-TEC Turbo 850 E-TEC	850 E-TEC	850 E-TEC	850 E-TEC 600R E-TEC	600 EFI	900 ACE Turbo R	600R E-TEC	850 E-TEC 900 ACE Turbo R	850 E-TEC 600R E-TEC 900 ACE Turbo R	850 E-TEC 600R E-TEC 900 ACE Turbo R 900 ACE Turbo – 130 900 ACE	850 E-TEC 600R E-TEC 900 ACE Turbo R 900 ACE Turbo – 130 900 ACE	600 EFI 600 ACE
	Fuel tank (liters / US gallons)	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5
TRACK	Lenght x Width x Profile (in.)	PowderMax Light with FlexEdge: 154 x 16 x 2.5 154 x 16 x 3.0 165 x 16 x 3.0 850 E-TEC Turbo only 175 x 16 x 3.0	PowderMax Light with FlexEdge: 154 x 16 x 2.5 154 x 16 x 3.0 (opt.) 165 x 16 x 2.5 (sea-level opt. only) 165 x 16 x 3.0	PowderMax Light with FlexEdge: 154 x 16 x 2.5 154 x 16 x 3.0 [opt.] 165 x 16 x 3.0 175 x 16 x 3.0	PowderMax II with FlexEdge: 146 x 16 x 2.5 PowderMax Light with FlexEdge: 154 x 16 x 2.5 154 x 16 x 3.0 (opt.) 165 x 16 x 3.0 (opt.)	PowderMax II with FlexEdge: 146 x 16 x 2.5 PowderMax Light with FlexEdge: 154 x 16 x 2.5 154 x 16 x 3.0 [opt.] 165 x 16 x 2.5 [sea-level opt. only]	Cobra: 146 x 15 x 1.6 Ice Cobra: 146 x 15 x 1.6 [opt.] PowderMax: 146 x 16 x 2.0 [opt.] 154 x 16 x 2.0 154 x 16 x 2.5 [opt.]	Cobra: 146 x 15 x 1.6 lee Cobra: 146 x 15 x 1.6 (opt.) PowderMax: 146 x 16 x 2.0 (opt.)	Cobra: 146 x 15 x 1.6	Cobra: 146 x 15 x 1.35 PowderMax: 146 x 16 x 2.0 (opt.)	Ripsaw 2-Ply: 137 x 15 x 1.25 Ice Ripper XT: 137 x 15 x 1.25	Ripsaw II 2-Ply: 137 x 15 x 1.25	RipSaw: 137 x 15 x 1.25 Lee Ripper XT: 137 x 15 x 1.25 (opt.) 137 x 15 x 1.5 (opt.)	RipSaw: 137 x 15 x 1.25 Ice Ripper XT: 137 x 15 x 1.25 (opt.) 137 x 15 x 1.5 (opt.)	Ice Ripper XT: 137 x 15 x 1.25	RipSaw: 137 x 15 x 1.25	Cobra: 137 x 15 x 1.25
	Ski stance (in.)	34	35.8 or 37.4	35.8 or 37.4	35.8 or 37.4	35.8 or 37.4	38.4 or 40.2	38.4 or 40.2	38.4 or 40.2	38.4 or 40.2	42.1 or 43.0 or 43.9	42.1 or 43.0 or 43.9	42.1 or 43.0 or 43.9	42.1 or 43.0 or 43.9	42.4	42.4	42.4
OVERALL DIMENSION	Length (in.)	125.5 (154 in.) 129.9 (165 in.) 136 (175 in.)	125.5 (154 in.) 129.9 (165 in.)	125.5 (154 in.) 129.9 (165 in.)	122.4 (146 in.) 130.6 (154 in.) 850 E-TEC® only 135.9 (165 in.)	120.4 (146 in.) 125.5 (154 in.) 129.9 (165 in.)	125 (146 in.) 129.3 (154 in.)	125	125	125	119.6	119.6	119.6	119.6	119.6	119.6	119.6
	Width (in.)	42.5 to 43.7	42.5 to 43.7	42.5 to 43.7	42.5 to 43.7	42.5 to 43.7	44.9 to 46.5	44.9 to 46.5	44.9 to 46.5	44.9 to 46.5	47.6 - 48.5 - 49.4	47.6 - 48.5 - 49.4	47.6 - 48.5 - 49.4	47.6 - 48.5 - 49.4	47.9	47.9	47.9
	Height (in.)	51.4	54.9	54.9	54.9	54.9	50.5	50.5	50.5	50.5	49.9	49.9	49.9	49.9	52.4	49.9	49.9
ESTIMATED DRY WEIGH		850 E-TEC Turbo: 208 /458 [154 in.] 212/468 [165 in.] 215/474 [175 in.] 850 E-TEC: 198/437 [154 in.] 202/446 [165 in.]	850 E-TEC Turbo: 207/456 [154 in.] 211/466 [165 in.] 850 E-TEC: 198/435 [154 in.] 201/442 [165 in.]	207/458 [154 in.] 210/463 [165 in.] 214/470 [175 in.]	850 E-TEC: 208/459 [146 in.] 206/454 [154 in.] 209/460 [165 in.] 600R E-TEC: 204/449 [146 in.] 202/445 [154 in.]	850 E-TEC Turbo: 214/471 [154 in.] 217/478 [165 in.] 850 E-TEC: 206/453 [146 in.] 205/450 [154 in.] 206/453 [165 in.]	214/472 [146 in.] 220/485 [154 in.]	209/462	850 E-TEC: 219/483 600R E-TEC: 212/466	202/446	249/548	213/468	850 E-TEC: 225/495 900 ACE Turbo R: 241/531	850 E-TEC: 221/486 600R E-TEC: 214/470 900 ACE Turbo R: 238/524	850 E-TEC: 236/519 600R E-TEC: 229/504 900 ACE Turbo R: 253/558 900 ACE Turbo: 251/552 900 ACE: 241/529	850 E-TEC: 221/486 600R E-TEC: 214/470 900 ACE Turbo R: 238/524 900 ACE Turbo: 236/518 900 ACE: 226/497	600 EFI: 200 / 442 600 ACE: 213 / 469

		TRAIL						SPORT-UTILITY					
			М	XZ		GRAND 1	TOURING			EXPEDITION			
SPECIFIC	CATIONS		·	·	QL.	S.						·	
		X-RS	Х	TNT	SPORT	LIMITED	SPORT	XTREME	SE	SWT	LE	SPORT	
COL	LOR	Hyper Silver / Carbon Black Black	Catalyst Grey/Black Black	Catalyst Grey / Black Black	Catalyst Grey/Black	Liquid Titanium (w/ Luxury Package only) Black	Catalyst Grey / Black	Arctic Desert/Black Black	Liquid Titanium/Black Black	Lava Red / Black Black	Neo Yellow/Black Black	White/Black	
	Skis	Pilot X Pilot TX (optional)	Pilot X Pilot TX (optional)	Pilot X	Pilot 5.7	Pilot 5.7 SL	Pilot 5.7 SL	Pilot DS 3	Pilot 7.4	Pilot 7.4	Pilot 7.4	Pilot DS 2	
	Seat	Trail performance	Trail performance	Trail performance	Trail compact	2-up heated	2-up	1-up modular with rear seat storage	2-up modular with underseat storage	2-up modular with underseat storage	2-up modular with underseat storage	2-up	
	Handlebar	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks/ Transparent handguards	U-shaped aluminum with J-hooks	U-shaped aluminum	U-shaped aluminum	U-shaped aluminum with J-hooks/ Low grab handle / Flexible handguard	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks	
FEATURES	Starter	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric	
	Reverse	RER	RER	RER	RER	Electro-mechanic	Mechanical	RER	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (600 EFI) Mechanical (ACE engines)	
	Windshield height (in.)	Optional	14	14	14	23 with mirrors	23 with mirrors	14	23 with mirrors	23	23 with mirrors	23	
GAUGE	Туре	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	7.2 in. wide digital display 7.8 in. wide LCD color display (opt.)	4.5 in. digital display	4.5 in. digital display	7.2 in. wide digital display 7.8 in. wide LCD color display (w/ Luxury Package)	4.5 in. digital display	4.5 in. digital display	7.2 in. wide digital display 7.8 in. wide LCD color display (opt. on ACE engines)	4.5 in. digital display	4.5 in. digital display	4.5 in. digital display	
	Front suspension	RAS X	RASX	RASX	RAS 3	RAS X	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	RAS 3	
	Front shock	KYB PRO 36 Easy-Adjust KYB PRO Smart-Shox (opt.)	HPG Plus	HPG	Motion Control	HPG	Motion Control	HPG Plus	HPG	HPG	HPG	Motion Control	
SUSPENSION	Rear suspension	rMotion X with QAS (optional)	rMotion X with QAS (optional)	rMotion	SC-5M	rMotion	SC-5M	SC-5U	SC-5U	SC-5U	SC-5U	SC-5U	
	Center shock	KYB PRO 40 Easy-Adjust	HPG Plus	HPG	Motion Control	HPG	Motion Control	HPG Plus	HPG	HPG	HPG	Motion Control	
	Rear shock	KYB PRO 40 Easy-Adjust KYB PRO Smart-Shox (opt.)	KYB PRO 36 Easy-Adjust	HPG	Motion Control	ACS (Air Control Suspension)	HPG	KYB PRO 36	ACS (Air Control Suspension)	HPG	HPG	HPG	
ROTAX	Engine	850 E-TEC 600R E-TEC	850 E-TEC 600R E-TEC	850 E-TEC 600R E-TEC	600 EFI	900 ACE Turbo R 900 ACE Turbo – 130 900 ACE	900 ACE 600 ACE	850 E-TEC	600R E-TEC 900 ACE Turbo - 150 900 ACE	600R E-TEC 900 ACE Turbo – 150 900 ACE	600R E-TEC 900 ACE Turbo – 150 900 ACE	600 EFI 900 ACE 600 ACE	
ENGINE	Fuel tank (liters / US gallons)	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	36/9.5	42/11.1	42/11.1	42/11.1	42/11.1	36/9.5	
TRACK	Lenght x Width x Profile (in.)	RipSaw: 129 x 15 x 1.25 Ice Ripper XT: 129 x 15 x 1.25 [opt.] 129 x 15 x 1.5 [opt.]	RipSaw: 129 x 15 x 1.25 ce Ripper XT: 129 x 15 x 1.25 (opt.) 129 x 15 x 1.5 (opt.)	RipSaw: 129 x 15 x 1.25 Ice Ripper XT: 129 x 15 x 1.25 [opt.]	RipSaw: 129 x 15 x 1.25	Silent Track II: 137 x 15 x 1.25 in. Studded Silent Track II: 137 x 15 x 1.25 in. Luxury Package only	Silent Track II: 137 x 15 x 1.25	Cobra WT: 154 x 20 x 1.8	Silent Cobra WT: 154 x 20 x 1.5 Silent Lee Cobra WT: 154 x 20 x 1.5 (ppt.) Cobra WT: 154 x 20 x 1.8 (ppt.)	Silent Cobra SWT: 154 x 24 x 1.5	Silent Cobra WT: 154 x 20 x 1.5	Charger: 154 x 16 x 1.5	
	Ski stance (in.)	42.1 or 43.0 or 43.9	42.1 or 43.0 or 43.9	42.4	42.4	42.4	42.4	38.4 or 40.2	38.4 or 40.2	38.4 or 40.2	38.4 or 40.2	38.4 or 40.2	
OVERALL DIMENSIONS	Length (in.)	115.2	115.2	115.2	115.2	123.1	123.1	129.6	128.2	128.2	128.2	130.3	
DIFICHSIONS	Width (in.)	47.6 - 48.5 - 49.4	47.6 - 48.5 - 49.4	47.9	47.9	47.9	47.9	44.9 to 46.5	47.7 to 48.8	47.7 to 48.8	47.7 to 48.8	44.9 to 46.5	
	Height (in.)	49.9	49.9	49.9	49.9	59.6	59.6	50.4	59.6	59.6	59.6	59.6	
ESTIMATED DRY WEIGHT	By engine (kg / lb)	850 E-TEC: 222/490 600R E-TEC: 216/476	850 E-TEC: 216 / 476 600R E-TEC: 210 / 462	850 E-TEC: 216/477 600R E-TEC: 209/462	198/437	900 ACE Turbo R: 268/590 900 ACE Turbo: 266/586 900 ACE: 254/559	900 ACE: 241/530 600 ACE: 231/509	271/596	600R E-TEC: 290 / 639 900 ACE Turbo: 315 / 694 900 ACE: 303 / 666	600R E-TEC: 285/626 900 ACE Turbo: 309/681 900 ACE: 296/650	600R E-TEC: 280 / 616 900 ACE Turbo: 304 / 669 900 ACE: 290 / 639	600 EFI: 228/502 900 ACE: 251/552 600 ACE: 241/531	

				SPORT-UTILITY				
SPECIFICATIONS		TUN	DRA	SKANDIC				
		ut	SPORT	SWT	WT	SPORT		
COL	OR	Neo Yellow/Black	Neo Yellow/Black	Lava Red/Black Black	Lava Red / Black Black	Catalyst Grey/Black		
	Skis	Pilot DS 2	Pilot DS 2	Pilot 7.4	Pilot 7.4	Pilot 7.4		
	Seat	Short 2-up	Short 2-up	2-up modular with underseat storage	2-up modular with underseat storage	1-up modular with rear seat storage		
FEATURES	Handlebar	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks/ Low grab handle	U-shaped aluminum with J-hooks		
TEATORES	Starter	Electric	Electric	Electric	Electric	Electric		
	Reverse	RER (600 EFI) Mechanical (600 ACE)	RER (600 EFI) Mechanical (600 ACE)	RER (2-stroke) Electro-mechanic (4-stroke)	RER (2-stroke) Electro-mechanic (4-stroke)	RER		
	Windshield height (in.)	17	17	23 with mirrors	23 with mirrors	17		
GAUGE	Туре	4.5 in. digital display	4.5 in. digital display	4.5 in. digital display	4.5 in. digital display	4.5 in. digital display		
	Front suspension	LTS	LTS	LTS	LTS	LTS		
	Front shock	Motion Control	Motion Control	Motion Control	Motion Control	Motion Control		
SUSPENSION	Rear	SC-5U	cMotion	SC-5U	SC-5U	SC-5U		
SUSPENSION	Center shock	Motion Control	Motion Control	Motion Control	Motion Control	Motion Control		
	Rear shock	HPG	HPG	HPG	HPG	HPG		
ROTAX ENGINE	Engine	600 EFI 600 ACE	600 EFI 600 ACE	600R E-TEC 900 ACE	600R E-TEC 600 EFI 900 ACE 600 ACE	600 EFI		
	Fuel tank (liters / US gallons)	36/9.5	36/9.5	42/11.1	42/11.1	42/11.1		
TRACK	Lenght x Width x Profile (in.)	Charger: 154×16×1.5	Cobra: 146×16×1.6	Silent Cobra SWT: 154 x 24 x 1.5	Cobra WT: 154 x 20 x 1.5	Utility WT: 154 x 20 x 1.25		
	Ski stance	32	32	35	35	35		
OVERALL	Length (in.)	129.3	122.4	126.9	126.9	129.3		
DIMENSIONS	Width (in.)	39.1	39.1	42.8	42.8	42.8		
	Height (in.)	59.6	53.9	59.6	59.6	53.9		
ESTIMATED DRY WEIGHT	By engine (kg / lb)	600 EFI: 223/491 600 ACE: 234/515	600 EFI: 212/466 600 ACE: 221/486	600R E-TEC 287/633 900 ACE 298/657	600R E-TEC 271/596 600 EFI 261/575 900 ACE 282/620 600 ACE 272/598	236/520		



77 PI	ATFORM/A	CCESSORV	FIT GIIINE

- LinQ ACCESSORIES
- FUEL & OIL CADDIES
- STORAGE
- SLEIGH, RACKS & HOLDERS
- SEATS & BACKRESTS
- WINDSHIELDS & WIND PROTECTION
- 105 HANDGUARDS & HANDLEBAR
- 107 MIRRORS
- 108 ADJUSTABLE RISERS & EXTENSION KITS

- 110 LED LIGHTS
- 111 BUMPERS, HITCHES & WINCHES
- PROTECTION & REINFORCEMENT
- 120 TOE-HOLDS, FOOTRESTS & KNEE PADS
- 122 SUSPENSION & FOX SHOCK KITS
- 125 VENT KITS & PREFILTERS
- 126 COOLING & LUBRICATION
- 127 ELECTRICAL & ELECTRONICS
- 131 TRAILERING & COVERS
- 134 GARAGE & TRUCK SLED DECKS

SKI-DOO ACCESSORIES LIMITED WARRANTY*

// 1-YEAR ON BRP ACCESSORIES

*Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply, see complete limited warranty or contact your Ski-Doo authorized dealer. Unless otherwise stipulated or required by law. This limited warranty does not apply to factory-installed accessories.

PLATFORM/ACCESSORY FIT GUIDE | ACCESSORIES | 77

GET THE RIGHT ACCESSORIES FOR YOUR SLED

You'll see a list of platforms like REV Gen4 (Narrow and Wide), REV-XP, REV-XS, REV-XM and REV-XU after the descriptions in this catalog—these indicators tell you which accessories fit your snowmobile.

Use this chart to find the platform you're riding and choose the right items to personalize your ride.







)22 	122	2	2	0	2	1
--	-----	---	---	---	---	---

MODEL	ENGINE	PLATFORM
MACH ZTM		
	900 ACE Turbo R	REV Gen4 (Wide)
MXZ		
X-RS® X®		
TNT™	All	REV Gen4 (Narrow)
Sport		
BACKCOUNT	RYTM	
X-RS®		
X® Backcountry™	All	REV Gen4 (Narrow)
Sport		
RENEGADE®		
X-RS®	850 E-TEC	
X® Adrenaline	600R E-TEC	REV Gen4 (Narrow)
Sport	600 EFI	
X-RS®	900 ACE	
X® Adrenaline	900 ACE Turbo 900 ACE Turbo R	REV Gen4 (Wide)
Sport	600 ACE TUTBO R	
Enduro	All	REV Gen4 (Wide)
GRAND TOUR	RING	
Limited Sport	All	REV Gen4 (Wide)
SUMMIT		
Χ®		
X with Expert Package	All	DEV Con ((Normani)
Edge	All	REV Gen4 (Narrow)
SP		
FREERIDE		
	All	REV Gen4 (Narrow)
EXPEDITION		
Sport	All	REV Gen4 (Wide)
LE		
SE Vtromo	All	REV Gen4 (Wide) 20'
Xtreme SWT	All	REV Gen4 (Wide) 24'
	,	12. 00117 (11106) E4
TUNDRA	All	REV Gen4 (Wide)
SKANDIC	All	NEW GEII-4 (WILLE)
WT WT	A.I.	DELLO COMO SERVICIO
Sport	All	REV Gen4 (Wide) 20'
SWT	All	REV Gen4 (Wide) 24"

MODEL	ENGINE	PLATFORM
MXZ		
X-RS® X® TNT™ Sport	All	REV Gen4 (Narrow)
BACKCOUNT	RYTM	
X-RS® X® Backcountry™ Sport	All	REV Gen4 (Narrow)
RENEGADE®)	
X-RS® X® Adrenaline Sport	850 E-TEC 600R E-TEC 600 EFI	REV Gen4 (Narrow)
X-RS® X® Adrenaline Sport	900 ACE 900 ACE Turbo 600 ACE	REV Gen4 (Wide)
Enduro	All	REV Gen4 (Wide)
GRAND TOU	RING	
Limited Sport	All	REV Gen4 (Wide)
SUMMIT		
X® X with Expert Package SP	All	REV Gen4 (Narrow)
FREERIDE		
	All	REV Gen4 (Narrow)
EXPEDITION	1	
Sport	900 ACE 600 ACE	REV Gen4 (Wide)
Sport	600 EFI	REV Gen4 (Narrow)
LE SE Xtreme	All	REV Gen4 (Wide) 20"
SWT	All	REV Gen4 (Wide) 24"
TUNDRA		
LT Sport	All	REV Gen4 (Wide)
SKANDIC		·
WT Sport	All	REV Gen4 (Wide) 20'

MODEL	ENGINE	PLATFORM
MXZ		
X-RS®	850 E-TEC	
X® TNT™	600R E-TEC	REV Gen4 (Narrow)
Sport	600	REV-XP
BACKCOUNT	RY TM	
X-RS®	850 E-TEC	
X® Backcountry™	600R E-TEC	REV Gen4 (Narrow)
RENEGADE®	ı	
X-RS® X®	850 E-TEC	DEV 0 ((N)
Adrenaline	600R E-TEC	REV Gen4 (Narrow)
X-RS®	900 ACE	DEV 0 4 free 1 3
X® Adrenaline	900 ACE Turbo	REV Gen4 (Wide)
	850 E-TEC	
Enduro	600R E-TEC 900 ACE	REV Gen4 (Wide)
	900 ACE Turbo	
Sport	600 ACE	REV Gen4 (Wide)
Sport	600	REV-XP
GRAND TOU	RING	
Limited	600R E-TEC 900 ACE	
Sport	900 ACE Turbo	REV Gen4 (Wide)
	600 ACE	
SUMMIT		
X° SP 175		
SP 165	850 E-TEC 600R E-TEC	REV Gen4 (Narrow)
SP 154 SP 146	000112 120	
Sport	600	REV-XP
FREERIDE		
	850 E-TEC	REV Gen4 (Narrow)
EXPEDITION	1	
Sport	900 ACE 600 ACE	REV Gen4 (Wide)
Sport	550 Fan	REV-XP
LE	-00.411	
SE Xtreme	All	REV Gen4 (Wide) 20'
TUNDRA	All	REV-XU
CKANDIO	All	NEV-AU
SKANDIC	All	DEV VII
	All	REV-XU

REV Gen4 (Wide) 24"

78 | ACCESSORIES | LinQ ACCESSORIES | ACCESSORIES | 79


LITE ACCESSORIES

// FAST, EASY AND SECURE

A BRP EXCLUSIVE, LinQ IS A TOOL-LESS SYSTEM FOR NEAR-INSTANT INSTALLATION OF ACCESSORIES.

- LinQ accessories to transform your machine to fit the moment.
- No tools needed: quickly install and remove accessories by hand.
- Stylish, fully integrated solution to your cargo needs.
- Sturdy mounting system that holds up in every terrain.

TUNNEL POSITIONS



REV GEN4 VEHICLES MULTIPLE TUNNEL CONFIGURATIONS

		POSITION 1 129" AND LONGER			
LinQ is the indu	stry standard in fast, secure and	129 ANL	LUNGER		
	r attachment. Here's how you can use ems together to create the perfect ride.	ON THE TUNNEL	ON TOP OF Ling Stackable Fuel Caddy		
	LinQ FUEL CADDY 860201774 / 860201775	YES	YES		
0	LinQ OIL CADDY 860202445	YES	YES		
	LinQ STACKABLE FUEL CADDY 860202246	YES	NO		
	LinQ FUEL CADDY 860202247	YES	NO		
	LinQ DEEP SNOW PRO BAG 860202456	YES	YES		
	LinQ TRAIL PRO BAG 860201986	YES	YES		
	LinQ SLIM WATERPROOF TUNNEL BAG 860202451	YES position #1 and #2 required	NO		
	LinQ SNOWBOARD/SKI RACK 860202191	NO	NO		
	LinQ DRY BAG 715008110	YES	YES		
	LinQ ADVENTURE TUNNEL BAG 860202444	YES position #1 and #2 required	NO		
1	LinQ MODULAR CARGO BOX - 10 L 715005494	YES	NO		
	LinQ THERMAL BOX 219400964	YES except when LinQ 1 + 1 Backrest is installed	NO		
1	Lino Adventure Cargo Box 860202448	NO	NO		
	LinQ CARGO BOX - 62 L 860202446	YES position #1 and #2 required	NO		
	LinQ CARGO BOX - 40 L 860202442	YES position #1 and #2 required	NO		
	LinQ SR21 TUNNEL BAG 860202449	except when Lin	E S Q 1 + 1 Backrest t are installed		
	LinQ SPORT BAG 860202447	YES	YES		
	LinQ TOOL BOX 715008111	YES except with 1 + 1 Seat	NO		
	LinQ SADDLEBAGS 860200624	YES	NO		
	UNIVERSAL LinQ RACK 860202208	YES	NO		
B	LinQ REMOVABLE SNOW FLAP 860201914	Specific install	ation required, sheet for details		

POSIT	ION 2	POSITION 3
137" AND LONGER	(REGULAR TUNNEL) (SHORT TUNNEL)	154" AND LONGER (REGULAR TUNNEL) 165" AND LONGER (SHORT TUNNEL)
ON THE TUNNEL	BEHIND The Fuel Caddy	ON THE TUNNEL
YES	YES	
except 146" (Short Tunnel)	except 146" (Short Tunnel)	NO
(Silort fullifiet)	(Short fullifet)	
YES	YES	NO
NO too heavy for this position	NO	NO
NO too heavy for this position	NO	NO
YES	YES	
except 146"	except 146"	NO
(Short Tunnel)	(Short Tunnel)	
YES	YES	
except 146" (Short Tunnel)	except 146" (Short Tunnel)	NO NO
YES position #1	YES position #2	YES position #2
and #2 required	and #3 required	and #3 required
YES	YES	
position #0	position #0	NO
and #2 required	and #2 required	
YES on 146" and up	NO	NO
YES		
position #1	NO	NO
and #2 required		
YES	YES	
except 146" (Short Tunnel)	except 146"	NO
(Snort Tunnet)	(Short Tunnel)	
NO too heavy for this position	NO	NO
VI	 S	
positi	on #1	NO
and #2 required	on 146" and up	
YES		
position #1	NO	NO
and #2 required		
YES position #1	NO	NO
and #2 required	NU	NO
ana ne roquirou		
YES	NO	NO
YES	YES	NO
NO		
too heavy for this position	NO	NO NO
Tor this position		
NO	NO	NO
YES	YES	NO
	S	YES
	ation required,	Does not fit Short Tunnel
see instruction :	sheet for details	

80 | ACCESSORIES | LinQ ACCESSORIES FUEL & OIL CADDIES | STORAGE | ACCESSORIES | 81

Lino		COM	PATIBILITY / REQUIREM	ENTS		
Lino Accessories		GEN4 6"	REV GEN4 20" - 24"*	REV-XM REV-XS	R A DIA N LY N X	
REQUIREMENTS CHART	2022	2021 AND PRIOR	2022 AND PRIOR	REV-XP REV-XU	2022	
LinQ ACCESSORIES WITH 16" BASE		L6 inches apart, center-to- ATV and SSV vehicles, Sea	-center. -Doo watercraft and Ski-D	oo snowmobiles.		
LinQ OIL CADDY – 1 GAL 860202445	LinQ Cargo Base Kit 860201806 [for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories]	LinQ Cargo Base Kit 860201806 [for installation on tunnel or on stackable LinQ accessories]	LinQ Cargo Base Kit 860202482 (for installation on tunnel) or 860201806 (for installation on stackable LinQ accessories)		LinQ Cargo Base Kit 860201806 (for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	
Ling Stackable fuel Caddy – 4 Gal 860202246		LinQ Cargo Base Kit 860201806	LinQ Cargo Base Kit			
Ling Fuel Caddy – 3 Gal 860202247	No further requirements	860201806 (for installation on tunnel)	860ž02482 (for installation on tunnel)		No further requirements	
Ling DEEP SNOW PRO BAG - 30 L 860202456	LinQ Cargo Base Kit 860201806	LinQ Cargo Base Kit 860201806 (for installation on tunnel or	Lin0 Cargo Base Kit 860202482 (for installation on tunnel)		LinQ Cargo Base Kit 860201806	
LinQ TRAIL PRO BAG 860201986	[for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories]	on stackable LinQ accessories)	or 860201806 (for installation on stackable LinQ accessories)		[for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories]	
Ling SLIM WATERPROOF TUNNEL BAG – 26 L 860202451		Ling Cargo Base Kit	LinQ Cargo Base Kit			
SLIM TUNNEL BAG WITH SOFT STRAPS – 15 L 860202440	No further requirements	2 X 860201806 (for installation on tunnel)	2x 860202482 (for installation on tunnel)		No further requirements	
Ling Snowboard/SKI RACK 860202191		LinQ Cargo Base Kit 860201806 (for installation on tunnel)	Not compatible			
LinQ DRY BAG - 40 L 715008110	LinQ Cargo Base Kit 860201806 [for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories]	Lin@ Cargo Base Kit 860201806 (for installation on tunnel or on stackable Lin@ accessories)	LinQ Cargo Base Kit 860202482 [for installation on tunnel] or 860201806 [for installation on stackable LinQ accessories]	See complete fit	LinQ Cargo Base Kit 860201806 (for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	
TUNNEL BACKPACK WITH LinQ SOFT STRAP - 28 L 860200939		LinQ Cargo Base Kit 2 X 860201806	Not compatible	information and requirements for REV-XM, XS, XP & XU on page 194		
LinQ ADVENTURE TUNNEL BAG – 40 L 860202444		(for installation on tunnel)	Not companie			
LinQ THERMAL BOX - 16 L 219400964	No further requirements	LinQ Cargo Base Kit 860201806 (for installation on tunnel)	LinQ Cargo Base Kit 860202482 (for installation on tunnel)		No further requirements	
LinQ ADVENTURE CARGO BOX - 90 L 860202448	No further requirements				No further requirements	
LinQ CARGO BOX - 62 L 860202446		LinQ Cargo Base Kit 2 X 860201806 (for installation on tunnel)	LinQ Cargo Base Kit 2x 860202482 (for installation on tunnel)			
LinQ CARGO BOX - 40 L 860202442						
LinQ SR 21 TUNNEL BAG - 21 L 860202449	LinQ Cargo Base Kit 860201806	LinQ Cargo Base Kit 860201806	LinQ Cargo Base Kit 860202482 (for installation on tunnel)		LinQ Cargo Base Kit 860201806	
LinQ SPORT BAG – 17 L 860202447	[for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories]	(for installation on tunnel or on stackable LinQ accessories)	or 860201806 (for installation on stackable LinQ accessories)		(for installation on LinQ Stackable Fuel Caddy or on stackable LinQ accessories)	
LinQ TOOL BOX - 19 L 715008111	No further requirements	LinQ Cargo Base Kit 860201806 (for installation on tunnel)	LinQ Cargo Base Kit 860202482 (for installation on tunnel)		No further requirements	
LinQ MODULAR CARGO BOX 715005494 • (10 L)	LinQ Cargo Base Kit 860201806 (for installation on stackable LinQ accessories)	LinQ Cargo Base Kit 860201806 (for installation on tunnel or on stackable LinQ accessories)	Lin@ Cargo Base Kit 860202482 [for installation on tunnel] or 860201806 [for installation on stackable Lin@ accessories]		LinQ Cargo Base Kit 860201806 (for installation on stackable LinQ accessories)	
LinQ RACKS & HOLDERS						
LinQ UNIVERSAL RACK 860202208	No further requirements	LinQ Cargo Base Kit 860201806	LinQ Cargo Base Kit	See complete fit information and	No further requirement	
LinQ TOOL HOLDER 860201846	No further requirements	(for installation on tunnel)	860202482 (for installation on tunnel)	requirements for REV-XM, XS, XP & XU on page 194	No further requirements	

*Skandic Sport 2022 and 2021 may have specific requirements. Please refer to product descriptions.

FUEL & OIL CADDIES

LinQ FUEL CADDY - 1 GALLON	REV Gen4, XS, XM, XR, XP, XU		860201774* • Canada only 860201775* • US only	
	 1 US gallon (3.78 liter) capacity. Smaller size for less weight. Can be used in position 1 or 2 and on top of LinQ Stackable Fuel Caddy. Easy pour design for sleds or power tools. 	• Doesn'	t fit Grand Touring REV-XS.	
LinQ OIL CADDY - 1 GALLON	REV Gen4, XS, XM, XR, XP, XU		860202445	
• 1 US gallon (3.78 liter) capacity. • Can be used in position 1 or 2. • Can be used on top of LinQ Stackable Fuel Caddy. • Doesn't fit Grand Touring REV-XS. • Requires LinQ Caron REV Gen4 20" 8 Skandic Sport.				, 2021 Skandic 2) for installation
Lino Stackable fuel Caddy – 4 Gallons	REV Gen4, XU, XS, XM, XR		860202246	
	 Quick, easy and secure installation with LinQ system. No-Spill spout for easy use. 3.7 US gallon (14 liter) capacity. Single LinQ tunnel bag or LinQ oil caddy stacks on top for more storage. Meets the new latest Flame Mitigation Device (FMD) standard. 	• Require on REV Skandi • Require on REV	be used with Luggage Rack Reint 0798). es LinQ Cargo Base Kit (860201806 Gen416" tunnels (2021 and prior) c Sport. es LinQ Cargo Base Kit (860202482 Gen420" & 24" tunnels (2022 and c Sport.	s) for installation and 2021 2) for installation
LinQ FUEL CADDY - 3 GALLONS	REV Gen4, XS, XM, XR, XP, XU		860202247	
	 Quick, easy and secure installation with LinQ system. No-Spill spout for easy use. 3 US gallon (11 L) capacity. Meets the new latest Flame Mitigation Device (FMD) standard. 	 Cannot (86020 Require on REV Skandi Require on REV 	t fit Grand Touring REV-XS. t be used with Luggage Rack Reint 0798). es LinQ Cargo Base Kit (860201806 Gen4 16" tunnels (2021 and prior) c Sport. es LinQ Cargo Base Kit (860202482 Gen4 20" & 24" tunnels (2022 and c Sport.	s) for installation and 2021 2) for installation

STORAGE

LinQ DEEP SNOW PRO BAG – 30 L	REV Gen4, XU, XS, XM, XR		860202456		
	Lightweight—uses one set of LinQ fasteners. Fits position 1, 2 and on top of LinQ Stackable Fuel Caddy.		 Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic Sport and stackable LinQ accessories. Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport. 		
NEW DEEP SNOW PRO BAG COVER LID	Fits on Deep Snow Pro Bag and LinQ Trail Pro Bag		860202132		
-	Replacement cover for Deep Snow Pro Bag.				



- Improved Shovel Holder System on lid.
- Mesh pocket under the lid for easy, quick access to smaller items.

*While supplies last.

STURAGE		
EAT STORAGE BOX – 6 L	REV Gen4 (Narrow)	860202532
	Control of the contro	




- Low profile integrated storage box utilizing the battery
 - Added storage capacity of 1.5 L (0.4 US gallons, 916 cu in) with battery and 6 L for a vehicle without the battery.
 - Same height as battery cover.

Rainproof liner included.

• Does not work with 1 + 1 seat.

- Works with Deluxe Tool Kit (860202029) (not included).
- Allows use of LinQ tunnel accessories.

LinQ SLIM WATERPROOF TUNNEL **BAG - 26 L**



- Allows storage of removable snow flap.
- Waterproof inner roll top.
- Shovel can be stored while assembled on top of the bag. • 16 to 26 liter (4.2 to 6.9 US gallon, 976 to 1,587 cu in) capacity.
- Fit on the tunnel in positions 1 & 2 and 2 & 3.

- Requires LinQ Cargo Base Kits (2x) (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (1x) (860201806) for installation on 2022 Skandic Sport.
- Requires LinQ Cargo Base Kits (2x) (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

SLIM TUNNEL BAG WITH SOFT STRAPS - 15 L

137" and longer with 1-up and 2-up seats (except XU 20" and 24" and XS)

- Low profile, positioned flat on tunnel, for convenient out-of-the-way storage.
- Easy access full wrap-around zipper.
- Top mount shovel pocket.
- 15 liter (4 US gallon, 915 cu in) capacity.

860202440

- Requires LinQ Cargo Base Kits (2x) (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skandic Sport.
- Requires LinQ Cargo Base Kit (1x) (860201806) for installation on 2022 Skandic Sport.
- Requires LinQ Cargo Base Kits (2x) (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

SHOVEL WITH SAW HANDLE



- · Design with better cutting edge.
- Features integrated saw handle.
- Blade flips 90° to pull snow away. · Can be dismantled for easy storage.

860201919

SAW & HANDLE REPLACEMENT FOR SHOVEL

520002004

520000408

860202195



· D-shaped handle.

2.8 M AVALANCHE PROBE



- Lightweight, durable and strong ½ inch (12 mm) aluminum tubing construction.
- 7-16" (40 cm) color-coded sections.
- Weight: 13 oz (370 g).

NEW SKI-DOO PULLING STRAP



- Save your back and get unstuck the easy way.
- · Lightweight, compact, affordable.
- Extremely robust material.
- · Available in yellow only. 2 per pack.

LinQ DEEP SNOW SEAT BAG - 5 L

REV Gen4 Summit & Freeride (without battery)



- \bullet Improved design with greater capacity than the LinQ Seat Bag (860201355).
- Thermoformed hard plastic base.

860201274

860200745

860202191

Reinforcement Kit (860202385).

(860201505).

EXTREME SEAT BAG - 5 L

860202451

· A must for extreme deep snow riding

REV-XM, XP, XU Tundra Xtreme

- Low profile bag lets you add storage without getting in the 5 liter (1.2 US gallon, 305 cu in) capacity. way of your riding needs.
- Fully integrated and allows for the REV-XM seat to easily clip on/off in seconds without taking away any tunnel

• Newly redesigned—simpler, quicker and easier way to

- · Works in conjunction with REV-XM seat.
- Inner zipper to access underseat compartment.

· Can be installed with stock bumper using the

• Works with the new hitch and Adventure rear bumpers

on REV Gen4 16" tunnels for 2021 and prior models.

• Requires LinQ Cargo Base Kit (860201806) for installation

NEW LinQ SNOWBOARD/SKI RACK



REV Gen4 16", 146" and longer Fits short tunnel

attach skis or snowboards.

- Fits 1 snowboard or 1 pair of skis and poles.
- Easy to adjust from skis to boards or back in seconds.
- Fits all sizes of skis, snowboards and snowsurfs.
- Easy release straps can be operated with gloves on. • Rubber cushions protect edges and hold ski poles securely
- without damage.
- · Non-intrusive positioning.

NEW Ling Snowboard/SKI RACK REINFORCEMENT KIT

Fits with LinQ Snowboard/Ski Rack [860202191] except Renegade X-RS, Grand Touring, MXZ, Expedition Sport and Tundra LT

860202385

516006982

860200614

- Use to install the LinQ Snowboard/Ski Rack with the stock rear bumper.
- · Adds strength and support to the tunnel.

PROTECTIVE DECAL FOR LinQ SNOWBOARD/SKI RACK

(Not illustrated)

· To protect your tunnel from ski tip scratches when using the LinQ Snowboard/Ski Rack.

REV Gen4 with 235 mm riser, XP Summit, XU Tundra, Skandic, XM (for risers 175 mm and up)

REV Gen4 with 165 mm riser and longer, REV-XM, XP, XR, XU Tundra

860201564 • Long 860201550 · Short

• Innovative 2-pocket carry bag for secure storage around



RISER BLOCK BAG

- the steering riser block.
- 3W heated insulated pocket design reduces the chance of water bottles freezing and increases the battery life of small electronic equipment.
- Includes RCA adaptor kit.

• Requires Heated Visor Kit (860201234) for REV-XU, XM, XS, XP, XR and (860201283) for REV Gen4, sold separately.

OIL SUPPORT CADDY/GOGGLE BAG

REV-XM, XS



- · Multi-purpose bag.
- Allows you to easily access and carry an extra liter of XPS oil or a spare set of goggles.
- Installs conveniently on top of the CVT cooling system.
- Models without E-TEC engine need the Acoustic Plate (512060847).

CTODACE				
STORAGE				ı
GOGGLE DRYING BAG	REV Gen4 (Narrow) Designed specifically for a spare set of goggles. Under hood heat clears and dries wet fogged goggles. Protects goggles during the ride.		860201691	
NEW LinQ MODULAR CARGO BOX	REV Gen4		715005494 • 10 liters (2.6 gallons)	
	 Modular LinQ cargo box with 10 liter (2.6 US gallon) capacity. Single LinQ tunnel bag stacks on top for more storage. Heavy duty construction for durability. Weather resistant sealed lid. 	on REV Sport a • Require	s LinQ Cargo Base Kit [860201806] fr Gen4 16" tunnels (2021 and prior), 2i nd stackable LinQ accessories. Is LinQ Cargo Base Kit [860202482] fr Gen4 20" & 24" tunnels [2022 and pri S Sport.	021 Skandic or installation
COMBO BAG – 30 L	REV Gen4 (Wide) Renegade (except Renegade Sport)		860201821	
T.	 Works with Comfort Seat (REV Gen4 (Wide)). 30 liter (6 US gallon, 1,831 cu in) capacity. Provides additional storage while not using any tunnel space. LinQ tunnel accessories compatible. 	• Thermo	e compartments with easy access. formed hard plastic base, semi-rigio roof inner lining.	d top and sides.
SR50 UTILITY BAG – 50 L	REV Gen4 (Wide) 20" & 24"		860201939	
	 Replaces passenger seat in seconds for additional storage. Quick release straps to easily access storage underneath. Waterproof to keep your cargo dry. 50 liter (11 US gallon, 3,052 cu in) capacity. Works with the 135-liter LinQ Utility Cargo Box (860201781). 			
COMBO BAG – 31 L	REV Gen4 (Narrow) [MXZ, Backcountry and Renegade except Sport models)		860201475	
The state of the s	 31 liter (8.2 US gallon, 1,892 cu in) capacity. Multiple compartments with easy access. Thermoformed hard plastic base, semi-rigid top and sides. Vehicles with pull start require the Battery Cover (86020140) 	7].		
LinQ DRY BAG – 40 L	REV Gen4, XU		715008110	
Lung	 Fully waterproof roll-top design secures gear tightly. 40 liter (10.6 US gallons, 2,441 cu in) of adjustable capacity. Heavy-duty rigid plastic base. Foam lined bottom for additional protection. Integrated handle for easy transportation on/off the vehicle. 	on REV Sport a • Require	is LinQ Cargo Base Kit (860201806) fr Gen4 16" tunnels (2021 and prior), 21 nd stackable LinQ accessories. Is LinQ Cargo Base Kit (860202482) fr Gen4 20" & 24" tunnels (2022 and pri S Sport.	021 Skandic or installation
TUNNEL BACKPACK WITH LinQ Soft Strap – 28 L	137" and longer (except XU 20" and 24")		860200939 • Black 860200940 • Orange	
	 Includes a compartment for the Ski-Doo Shovel [860201919] and 2.8 m Avalanche Probe [520000408] [not included]. Quick-disconnect system instantly transforms the bag into a backpack. 28 liter [7.4 US gallon, 1709 cu in] capacity. 	installa and 202 • Require installa • Require installa	is LinQ Cargo Base Kits [2x] [8602018] ition on REV Gen4 16" tunnels [2021 21 Skandic Sport. Is LinQ Cargo Base Kit [1x] [8602018] ition on 2022 Skandic Sport. Is LinQ Cargo Base Kits [2x] [8602024] is LinQ Cargo Base Kits [2x] [8602024] ition on REV Gen4 20" & 24" tunnels [58] Skandic Sport.	and prior) 06) for 482) for

LinQ ADVENTURE TUNNEL BAG - 40 L	REV Gen4 137" and longer		860202444		
	40 liter (10.6 US gallon, 2,441 cu in) capacity. Thermoformed hard base and semi-rigid sides and top. Cover can be removed for easier access. Multiple compartments, separators and fixation points for hooks or bungee cords. Inside goggle soft pocket.	installa 2021 S • Require installa • Require installa	es LinQ Cargo Base Kits (2x) (86 ation on REV Gen4 16" tunnels kandic Sport. es LinQ Cargo Base Kit (1x) (860 ation on 2022 Skandic Sport. es LinQ Cargo Base Kits (2x) (86 ation on 2022 Skandic Sport. es LinQ Cargo Base Kits (2x) (86 ation on REV Gen4 20" & 24" tur Skandic Sport.	2021 and prio 201806) for 0202482) for	or) and
LinQ THERMAL BOX – 16 L	REV Gen4, XM, XS, XP, XU (except Grand Touring)		219400964		
	 Rotomolded design with 16 liter [4.2 US gallon, 976 cu in] capacity. High quality foam insulation for optimal performance hot or cold. Does not fit with 1+1 backrest. 	on REV Sport. • Require on REV	es LinQ Cargo Base Kit (860201: Gen416" tunnels (2021 and pr es LinQ Cargo Base Kit (860202 Gen420" & 24" tunnels (2022 a c Sport.	or) and 2021 482) for insta	Skandic Ilation
LinQ ADVENTURE CARGO BOX - 90 L	REV Gen4, XM, 146" and up		860202448		
	Extra large 90 liter (24 US gallon, 1,465 cu in) capacity. Uses 16" LinQ mounts in position 1 and 2. Easy on and off. 2 LinQ anchors can be added on lid of box to install 16" LinQ accessories or additional storage. Rugged and tough rotomolded plastic construction. Not compatible with short tunnel.	installa 2021 S • Require installa • Require installa	es LinQ Cargo Base Kits (2x) (86 ation on REV Gen4 16" tunnels kandic Sport. es LinQ Cargo Base Kit (1x) (860 ation on 2022 Skandic Sport. es LinQ Cargo Base Kits (2x) (86 ation on REV Gen4 20" & 24" tur Skandic Sport.	2021 and prio 201806) for 0202482) for	or) and
LinQ CARGO BOX - 62 L	REV Gen4 137" and up		860202446		
	 Standard on Grand Touring Limited model. Optional LinQ mounts can be added on top for even more capacity. 62 liter (16.3 gallon, 3,765 cu in) capacity. 	installa 2021 S • Require installa • Require installa	es LinQ Cargo Base Kits (2x) (86 ation on REV Gen4 16" tunnels kandic Sport. es LinQ Cargo Base Kit (1x) (860 ation on 2022 Skandic Sport. es LinQ Cargo Base Kits (2x) (86 ation on REV Gen4 20" & 24" tur Skandic Sport.	2021 and prio 201806) for 0202482) for	or) and
LinQ CARGO BOX BAG - 62 L	Fits with LinQ Cargo Box (860202446)		860201635		
	Easy to take everything with you on arrival. 62 liter (16.3 gallon, 3,765 cu in) capacity.				
LinQ CARGO BOX TOP COVER	Fits with LinQ Cargo Box (860202446)		860201808 • Silver 860201768 • Black		
hall hard	Matches the color of the vehicle perfectly.			,	
LinQ CARGO BOX - 40 L	Fits 137" and longer (except all XU & XS models)		860202442		
	 Rigid molded plastic construction with integrated design. Provides dry, safe storage. 40 liter (11 US gallon, 2,441 cu in) capacity. 	installa 2021 S • Require installa • Require installa	es LinQ Cargo Base Kits (2x) (86 ation on REV Gen4 16" tunnels kandic Sport. es LinQ Cargo Base Kit (1x) (860 ation on 2022 Skandic Sport. es LinQ Cargo Base Kits (2x) (86 ation on REV Gen4 20" & 24" tur Skandic Sport.	2021 and prio 201806) for 0202482) for	or) and
CARGO BAG – 80 L	REV Gen4, XM, XP, XU, Backcountry, Freeride, Renegade, Summit, Tundra, 137" and up	,	860200801		
	Rugged all-purpose utility design. Sealed PVC construction. Politor (2) US college (1992 on in) conscitu	• Include	es rain cover for added resistar	ce to the ele	ments.

• 80 liter (21 US gallon, 4,882 cu in) capacity.

• Can also double as travel/duffle bag.

STORAGE			
LinQ RETROFIT KIT FOR CARGO BAG (Not illustrated)		860200941	
	• 4 straps to adapt the Cargo Bag (860200801) to LinQ		

- LinQ Cargo Base Kit (2x) (860201806) not included but required to mount the bag on the tunnel.

NEW Ling TRAIL PRO BAG - 30 L



- Premium bag with our highest level of waterproofing.
- · Watertight zipper (TiZip).

REV Gen4 XII XS XM XR

- Map holder & quick access storage compartment on lid.
- Mesh pocket under the lid for easy, quick access to smaller items.
- Brightly colored interior makes locating items easier.
- Lightweight and mounts securely using one set of LinQ anchors.

860202383

Skandic Sport.



NEW TRAIL PRO BAG COVER LID

Fits on Deep Snow Pro Bag and LinQ Trail Pro Bag

• Replacement cover for Trail Pro Bag.

- Map holder & quick access storage compartment on lid.
- · Mesh pocket under the lid for easy, quick access to smaller

LinQ SR 21 TUNNEL BAG - 21 L



- REV Gen4
- Semi-rigid expandable LinQ tunnel bag.
- 21 liter (5.5 US gallon, 1,282 cu in) capacity. • Can be installed on top of LinQ Stackable Fuel Caddy or
- Easy one-second on/off tool-less system.

860202449

860201986

Sport and stackable LinQ accessories.

• Expandable 9 to 30 L (2-6 US gallon, 550-1,831 cu in)

• Requires LinQ Cargo Base Kit (860201806) for installation

on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic

• Requires LinQ Cargo Base Kit (860202482) for installation

on REV Gen4 20" & 24" tunnels (2022 and prior), except

- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic Sport and stackable LinQ accessories.
- Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport

LinQ SPORT BAG - 17 L



- REV Gen4, XM, XS, XP, XR (except GTX, Grand Touring) • 17 liter (4.5 US gallon, 1,037 cu in) capacity.
- Rigid bottom, semi-rigid top.
- Does not fit on REV-XU Tundra with a rack.

860202447

- Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior), 2021 Skandic Sport and stackable LinQ accessories.
- Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except Skandic Sport.

LinQ TRAIL SEAT BAG - 11 L

REV Gen4 (Narrow) MXZ, Backcountry & Renegade (except Sport models) | 860201275



- 11 liter (2.9 US gallon, 671 cu in) capacity.
- Thermoformed hard plastic base, semi-rigid sides and top.
- Vehicles with pull start require the Battery Cover

LinQ SEAT BAG - 4 L

REV Gen4 (Narrow)

- Integrated storage that stays out-of-the-way.
- 4 liter (1 US gallon, 244 cu in) capacity.
- · Can be used with tunnel bags or fuel caddies.

860201355

- Vehicles with pull start require the Battery Cover
- Thermoformed hard plastic base.

HANDLEBAR BAG - 2 L



REV Gen4 without mountain strap • 2.3 liter (0.6 US gallon, 122 cu in) capacity.

• Semi-rigid construction.

· Inside soft liner.

- · Mounted sturdily with clamp setup.
- · Can be removed easily with vehicle's tool.
- · Water-resistant.
- Thermoformed hard plastic base.

860201565

· Features a pocket to separate items.

LinQ TOOL BOX - 19 L

REV Gen4, XU, XM, XS, XP

- 19 liter (5 US gallon, 1,160 cu in) capacity.
- Weather-resistant design features a sealed cover.

LinQ SADDLEBAGS - 26 L

REV Gen4 16", XP, XR, XM, XS (except Grand Touring, GTX & MXZ X-RS)

• Premium semi-rigid saddlebags using the LinQ mounting system.

- · Easy attach and remove.
- Can be used in conjunction with additional LinQ mounted accessories at the same time.
- · 26 liter (6.9 US gallon, 1,587 cu in) capacity, (2 x 13 L (2 x 3.45 US gallons)).

COMBO BAG - 45 L

TUNNEL BAG - 40 L



- REV-XP, XR, XS
- · No need to remove seat.
- Multiple pockets.
- 45 liter (11.9 US gallon, 2,746 cu in) capacity.

· Uses easy on/off clip system.

REV-XP, XR, XS, XM, XU Tundra



- Includes a compartment for the Ski-Doo Shovel (860201919) (not included).
- Chassis premarked for easier installation of bag on tunnel.
- 40 liter (10.6 US gallon, 2,441 cu in) capacity.
- Extension provides more cargo space when required.

TUNNEL BAG - 25 L

REV-XP, XR, XM, XS, XU

- Uses our cleat and bag retaining system (Patent USD607,313).
- Innovative thermoformed tunnel bag, designed for a slick look and rigid structure.
- Chassis premarked for easier installation of bag on tunnel.
- 25 liter (6.6 US gallon, 1,526 cu in) capacity.

MODULAR TUNNEL BAG EXTENSION - 38 L

REV-XR GTX & Grand Touring, REV-XS Grand Touring

- · Versatile multi-configuration bag.
- Use alone, with or without Fuel Caddy, or with Semi-Rigid Tunnel Bag (860200174).
- Installs horizontally or vertically and removes easily.
- 38 liter (10 US gallon, 2,319 cu in) capacity.

LinQ UTILITY CARGO BOX - 135 L



EXTRA LARGE XU BAG - 150 L

- REV Gen4 20" & 24"
- 4 LinQ anchors (860201806) can be added on lid of box to install 16" LinQ accessories or additional storage.
- Slots molded in for plywood dividers.
- Rugged and tough rotomolded plastic construction.
- Integrated axe and saw holders.
- Removable/lockable lid.
- REV-XU Skandic, XU Expedition
- Extra large 150 liter (40 US gallon, 9,154 cu in) capacity bag shaped to fit utility model racks.
- Weather-resistant polyester, includes compartment

STORAGE | ACCESSORIES | 89

STORAGE

CARGO BOX - 75 L REV-XU Skandic WT, SWT, Expedition SE, LE, Xtreme MY19 and prior 860200395



- 75 liter (19.8 US gallon, 4,577 cu in) capacity.
- Made of durable polyethylene.
- Provides additional secure storage.
- Convenient flip top provides easy access to stored goods.
- Standard on SE 2019 and prior models.

RACK AND NET KIT FOR CARGO BOX



- Rack to carry additional items on top of Cargo Box.
- Net to better secure items inside Cargo Box (860200395).

CENTER CARGO BOX - 20 L

REV-XU Skandic and Expedition

860200732

860201025



- 20 liter (5.28 US gallon, 1,221 cu in) capacity.
- Easily interchangeable with passenger seat.
- $\bullet \ \mathsf{Provides} \ \mathsf{additional} \ \mathsf{storage} \ \mathsf{space}.$
- · Can be padlocked.
- Can be installed in conjunction with Cargo Box
- (860200395).

UNDER-SEAT STORAGE BAG

REV-XU Skandic and Expedition

860201063



• Padded bag protects your items and makes them easy to

STORAGE ACCESSORIES

TANK BAG - 5 L

REV-XM, XS



- · Low profile bag.
- Easy-to-view map pocket.
- · Access fuel cap without removal.
- Ready for 3W Heater for Bags (515176786) (not included).
- 5 liter (1.32 US gallon, 305 cu in) capacity.

HEATED TANK BAG - 2 L

REV-XR, XU



- · Easy-access bag with full-length zipper.
- Map pocket.
- Access gas cap without removing bag.
- 3W heated, insulated pocket for battery-powered electronics, e.g., cell, GPS.
- Access to the 12V plug-in port.

860201127

860200974

- 2.4 liter (0.6 US gallon, 122 cu in) capacity.
- Includes RCA adaptor plug kit.
- Requires Heated Visor Kit (860201234) (not included but required for installation).

3W HEATER FOR BAGS



· Replacement or additional heater for heated bags.

515176786

DASHBOARD BAG - 2 L

REV-XR, XU 860201177 REV-XP 860201176

- Easy-access bag designed to provide extra storage.
- 2 liter (0.5 US gallon, 116 cu in) capacity.

BATTERY COVER

REV Gen4 16" without battery1 860201720 REV Gen4 16" with battery² 511001210

- Stock on REV Gen4 (Wide).
- ¹Support bracket and plastic cover included.

REV Gen4 16" (Narrow) without battery¹

• ²Plastic cover included.

• Required when installing Comfort Seat (860201551, 860201633) on REV Gen4 (Narrow).

BATTERY COVER



- REV Gen4 16" with battery² • Use in conjunction with LinQ Seat Bag (860201355), LinQ • ¹Support bracket and plastic cover included.
- Trail Seat Bag (860201275), LinQ Combo Bag (860201475) or 2Plastic cover included. LinQ1+1 Seat System (860201268) on models without a
- Stock on REV Gen4 (Narrow) with battery.
- 511001053

860201407

LOW PROFILE BATTERY



860201505

• Required for REV Gen4 sleds without battery for LinQ Deep Snow Seat Bag (860201274) and for improved aesthetics.

NEW GLOVEBOX FOR ONE-PIECE LIGHTWEIGHT HOOD

REV Gen4 Summit and Freeride (2020-2021) with one-piece lightweight REV Gen4 Summit and Freeride (2022) with one-piece lightweight hood

• Adds storage to one-piece lightweight hoods.

Provides an additionnal 4.6 liter (1.2 gallon, 280 cu in) capacity.

· Approximately 2 water bottles or 2 pairs of goggles.

· Easy access for smaller items.

• Bright yellow interior to find objects easier.

· Water resistant.

• Includes new mount to reposition the factory gauge.

· Works with a windshield or deflector.

860202193

860202572

GLOVEBOX EXTENSION CELL PHONE HOLDER



- Doubles the storage with additional 3.5 liter
- (0.9 US gallon, 211 cu in) capacity (includes Glovebox Extension (517305966)
- Can be used with or without windshield.
- Door allows for perfect positioning and mounting of a cell phone.
- Cell Phone heater included.

- Requires 12V Outlet (860201261). For screen size up to 6.4" (16.26 cm) x 3.3" (8.38 cm).
- Fits all cell phones with a screen of 6.4" and smaller.
- · Works with capacitive and resistive touch screen technology.
- Not compatible with Lightweight Hood.
- Does not include cell phone.

860201249

860202072

GLOVEBOX EXTENSION / GPS SUPPORT



REV Gen4

REV Gen4

- Doubles the storage with additional 4 liter (1 US gallon, 244 cu in) capacity.
- · Can be used with or without windshield.
- GPS sold separately.
- Door allows for perfect positioning and mounting of GPS.
- · Replaces stock storage compartment cover.
- Not compatible with Lightweight Hood.

LinQ FASTENER

STORAGE ACCESSORIES	\$			LinQ CARGO BASE KIT		8602
GLOVEBOX REPLACEMENT DOOR / CELL PHONE HOLDER Not illustrated)	Fits with Glovebox Extension (860201249)	860202169		00	 Unique mounting fastener usable on any LinQ System accessory. Includes: 2 Cargo LinQ bases and hardware. 	
	 Replacement door to update Glovebox Extension with a cell phone holder. Door allows for perfect positioning and mounting of a cell 	Requires 12V Outlet Plug (860201261) For screen size up to 6.4" (16.26 cm) x Works with capacitive and resistive to	(3.3" [8.38 cm].			
	phone. • Cell phone heater included.	screen technology.		NEW LinQ CARGO BASE KIT	REV Gen4 (Wide) 20" & 24" equipped with the Multi LinQ Plate	86
GLOVEBOX EXTENSION	REV-XM, XS	860200707			 Unique mounting fastener usable on any LinQ System accessory. 	
	 Increases storage capacity by 50%. Replaces stock storage compartment cover. Face door allows for perfect positioning and mounting of GPS. 			80	 Includes: 2 Cargo LinQ bases and hardware for Multi LinQ Plate (860202133). 	
	GPS sold separately.2 liter (0.5 US gallon, 122 cu in) capacity.			Ling CARGO BASE RETROFIT KIT	REV Gen4 (Wide) 20" & 24"equipped with the Multi LinQ Plate	86
GLOVEBOX LINER	REV-XM, XS 2014 and up	860201084		a - 1	 Hardware to fit LinQ Cargo Base Kit on 20" and 24" tunnels with Multi LinQ Plate Retrofit Kit (860202133). 	
	 Padded inner liner protects items. Design seals against snow intrusion. Glovebox Extension compatible. 	Can be used with 3W Heater for Bags (not included).	[515176786]	11.1		
				LinQ PROTECTIVE DECAL KIT	REV Gen4	51
LOVEBOX LINER	REV Gen4	860201270			Durable Lexan¹ decals to protect your tunnel. 2 decals included.	
	Thermoformed liner has a soft finish interior. Features one pocket to separate items.	Not compatible with Lightweight Hood	d (860202087).			
				LinQ PROTECTIVE DECAL KIT	REV-XS, XM, XP, XU Tundra	86
					 Replacement item on model years 2013 and up, but required for using the LinQ accessories on model years 2012 and prior. 	
LinQ ACCESSORIES ANI	D REPLACEMENT PARTS FOR LinQ STO	RAGE ACCESSORIES			• 2 decals included.	
ULTI LinQ PLATE RETROFIT KIT	Skandic Sport	860202133				
	 Retrofit to add Multi LinQ Plate on Skandic Sport. Allows more LinQ configurations on the tunnel. 				1	
	• Includes rear double light.			RUBBER LATCH SERVICE KIT FOR LinQ TUNNEL ACCESSORIES (Not illustrated)	LinQ Tunnel Bags and LinQ Fuel and Oil Caddies.	86
					-	
EW LinQ LOCK		860201968 • Pack of 1 with 2 k		LinQ REPAIR KIT T-LOCK ALUMINUM (Not illustrated)	1	86 86
THE REAL PROPERTY.	Simple way to lock most LinQ accessories in place. Patrofitz most LinQ accessories.				Replaces LinQ mechanism. Includes layer Thock and hardware.	
	 Retrofits most LinQ accessories. Lock cover prevents snow and ice build-up. Not compatible with Tool Holder or Working Light. 			LinQ REPAIR KIT T-LOCK PLASTIC (Not illustrated)	• Includes lever, T-lock and hardware.	86
				(NOT IIIUSTIALEA)	. Danlacca Lin O machaniam	86

715001707

• Works with LinQ Snowboard/Ski Rack [860201255/860201222/860202191] and LinQ Saddlebags [860200624].

• Tool-less installation and removal.

• Sold in pairs.

Replaces LinQ mechanism.Includes lever, T-lock and hardware.

STORAGE | ACCESSORIES | 91

92 | ACCESSORIES | STORAGE | SLEIGH, RACKS & HOLDERS SLEIGH, RACKS & HOLDERS | ACCESSORIES | 93

LinQ ACCESSORIES AND REPLACEMENT PARTS FOR LinQ STORAGE ACCESSORIES

SHIMS FOR LinQ ACCESSORIES

REV-XS, XM, XP, XU 16"

860201432



- Required to fit LinQ accessories on REV-XS, XM, XP and XU Tundra.
- See last column of the chart on page 79 for accessories that require shims.
- · Does not fit 120" models.

linΩ	ADA	PTOR	PI /	ΔTF

REV-XU 20" & 24"

860200945



• Allows installation of LinQ Cargo Base (860201806) on embossed REV-XU tunnels.

SLEIGH, RACKS & HOLDERS

RACKS		
LinQ SLEIGH	Fits on vehicles equiped with Tongue Hitch	860202544
	 Comes with an easy to retract protective cover that prevents snow intrusion while still allowing the installation of LinQ accessories on the sleigh top. LinQ accessories can be installed on top and inside (LinQ Cargo Base Kit not included). Made of high-molecular-weight polyethylene. 2-part removable cover. Rain resistant. 	Carbide ready (860201044). Slots for dividers precast in. (Dividers not included.) Dimensions 81" (206 cm) L x 33" (84 cm) W x 21" (54 cm) H. Volume 485 L (110 US gallons, 29 597 cu in). Weight capacity: 750 lb (340 kg) TOTAL (including top); max on top 75 lb (34 kg). Spring dampened pull bar.
LinQ UNIVERSAL RACK	REV Gen4	860202208
	 This Universal Rack can make generic accessories LinQ compatible. Allows a multitude of products and configurations on LinQ tunnels. 	Requires LinQ Cargo Base Kit (860201806) for installation on REV Gen4 16" tunnels (2021 and prior) and 2021 Skand Sport. Requires LinQ Cargo Base Kit (860202482) for installation on REV Gen4 20" & 24" tunnels (2022 and prior), except

LinQ UNIVERSAL RACK -OTHER BRANDS

Other vehicles with tunnel of 15" to 17" wide (378 mm to 432 mm)

Skandic Sport.

- Universal rack designed to fit non-LinQ tunnels (Ski-Doo \bullet Double the storage by adding another on longer tunnels.
- and competitive brands). Install LinQ accessories on non-LinQ compatible tunnels.
- · Allows a multitude of products and configurations on
- Includes installation hardware for side mounting.
- Fits 14.875 to 17 inch (37.8 cm to 43.2 cm) wide tunnels.

LinQ REAR CARGO RACK

REV Gen4 (Wide) 20" & 24"

860201800




- Replaces passenger seat for extra cargo capacity.
- · Simple attachment.
- Retains underseat access with clever hinge system.
- Allows use of more LinQ bags.

LinQ REAR CARGO RACK

REV-XU Skandic and Expedition





- Compatible with LinQ fuel caddies and tunnel bags.
- Easily interchangeable with passenger seat.
- Provides additional cargo space.

NEW CARGO RACK KIT

REV Gen4 146" Backcountry (except Backcountry X-RS), Summit SP, Tundra REV Gen4 154" Summit SP, Tundra, Expedition Sport

860202217 860202223



- Maximizes tunnel cargo capacity.
- Integrated anchor points for bungees or tie downs.
- Adds functionality with mounts for LinQ Tool Holders

LUGGAGE RACK REINFORCEMENT

REV-XM, XP, XR, XS, XU Tundra

860200798

- Additional reinforcement for your long and short
- · Made of high strength steel.
- Sold in pairs.

CARGO RACK KIT

REV Gen4 (Wide) 20" Expedition Xtreme and Skandic Sport

860202245

- A convenient way to maximize tunnel cargo space.
 - Required to install the chain saw holder (860201827).
 - · Includes the rack and hardware.
 - $1\frac{1}{4}$ " Hitch included.

REAR RACK EXTENSION

REV-XU Skandic and Expedition

860200700



- Delivers increased cargo space.
- Does not fit with XU Heavy-Duty Rear Bumper (860201106).

HOLDERS

LinQ AXE HOLDER

REV Gen4, XM, XS, XU,137" and up

860201854



- Securely mounts on either side of the tunnel using
- · Universal sizing to fit a wide variety of axes.
- Can be mounted on either side of the vehicle.

CHAIN SAW HOLDER

REV Gen4 (Wide) 20" & 24"

- · Securely mounts to rear of vehicle.
- Retains full function of LinQ accessories, including cargo box.
- · Compatible with most blades up to 18".
- Cargo Rack Kit (860202245) required for Expedition Xtreme

860201827

860201828

& Skandic Sport.

• Not compatible with LinQ Adventure Cargo Box (860202448).

LinQ ICE AUGER HOLDER

• Securely mounts to right side of vehicle.

REV Gen4 (Wide) 20" & 24" except Skandic Sport and Expedition Xtreme

• Easy on/off and installation.

- Retains full function of LinQ accessories.
- Handles augers with up to 10" blades.

• May be installed with Heavy-Duty Hitch Rear Bumper (860201795)



94 | ACCESSORIES | SLEIGH, RACKS & HOLDERS | SEATS & BACKRESTS

HOLDERS LinQ GUN BOOT HOLDER REV Gen4 (Wide) 20" & 24" except Skandic Sport and Expedition Xtreme 860201829 • Securely mounts to side of vehicle. • May be installed with Heavy-Duty Hitch Rear Bumper • Easy on and off LinQ installation. • Retains full function of LinQ accessories. • Can be installed on either side of the tunnel. • Required for Gun Boot use on vehicle. **GUN BOOT HOLDER** REV-XU Skandic, XU Expedition 860200984 · Can be installed on either side of the sled, • Required for Gun Boot use on vehicle. facing forward or rearward and at any angle. LinQ TOOL HOLDER REV Gen4, XS, XM 860201846 • Requires LinQ Cargo Base Kit (860201806) for installation • Designed for universal applications. on REV Gen4 16" tunnels (2021 and prior) and Skandic \bullet Convenient swivel latch allows tools like a shovel to be stored in multiple positions. • Requires LinQ Cargo Base Kit (860202482) for installation • Designed specifically for winter use. on REV Gen4 20" & 24" tunnels (2022 and prior), except Sold in pairs. Skandic Sport. GUN BOOT 6.0 IMPACT BY KOLPIN 715001419 • Features largest interior room of all Kolpin Gun Boot cases. • Designed to accommodate left and right hand bolt-action rifles and shotguns. • Extra room for pistol-grip-type weapons and small bipods.

• Easily fits firearms up to 51" (130 cm) in total length.

• Ergonomically designed handle and molded attachment

• Provides ample room for 60 mm scopes.

Hatchback design allows easy access. Snap-close cover with locking capability.

points for sling.

• Includes removable, shock-absorbing foam and nylon

• Requires Gun Boot Holder (860200984 or 860201829) for

impact liner for superior interior protection.


SEATS & BACKRESTS

SEATS				
HEATED SEAT	REV Gen4 (Wide) 20" & 24"		860202032	
	 Adds warmth in the coldest conditions. Multiple High/Low/OFF settings. 			·
PASSENGER HEATED SEAT	REV Gen4 (Wide) 20" & 24" (Expedition Xtreme & Skandic Sport	:]	860202033	
	Complete seat adds warmth for a passenger. 1 + 1 configuration. Includes heated handles. Passenger Backrest (860202036) can be added for more comfort.		seat as 860202037 with heat addow/Off settings.	ded.

HEATED SEAT	REV Gen4 16"		860201633	
	Adds warmth in the coldest conditions. Multiple High/Low/OFF settings. Same base platform as Comfort Seat (860201551) providing additional hip support via wider cushion design. Integrated rear storage. Battery Cover with Support (860201720) required for REV Gen4 (Narrow) without battery.	with ba • 2 Summ on REV • 2 seat p	y cover (511001210) required for REV ittery. nit seat posts (510006693) required Gen4 (Narrow) Summit 2020 and pric post (510007122) required for instal larrow) Summit and all Sport models	for installation or. lation on REV
COMFORT SEAT	REV Gen4 16"		860201551	
	 Provides additional support and length. Provides additional hip support via wider cushion design. Integrated rear storage. Battery Cover with Support (860201720) required for REV Gen4 (Narrow) without battery. Battery cover (511001210) required for REV Gen4 (Narrow) with battery. 	on REV • 2 Seat I Gen4 (N	nit Seat Posts (510006693) required Gen4 (Narrow) Summit 2020 and pric Posts (510007122) required for insta Iarrow) Summit and all Sport models mpatible with Battery Cover (860201	or. Allation on REV , 2021 and up.
HEATED SEAT	REV-XS, XM		860201458	
	Add warmth with this heated seat.			
NEW LOW PROFILE SEAT	REV Gen4 16"		860202344	
	 Compact design for freedom of movement. Great support for deep snow. Easy tool-less installation. 155 mm (6") height. 			
NEW LIGHTWEIGHT PERFORMANCE SEAT	REV Gen4 16"		860202221	
	 Ultra compact design for active riders. Our smallest, lightest seat at 1.27 kg (2.8 lb.). Allows easier side-to-side changes. 100 mm (4") height. Provides great freedom of movement. 	better	style vinyl resists wear and tear an control. on the Summit X with Expert package	
FORTY7C PERFORMANCE SEAT	REV Gen4 16"		860201736	
	Developed by deep snow expert Carl Kuster. Provides even greater freedom of movement. Lower, narrower and lighter than stock Summit seat. Integrated grip areas.			1
LinQ 1 + 1 SEAT SYSTEM	REV Gen4 16"		860202348	
	The ultimate in modular seating. Allows quick changes between 1-up and 2-up riding. Ergonomically correct positions for driver and passenger.	1 - Clip 2 - Add • Battery	sy tool-less steps: in seat. LinQ 1 + 1 Backrest. / Cover with Support (860201407) rea without battery.	quired for
LinQ 1 + 1 SEAT SYSTEM	REV-XM, XS, XP, XR (except GTX, Grand Touring), XU Tundra		860202347	
	 The ultimate in modular seating. Allows quick changes between 1-up and 2-up riding. Ergonomically correct positions for driver and passenger. Two easy tool-less steps: Clip in seat. Add LinQ 1 + 1 Backrest. 		•	

96 | ACCESSORIES | SEATS & BACKRESTS

SEATS			
+ 1 SEAT	REV Gen4 16" (except Grand Touring and Expedition)	860201766	
	 Quick, easy installation and ideal ergonomics for driver and passenger. Full tunnel capacity is maintained and allows additional accessories to be added. Battery Cover with Support (860201407) required for vehicle with rewind. 		
+ 1 SEAT	REV-XM, XS, XP, XR (except GTX, Grand Touring), XU Tundra	860200665	
	Quick, easy installation and ideal ergonomics for driver and passenger. Full tunnel capacity is maintained and allows additional accessories to be added.		
nQ 1 + 1 SEAT HEATED GRIPS	REV Gen4 16" with 1 + 1 seat and passenger seat with handles, REV Gen4 [Wide] 20" & 24" with passenger seat with handles	860201840 860202030	
03	 Allow your passenger to ride in comfort in all conditions. Easy unplug. Requires Seat Wiring Harness (515178588) for installation on REV Gen4 (Wide) 20" & 24" models. 		l
UP SEAT	REV-XP, XR, XM, XS, XU Tundra	860201314	
	 Extended seat providing convenient 2-up riding. Complete seat assembly with passenger strap. Replaces existing seat in seconds. Ideal use with LinQ Snowboard/Ski Rack (860201222). 		
W COMPACT PASSENGER SEAT	REV Gen4 16"	860202220	
	compact than the 1+1 seat. REV • Easy, tool-less installation. • Batt	ery Cover with Support (860201720) red Gen4 (Narrow) without battery. ery Cover with Support (511001210) red Gen4 (Narrow) with battery.	
SSENGER SEAT	REV Gen4 20" & 24"	860202037	
	Passenger seat to transform into a 1 + 1 configuration. Includes safety handles. Passenger Backrest (860202036) can be added for more comfort. Stock on REV Gen4 Expedition LE, SE.	•	
ASSENGER BACKREST	REV Gen4 20" & 24"	860202036	
7	Passenger backrest to complement the Passenger Seat [860202037] for added back comfort. Passenger Seat [860202037] required for installation. Stock on REV Gen4 Expedition LE, SE.	•	
ASSENGER MUFFS FOR 1 + 1 SEAT	REV Gen4, XS, XM 2018 and prior with 1+1 Seat	860200831* 860201028**	
	0, 1	eat with handles and handguards. seat with handles only.	





- Allows installation of LinQ 1 + 1 Backrest on more than one vehicle.

RUBBER LATCH FOR LinQ 1 + 1 BACKREST (Not illustrated)		510005617 • Left Side 510005618 • Right Side	
ADJUSTABLE BACKREST	REV-XP, XR, XM, XS, XU Tundra	860200823	



- Adjustable and works in conjunction with 2-Up Seat
- (860201314).
- Positionable for passenger or driver use.
- Rigid steel frame and integrated foam pad.
- Easy, tool-less removal when not needed.

PASSENGER SEAT / BACKREST	REV-XII Skandic, XII Expedition	619400068	



PASSENGER BACKREST	REV-XU Skandic, XU Expe	edition	860200060	l
--------------------	-------------------------	---------	-----------	---



• Enhances the comfort level of your seat by adding this backrest option.

98 | ACCESSORIES | WINDSHIELDS & WIND PROTECTION WINDSHIELDS & WIND PROTECTION | ACCESSORIES | 99

WINDSHIELDS & WIND PROTECTION

// EASILY CHOOSE YOUR IDEAL WINDSHIELD

ADJUSTABLE WINDSHIELDS		LOWEST POSITION	HIGHEST POSITION
1 HIGH TO ULTRA HIGH	860201782	23" [58.5 cm]	27" [68.5 cm]
2 MEDIUM TO HIGH	860201493	19" [48.5 cm]	23" (58.5 cm)
3 LOW TO MEDIUM	860201820	14.5" (37 cm)	17" (43 cm)

WINDSHIELDS		HEIGHT
4 ULTRA HIGH	860202124	27.5" [70 cm]
5 HIGH	860201495	23" [58.5 cm]
6 MEDIUM	860201258	17" [43 cm]
7 LOW	860201448 / 860202472	14" (36 cm)
8 ULTRA LOW	860201259	8" (20 cm)
9 CENTRAL DEFLECTOR	517305875	For REV Gen4 platform



REV GEN4

ADJUSTABLE WINDSHIELD LOW TO MEDIUM



860201820 · Smoke



- Quickly change your level of wind protection with the flip of a lever.
- Compatible with Glove Box Extension (860201249).
- Adjustable range of 14.5" (37 cm) to 17" (43 cm).
- · Windshield support included.

ADJUSTABLE WINDSHIELD MEDIUM TO HIGH



860201493 • Smoke

- Quickly change your level of wind protection with the flip of a lever.
- Not compatible with One-Piece Lightweight Hood.
- Compatible with Glove Box Extension (860201249).
- Adjustable range of 19" (48.5 cm) to 23" (58.5 cm).
- Side deflectors and windshield support not included.

ADJUSTABLE WINDSHIELD HIGH TO ULTRA HIGH



860201782 · Smoke



- Quickly change your level of wind protection with the flip of a lever.
- Compatible with Glove Box Extension (860201249).
- Adjustable range of 23" (58.5 cm) to 27" (68.5 cm).
- Side deflectors and windshield support not included.
- Not compatible with One-Piece Lightweight Hood.

ULTRA LOW WINDSHIELD



REV Gen4

- 8" (20 cm) in length.
- Sporty and aggressive look.
- Windshield support not included.

LOW WINDSHIELD



860201448 · Smoke

860201259 · Smoke



- 14" (36 cm) in length.
- High quality, best durability.
- Includes low windshield support.

NEW LOW WINDSHIELD



REV Gen4

860202472 • Dark Smoke



- 14" (36 cm) in length.
- High quality, best durability.
- · Includes low windshield support.

MEDIUM WINDSHIELD KIT





860201258 • Smoke




- 17" (43 cm) in length.
- Offers a generous amount of protection with integrated
- Injection molded for clarity.
- Compatible with Windshield-Mount Mirrors (860201285).
- · Complete kit includes windshield, side deflectors, windshield support & hardware.
- Not compatible with One-Piece Lightweight Hood.

100 | ACCESSORIES | WINDSHIELDS & WIND PROTECTION

WINDSHIELDS & WIND PROTECTION | ACCESSORIES | 101

REV GEN4			
IGH WINDSHIELD	REV Gen4 (except X-RS)	860201495 • Smoke	
	 23" (58.5 cm) in length. Side deflectors and windshield support not included. Compatible with Windshield-Mount Mirrors (860201285). 	Not compatible with One-Piece Lightweight	Hood.
TRA HIGH WINDSHIELD	REV Gen4 (except X-RS)	860202124	
	New shape. 27.5" (70 cm) length. Provides maximum wind protection. Side deflectors and support not included. Compatible with Windshield-Mount Mirrors (860201285).	• Not compatible with One-Piece Lightweight (860202087).	Hood
/INDSHIELD SIDE DEFLECTOR KIT	REV Gen4 – For low and ultra low windshields	860201449 • Smoke	
67	Increases wind deflection for windshields. Compatible with Adjustable Windshield – Low to Medium (860201820).	• Not compatible with One piece lightweight (860202087).	Hood
W WINDSHIELD SIDE DEFLECTOR	REV Gen4 – For low and ultra low windshields	860202473 • Dark Smoke	
4	Increases wind deflection for windshields. Compatible with Adjustable Windshield – Low to Medium (860201820).	• Not compatible with One-Piece Lightweight (860202087).	Hood
INDSHIELD SIDE DEFLECTOR KIT	REV Gen4 – For medium and higher windshields	860201256 • Smoke	
15	 Increased wind deflection for windshields. Compatible with Windshield-Mount Mirrors (860201285). 		
DE PANEL DEFLECTOR KIT	REV Gen4 (Wide)	860201879 • Smoke	
	Added wind protection. Standard on the Grand Touring Limited.		
VINDSHIELD SUPPORT	REV Gen4 – For ultra low and low windshields	517305749 • Black 517306380 • Manta Green 517306375 • Sunburst Yellow	
VINDSHIELD SUPPORT	REV Gen4 – For medium and high windshields	517306183 • Black 517306456 • Sunburst Yellow	
	Not compatible with One-Piece Lightweight Hood (860202087).	1	1





DEV VOO DEV VM			
REV-XS & REV-XM ULTRA LOW WINDSHIELD	REV-XM, XS	860200901 • Smoke	
	• 6" (15 cm) in length.		,
MEDIUM SPORT PERFORMANCE FLARED WINDSHIELD	REV-XM, XS	860200696 • Smoke	
	• 12" (31 cm) in length. • One piece with integrated deflectors.		
MEDIUM INJECTED WINDSHIELD AND SIDE DEFLECTOR KIT	REV-XM, XS	860200759 • Smoke	
	13.5" (34 cm) in length. Offers a generous amount of protection with integrated style. Medium side deflectors ready to receive Windshield Mirrors (860200694). Includes medium windshield support.		
HIGH WINDSHIELD	REV-XM, XS	860200928 • Smoke	
	18" [46 cm] in length. Side deflectors and windshield support not included.		
HIGH SPORT PERFORMANCE FLARED WINDSHIELD	REV-XM, XS	860200602 • Smoke	
	 • 16" (41 cm) in length. • One piece with integrated deflectors. • Redirects snow in deep powder conditions. 		
ULTRA HIGH WINDSHIELD	REV-XM, XS	860201185 · Clear	
	•		



- 24" (60 cm) in length.
- Our largest sport windshield ever.
- One piece with integrated deflectors.
- Maximum wind protection, for extreme cold conditions.

102 | ACCESSORIES | WINDSHIELDS & WIND PROTECTION WINDSHIELDS & WIND PROTECTION | ACCESSORIES | 103

REV-XS & REV-XM **EXTRA HIGH WINDSHIELD** REV-XM, XS **860201182** • Smoke • 20" (51 cm) in length.



- Standard on 2016-2018 Grand Touring Sport.
- · Side deflectors and windshield support not included.

WINDSHIELD SIDE DEFLECTOR KIT	REV-XM,

REV-XM, XS – For low and ultra low windshields	860201012 • Smoke	
REV-XM, XS - For medium and high windshields	860200912 • Smoke	

- Increases wind deflection for windshields.
- Ready for Windshield Mirrors (860200694).

WINDSHIELD SIDE DEFLECTOR KIT

REV-XM, XS – For medium and higher windshields

860201221 · Smoke



- Adds lower body wind protection.
- Ready for Windshield Mirrors (860200694).
- Standard on 2016-2019 Grand Touring Sport.

REV-XM XS - For medium and high w	indshields	860200944 • Black
and one-piece windshields	517305808 • Sunburst Yellow	860200937 • Black
REV-XM, XS – For ultra low, low	517305617 • Manta Green	517305952 • White
	517305403 • Grey	517305948 • Lava Red
	1	l I

WINDSHIELD BASE



- Colored plastic trim.
- · Hardware not included.

REV-XP

ULTRA LOW FIXED WINDSHIELD



• 6" (15 cm) in length.

LOW WINDSHIELD AND SIDE DEFLECTOR KIT

REV-XP

860200545 • Smoke

860200646 • Smoke with X graphic



- 12" (30 cm) in length.
- \bullet Same complete kit as found on the 2011–2012 X package models.
- Retrofittable on earlier REV-XP snowmobile models.
- Includes low windshield, side deflector and base kit.

MEDIUM WINDSHIELD KIT

REV-XP

860200478 · Smoke



• Includes medium injected windshield, dark smoke side deflector kit and base kit.

SPORT PERFORMANCE FLARED WINDSHIELD

REV-XP

860200547 • Smoke



- 17.5" (44.5 cm) in length.
- One piece with integrated side deflectors.
- Complete with base mounting kit.

ULTRA HIGH WINDSHIELD

REV-XP

860200225 • Clear with fading

• 23" (58 cm) in length.

Note: J-hooks need to be removed to install windshield.

860200084 • Dark Smoke

WINDSHIELD SIDE DEFLECTOR KIT

- For medium and high windshields.
- Increases wind deflection.

WINDSHIELD BASE KIT

860200089 · Black

- For ultra low and low windshields.
 - Plastic trim for windshields.

WINDSHIELD BASE KIT

860200091 · Black



- For medium, high and ultra high windshields.
- Plastic trim for windshields.

REV-XR & REV-XU

SPORT PERFORMANCE FLARED WINDSHIELD

REV-XR, XU

860200438 · Smoke



- 17.5" (44.5 cm) in length.
- \bullet One piece with integrated side deflectors.
- \bullet Top flare maximizes wind protection and redirects snow in deep powder conditions.
- Complete with base mounting kit.

SPORT PERFORMANCE FLARED WINDSHIELD

REV-XR, XU

860200453 · Smoke



- 14" (35.6 cm) in length.
- One piece with integrated side deflectors.
- Top flare maximizes wind protection and redirects snow in deep powder conditions.
- Complete with base mounting kit.

104 | ACCESSORIES | WINDSHIELDS & WIND PROTECTION HANDGUARDS & HANDLEBAR | ACCESSORIES | 105

REV-XR & REV-XU

EXTRA HIGH ONE-PIECE WINDSHIELD

REV-XR, XU

860201000 · Clear



• 23" (58 cm) in length.

• 27.5" (70 cm) in length.

- One piece with integrated deflectors.
- Maximum wind protection, for extreme cold conditions.
- Ready to receive Windshield-Mount Mirrors (517305787).
- · No windshield base required.

ULTRA HIGH WINDSHIELD

REV-XR, XU, except MXZ and Renegade with J-hooks

860200227 • Clear with fading



WINDSHIELD SIDE DEFLECTOR KIT

860200234 • Smoke*

860200235 · Smoke**



· Increased wind deflection for windshields.

*Fits medium and high windshields using base kit (860200229). **Fits extra high and ultra high windshields using base kit

WINDSHIELD BASE KIT

REV-XR, XU

860200228 · Black



• For low windshields REV-XR, XU.

· Black plastic trim.

WINDSHIELD BASE KIT

REV-XR, XU

860200229 · Black



- · For medium and high windshields.
- Black plastic trim.

WINDSHIELD BASE KIT

860200230 · Black



- For extra high and ultra high windshields.
- · Black plastic trim.

HANDGUARDS & HANDLEBAR

HANDGUARDS **FLEXIBLE HANDGUARDS** REV Gen4, XS, XM, XP, XR, XU 860201561 · Black • Designed to withstand roll-overs and tough boondocking • Feature smaller size deflector made of flexible material. • Mounts feature a flexible base. • Does not fit with medium to ultra high windshields. • Fits with Pivoting Mirror Kit for Handguards (860200893). TRANSPARENT HANDGUARDS REV Gen4, XS, XM, XP, XR, XU 860200789 · Clear



NEW TRANSPARENT HANDGUARDS

- Design delivers better protection and great style.
- Comes with Black/Grey colored interchangeable caps.
- · Appropriate for trail riding.
- · Sold in pairs.
- Does not fit with medium to ultra high windshields.

- REV Gen4, XS, XM, XP, XR, XU
- Design delivers better protection and great style. • Comes with Black/Grey colored interchangeable caps.
- Appropriate for trail riding.
- · Sold in pairs.
- Does not fit with medium to ultra high windshields.

GUARD EXTENSION KIT	Vehicles with Transparent Handguards	860200781



- Semi-rigid, won't collapse at high speed.
- Delivers additional hand protection from the elements.
- · Can be installed and removed in seconds.

HANDGUARD CAPS

Vehicles with Transparent Handguards or Flexible Handguards

860201344 • Sunburst Yellow / Black **860201345** • Race Orange / Black **860201346** • Black / Grey **860201347** • White / Black

860201648 • Lava Grey **860201457** • Orange Crush / Black **860201649 •** Manta Green / Black **860202098 •** Octane Blue / Black

860202474 • Dark Smoke

• Colored caps let you customize your look. · Sold in pairs.



106 | ACCESSORIES | HANDGUARDS & HANDLEBAR

HANDLEBAR ACCESSOR	1			1
DEEP SNOW LOW GRAB HANDLE	REV Gen4		860201975	
Q	 Provides more freedom of movement in active riding. Standard on Summit X with Expert package 2020 and up. Standard on Summit and Freeride 2021 and up. 	• Not cor	mpatible with Handlebar Bag (86020	1565).
GRAB HANDLE	REV Gen4		860202035	
Q	Molded rubber grab handle used for side-hilling maneuvers.	• Not cor	mpatible with Handlebar Bag (86020	1565).
PERFORMANCE SMALL DIAMETER HANDLEBAR	REV Gen4		860201974	
	Narrow design used for more agile precise maneuvers found in mountain applications or in trail applications, ideal for smaller hand grip. Smaller diameter providers a lighter, easier grip. 20 mm (0.79 in) grip, 22 mm (0.87 in) clamper diameter at riser.	• Less ha • Grips in	and fatigue. ncluded.	
HANDLEBAR PAD	REV Gen4 – Vehicles without grab handle		860201581	
SKÍ-ďala HANDLEBAR MUFFS	Does not fit vehicles with large handlebar pad Fits with all handguards 2015 and up		860201144	
OS IN	Ultra warm handlebar muffs with fleece liner. Designed for extreme cold conditions. Easy to remove in warmer weather. Can be used on handlebars with or without handguards and mirrors.	• Transpa of cont	l keleton allows muffs to keep their s pace for hand movement. arent section allows visibility and e trol switches. er use handlebar muffs with finger throte	asy manipulatio
BRAKE RESERVOIR GUARD	REV Gen4 Summit & Freeride		860201936	
150	 Increases impact protection for the brake reservoir. Window to see fluid level. Cast aluminum construction. Detailed technical finish. 		,	•
DEEP SNOW PERFORMANCE GRIPS	Fits with Performance Small Diameter Handlebar		860202096	
	Aggressive pattern for extra grip. 20 mm (0.79 in) inner diameter grip.			
TRAIL PERFORMANCE GRIPS	REV Gen4, XM, XS, XU		860201802	
	Aggressive pattern for extra grip. 22 mm (0.87 in) inner diameter grip.	• Doesn': (86020	t fit on Performance Small Diameter 1974).	Handlebar

MIRRORS

PIVOTING MIRROR KIT FOR HANDGUARDS	Vehicles with Transparent Handguards or Flexible Handguards	860200893				
	Perfectly integrated design and style. Mirrors fold away when not in use for easy storage or when covering vehicle. Sold in pairs.					
WINDSHIELD-MOUNT MIRRORS	REV Gen4 with medium and higher windshields	860201285				
Mirror shape creates well integrated look. Mounts on medium and higher windshield side deflectors and can be adjusted for 1-up or 2-up riding. Mirrors can fold away when not in use for easy storage or when covering vehicle.						
WINDSHIELD-MOUNT MIRRORS	REV-XU, XR (with extra high one-piece windshield)	517305787				
	• 3" (7.6 cm) round reflector with adjustable angle.					
MIRROR KIT	REV-XM, XS, XP, XR, XU (with medium and higher windshield side deflectors)	860200694				
9	 Windshield extension mount design. Sold in pairs. 					
MIRROR KIT	REV-XM, XS (except 1200)	860200607				
	Side panels mount design. Sold in pairs. Premarked side panels make installation easier.					
MIRROR KIT	REV-XP, XR, XU Tundra	860200693				
	Side panels body mount design. Sold in pairs.					

ADJUSTABLE RISERS & EXTENSION KITS

// ADJUSTABLE RISERS

- Instantly modify your handlebar height to adapt to changing riding conditions.
- Utilize the lower position for trail/sit-down riding: extend to maximum height in seconds for stand-up riding.
- No tools required to make the adjustment, just flip the lever.
- Patent pending US20150360713A1.

// EXTENSION KIT







• Handlebar extension kit to	o fit all riding styles.	ADJUSTABLE RISERS			EXTENSION KITS					FORWARD ADJUSTABLE RISER			
		860201834	860201549	860201276	860201944	860201427	860201718	860201632	860201428	860201560	860201392	860201836	860201320
REV GEN4 MODELS	Adjustment range (mm) >	(125-165)	(150-210)	(175-235)	(95)	(120)	(145)	(165)	(190)	(210)	(235)	(45) (extension)	(120) (riser)
•	(Y. SP and Edge) with 165 mm riser (2018 and up)	AEG++	VEC		VEC**	AEC++	VEC	STUCK	VEQ	VEC			

REV GEN4 MODELS	Adjustment range (mm) 🗲	(125-165)	(150-210)	(175-235)		(95)	(120)	(145)	(165)	(190)	(210)	(235)	(45) (extension)	(120) (riser)
	(X, SP and Edge) with 165 mm riser [2018 and up]	YES**	YES			YES**	YES**	YES	STOCK	YES	YES			
SUMMIT	(X and SP) with 190 mm riser (2017)	YES**	YES	YES		YES**	YES**		YES	STOCK	YES	YES		
	(X package EXPERT) with 120 mm riser	YES			<u> </u>	YES	STOCK	YES	YES					
EDEEDING	137-146" with 145 mm riser (2020 and prior)	YES**	YES			YES**	YES**	STOCK	YES	YES	YES			
FREERIDE	146-154-165" with 165 mm riser	YES**	YES			YES**	YES**	YES	STOCK	YES	YES			
EXPEDITION	(SE) with 120 mm Forward Adjustable riser	YES				YES	YES	YES	YES				YES	STOCK
	(Sport, LE, Xtreme, SWT) with 145 mm riser	YES**	YES			YES**	YES**	STOCK	YES	YES	YES		YES***	YES
SKANDIC	(WT, SWT and Sport) with 145 mm riser	YES**	YES			YES**	YES**	STOCK	YES	YES	YES		YES***	YES
TUNDRA	(LT and Sport) with 145 mm riser	YES**	YES			YES**	YES**	STOCK	YES	YES	YES		YES***	YES
BACKCOUNTRY	(Backcountry, X, X-RS, Sport) 146" with 120 mm riser	YES*				YES	STOCK	YES*	YES*				YES*/***	YES
DENECARE	(Adrenaline, Enduro and Sport) 137" with 120 mm riser	YES*			<u> </u>	YES	STOCK	YES*	YES*				YES*/***	YES
RENEGADE	(X and X-RS) 137" with 120 mm Forward Adjustable riser	YES*				YES	YES	YES*	YES*				YES*	STOCK
MXZ	(TNT, Blizzard and Sport) with 120 mm riser	YES*				YES	STOCK	YES*	YES*				YES*/***	YES
MAZ	(X and X-RS) with 120 mm Forward Adjustable riser	YES*				YES	YES	YES*	YES*				YES*	STOCK
CDAND TOURING	(Sport) with 120 mm riser	YES				YES	STOCK	YES	YES				YES***	YES
GRAND TOURING	(LE) with 120 mm Forward Adjustable riser	YES	T	T		YES	YES	YES	YES				YES	STOCK

ADJUSTABLE RISER FOR STRAIGHT
HANDLEBAR (REV-XS, XM, XP)
HANDLEDAK (KEV-AO, AH, AI)



MXZ and Renegade with 4.5" (115 mm) or 5.1" (130 mm) stock riser Backcountry (2011 and up) with 6.3" (160 mm) riser block^{††} Summit SP, REV-XU Skandic—vehicles with 8" [205 mm] riser block***

860201116 • Black / Aluminum 860200634 • Black / Aluminum 860200972 • Black / Aluminum

- \bullet †Adjustable length: 4.7" to 6.3" (120 mm to 160 mm) high.
- †Requires steering pad (506152541) for MXZ, Renegade X-RS and Grand Touring XS
- †† Adjustable length: 5.1" to 8" (130 mm to 205 mm) high.
- ***Adjustable length: 7.3" to 9.8" (185 mm to 250 mm) high.

ADJUSTABLE RISER FOR TAPERED HANDLEBAR (REV-XS, XM, XP)
(Not illustrated)

Summit X, Freeride, Expedition XU—vehicles with 5.1" [130 mm] riser block

860200973 • Black / Aluminum

- · Works with all stock cables and wiring. • For REV-XP platform; requires Steering Pad (506152717)
- (not included).
- Adjustable length: 4.5" to 6.9" (115 mm to 175 mm) high.
- Brake line (507032535) required for Freeride 2011 only. To be ordered separately.



EXTENSION KIT FOR STRAIGHT HANDLEBAR



860200820 • 6.3" (160 mm) **860200821** • 8" (205 mm) **860200822** • 9.8" [250 mm]



• Works with all stock wiring and cables.

110 | ACCESSORIES | LED LIGHTS BUMPERS, HITCHES & WINCHES | ACCESSORIES | 111

LED LIGHTS

AUXILIARY LED LIGHT REV-XM, XS (except Expedition Sport) • 10 LED lamps provide more than 2,100 additional lumens in • Say goodbye to sacrificing close range lighting when an intense, super-wide foglight-type pattern. switching to high beams. • Three-position OFF-ON-HI switch gives you the option of • Easily installs below stock headlight with a simple riding with these lights off, always on or only when plug-and-play hook-up. switching to your high beams. REV Gen4 (Wide) 860201650* **AUXILIARY LED LIGHT** REV Gen4 (Narrow) 860201818 • 8 LEDs provide more than 2,500 additional lumens for • Dynamic scoop design integrates perfectly with an intense super-wide foglight-type pattern. REV Gen4 platform. • Say goodbye to sacrificing close range lighting when • Not compatible with One-Piece Lightweight Hood. switching to high beams. *Auxiliary light bracket kit (860202315) required for installation on · Easily installs on hood with a simple plug-and-play HIGH BEAM AUXILIARY LED LIGHTS 860201651 · Increases considerably the stock high beam output. • Not compatible with One-Piece Lightweight Hood. · Light covers more distance for great night visibility. · Works with existing Auxillary LED Lights (860201818, REV-XM, XS with Transparent or Flexible Handguards 860200981* SIGNATURE LED LIGHTS FOR **HANDGUARDS** REV Gen4 with Transparent or Flexible Handguards 860201587 • *Can be installed on REV-XP, XR, XU with Adaptor for • Delivers a unique look at night. Signature LED Light for Handguards (860201114). · Replaces stock handguard cap with LED light. Includes wiring harness. Sold in pairs. ADAPTOR FOR SIGNATURE LED LIGHT FOR HANDGUARDS REV-XP, XR, XU (except fan-cooled engines) 860201114 FRONT BUMPER LED WORKING 860201771 REV Gen4 (Wide) except Tundra & Skandic · Adjustable work lights. • Not compatible with Full Wrap-Around Front Bumpers (860201982, 860201983, 860201984). • Perfect for low light tasks. • Point the light where you need it. • Used with Full Wrap-Around Bumpers (860201676, 860201822, 860202027). • Sold in pairs with toggle switch. Ling WORKING LIGHT REV Gen4 860201849 · Convenient LinQ mount with swivel allows you to adjust • Ultra bright 1,000 lumens output.

• Requires 12V outlet (860201888) for REV Gen4 (Wide) 20" & 24" and 12V outlet (860202069) for REV Gen4 (Narrow) 16".

BUMPERS, HITCHES & WINCHES

BUMPERS 860201511 · Black / White **860201898** • Lava Red / Black 860201474 • White / Black 860201599 · Green / Black 860201897 • Octane Blue / Black ADVENTURE FRONT BUMPER REV Gen4 (Narrow) 860201681 · Black / Black 860202135 · Yellow / Black · Made of stacked lightweight aluminum plates. • Makes a visual impact and provides added protection.

		860201445 · White	
FRONT BUMPER	REV Gen4 (Narrow)	502007460 • Black	
	- Fooy install humber shanges the appearance of		



XC CAST FRONT BUMPER

 Easy-install bumper changes the appearance of your sled in minutes.

· Add extra protection and attitude with this bumper.

REV Gen4 (Narrow)

	 Perfect integration with or without a skid plate. Lightweight cast aluminum heat-treated construction. 					
FRONT BUMPER	REV-XM, XS	860201174 • Race Orange 860201175 • Sunburst Yellow 860201168 • Orange Crush		860201167 • Black 860201172 • Fusion Red 860201173 • Manta Green		



• Easy-install bumper changes the appearance of your sled in minutes.

ONT BUMPER	REV-XM, XS	860201318 • Black	860201099 • Aluminum				
A	The ultimate front protection for additional front and lateral protection.						
	• Large center grab area for additional leverage.						
The same of the sa	Heavy-duty performance with lightweight aluminum						





- REV Gen4 (Wide) 20" Skandic 860201983** • Modular full wrap-around front bumper system. *Heavy-Duty Front Bumper (860202198) required for installation.
- Protects side panels while still allowing access to them.
- **Requires Heavy-Duty Front Bumper (860202198) for Skandic Sport. • Tubular steel construction for strength on mid section.

860201228

112 | ACCESSORIES | BUMPERS, HITCHES & WINCHES BUMPERS, HITCHES & WINCHES | ACCESSORIES | 113

BUMPERS NEW SIDE PANEL PROTECTORS REV Gen4 (Wide) Tundra, 20" Skandic 860202199 • Use with Full Wrap-Around Front Bumper (860201982 or • Both swing out-of-the-way for easy access. 860201983), · Clean, rugged look. • Strong steel construction. • Protects side panels and hood. 860202027* REV Gen4 (Wide) 24" Expedition REV Gen4 (Wide) 20" Expedition 860201822 FULL WRAP-AROUND FRONT BUMPER REV Gen4 (Wide) 16" 860201676** • Modular full wrap-around front bumper system. • Requires Lightweight Y-Shaped Aluminum Bumper (860201881) and Heavy-Duty Front Bumper (860201819) • Lightweight tubular steel construction for strength for installation. on mid section. Protects front and side panels while still allowing *Not compatible with Side Panel Protectors (860201677). access to them. **Not compatible with Driver Footrest (860201932, 860201933, 860201934). SIDE PANEL PROTECTORS REV Gen4 (Wide) 16", REV Gen4 Expedition 20" 860201677 • Attaches to Full Wrap-Around Front Bumper (860201822 and 860201676) · Lightweight aluminum construction. • Provides protection to side panels and hood. • Swings out-of-the-way for easy access. • Rugged look. LIGHTWEIGHT Y-SHAPED **ALUMINUM BUMPER** REV Gen4 (Wide) (except Skandic and Tundra) 860201881 · Aluminum construction. • Offers great protection from frontal impacts of rocks, trees and other debris. • Required for the installation of Full Wrap-Around Front Bumpers (860201822, 860201676 and 860202027). REV Gen4 (Wide) (except Skandic and Tundra) 860201819 **HEAVY-DUTY FRONT BUMPER** REV Gen4 (Wide) Tundra and Skandic 860202198 • Reinforced lightweight aluminum construction. • Required for the installation of Full Wrap-Around Front Bumpers (860201676, 860201822 & 860202027). • Standard on REV Gen4 (Wide) Renegade Enduro, Expedition LE and Expedition SE. 11/4" TRAILMAKER FRONT BUMPER RECEIVER 860201825 REV Gen4 (Wide) 20" & 24" (except Skandic) • Receiver for use with Full Wrap-Around Front Bumper (860201822 & 860202027). • Allows use of 11/4" draw bar on front of sled. **HEAVY-DUTY FRONT BUMPER WITH** 2" RECEIVER REV-XU Skandic 860200987 · Increases front protection. • Integrated 2" Multi-Mount Receiver. • Works with 2" Multi-Mount Drawbar (860201117) and Multi-Mount Winch (860200992). • Note: Not compatible with Prefilter Grille Kit (860201152). **EXTRA FRONT BUMPER REV-XU** Expedition 860200350 · Heavy-duty front bumper.

FULL WRAP-AROUND FRONT BUMPER
EXTRA FRONT BUMPER
CH
ADVENTURE REAR BUMP
No.
The state of the s
ADVENTURE REAR BUMP
No.
ADVENTURE REAR BUMF
ADVENTURE REAR BUMF
A STATE OF THE PARTY OF THE PAR
ADVENTURE REAR BUMF
A STATE OF THE PARTY OF THE PAR

	I		T	ı
JLL WRAP-AROUND Ront Bumper	REV-XU Tundra		860200572	
2- Page	• Full 1.25" (3.8 cm) diameter heavy model.	y-duty steel wrap-around		
	• Delivers added protection to from • Attaches to existing bumper and			
	Actualization to account gramper and	1001100101		
CTRA FRONT BUMPER	REV-XU Skandic		860200561	
Care D	• Heavy-duty front bumper.			
			860201507 • White / Black*	
			860201598 • Green / Black* 860202352 • Black / Lava Red	
OVENTURE REAR BUMPER 16"	REV Gen4 - 129"		860202317 • Black / Black	
	Matches the Adventure front bun Stunning style and construction. Made of lightweight stacked alun			
OVENTURE REAR BUMPER 16"	REV Gen4 137" (except Renegade En	duro and Renegade Sport)	860201478 • White / Black* 860201597 • Green / Black*	
D. Company	Matches the Adventure front bun Stunning style and construction. Made of lightweight stacked alun Doesn't fit REV Gen4 146" short to	ninum plates.		
OVENTURE REAR BUMPER 16"	REV Gen4 137" regular tunnel & 146°	short tunnel	860202149 • Black / Black 860202137 • Yellow / Black	
	Matches the Adventure front bur Stunning style and construction. Made of lightweight stacked alun			
OVENTURE REAR BUMPER 16"	REV Gen4 146" & 154" with short tunnel	860202150 • Black / Black	860202157 • Black / Lava Red 860202156 • Octane Blue / Black	
A STATE OF THE PARTY OF THE PAR	Matches the Adventure front bun Stunning style and construction. Made of lightweight stacked alun			
OVENTURE REAR BUMPER 16"	REV Gen4 154" & 165" with short tunnel	860202151 • Black / Black	860202159 • Black / Lava Red 860202158 • Octane Blue / Black	
State of	Matches the Adventure front bum Stunning style and construction. Made of lightweight stacked alun			
OVENTURE REAR BUMPER 16"	REV Gen4 165" & 175" with short tunnel	860202152 • Black / Black	860202161 • Black / Lava Red 860202160 • Octane Blue / Black	





- Matches the Adventure front bumper
- Stunning style and construction.
- Made of lightweight stacked aluminum plates.

^{*}While supplies last.

860200953 · Black

860200954 · Black

860200955 • Black

860201135 · Black

BUMPERS

ADVENTURE REAR BUMPER 16"

REV Gen4 (Narrow) 175"

860202153 • Black / Black



- Matches the Adventure front bumper.
- Stunning style and construction.
- Made of lightweight stacked aluminum plates.
- Does not fit with Summit X with Expert package and LinQ Snowboard/Ski Rack.

ΗF	AVV-	VTIIN	RFAR	RIIMPFR



- Premium finish heavy-duty aluminum bumper for REV Gen4 platform.
- Does not detract from deep snow performance.
- Cannot be used on vehicles with short tunnel.

REV Gen4 (Narrow) 129"	518328745 • Black
REV Gen4 (Narrow) 137"	518328746 • Black
REV Gen4 (Narrow) 146"	518329553 • Black
REV Gen4 (Narrow) 154"	518328501 • Black
REV Gen4 (Narrow) 165"	518328697 • Black
REV Gen4 (Narrow) 175"	518328834 • Black
REV Gen4 (Wide) – Tundra 137"	518330033 • Black

518329151 • White 518329479 • White

518329152 • White 518329153 • White

REAR BUMPER



- Easy-install bumper changes the appearance
- of your sled in minutes.
- Cannot be used on vehicles with short tunnel.

REAR BUMPER

REV-XP, XR, XS [120" & 137"]

518325481 • Black 518328678 • Sunburst Yellow



• Easy-install bumper changes the appearance of your sled in minutes.

XU HEAVY-DUTY REAR BUMPER

XU Skandic SWT, XU Expedition SWT
XU Skandic WT, Expedition SE, LE, Xtreme 2019 and prior

860201106 • Aluminum 860200991 • Aluminum



- Ready to accept 2" Receiver (860201062).
- Essential for modular towing options.
- Provides complete rear protection.
- Works hard during intense use.
- Features convenient hand-gripping area.

REV Gen4 16"-129"	860201433 · Black
REV Gen4 16"-137"	860201471 · Black
REV Gen4 16"-146"	860201612 · Black
REV Gen4 16"-154"	860201250 • Black
REV Gen4 16"-165"	860201424 • Black
REV Gen4 16"-175"	860201472 · Black

HITCH REAR BUMPER



- Required for hitch use.
- · Easy attachment with no cutting or drilling.
- Can be used with the LinQ Snowboard/Ski Rack [860202191].
- Does not fit with vehicles with short tunnel

NEW HITCH REAR	BUMPER	FOF
SHORT TUNNEL		

REV Gen4 short tunnel Summit & Freeride 146"	860202213
REV Gen4 short tunnel Summit & Freeride 154"	860202214
REV Gen4 short tunnel Summit & Freeride 165"	860202215
REV Gen4 short tunnel Summit 175"	860202216

- Required for hitch use and towing.
- Easy mounting with no cutting.
- Also reinforces the tunnel.

REV-XP, XM - 146"

REV-XP, XM - 154"

REV-XP, XM - 163"

REV-XP, XM - 174"

• Can be used with the LinQ Snowboard/Ski Rack [860202191].

HITCH	REAR	BUMPER



- Heavy-duty aluminum bumper for hitch applications.
- Easy attachment with no cutting or drilling.
- Doesn't fit Grand Touring SE, LE.

REV-XS, XR, XP – 120" 8 137"	860200952 • Black
REV-XS MXZ – 129"	860201306 • Black
REV-XS Renegade X-RS, XM Freeride, XU Tundra – 137"	860201307 • Black
REV-XS, XP, XR, XU Tundra – 120" & 137"	860200803 • Black*

HITCH REAR BUMPER



- Heavy-duty aluminum bumper for hitch applications.
- Easy attachment with no cutting or drilling.
- Doesn't fit Grand Touring SE, LE.

*Does not fit on 137" Freeride.	t on 137" Freeric	fit	not	*Does	*L	
---------------------------------	-------------------	-----	-----	-------	----	--

860201942

860201795

HEAVY-DUTY HITCH REAR BUMPER

- 5 1111 111 111
- \bullet Essential for modular towing options.

REV Gen4 (Wide) 24"

REV Gen4 (Wide) 20"

- Provides complete rear protection.
- Features convenient hand-gripping area.
 Adds towing capacity of 300 lb (136 kg),
- up to 1,500 lb (680 kg) total.
- 11/4" hitch receiver included.

HITCHES

1 1/4" FRONT RECEIVER

REV Gen4 (Wide) Skandic and Tundra

860201991



- Receiver for use with wrap-around front bumpers for LTS suspension models.
- Allows use of 1 $\frac{1}{4}$ draw bar on front of sled.

C-TYPE HITCH

REV Gen4 16", XP, XR, XS, XM, XU Tundra

860201381



 \bullet Heavy-duty C-type hitch works in conjunction with hitch rear bumper.

TONGUE TYPE HITCH

REV Gen4 16", XP, XR, XS, XM, XU Tundra

860200902




• Heavy-duty tongue type hitch works in conjunction with hitch rear bumper.

116 | ACCESSORIES | BUMPERS, HITCHES & WINCHES PROTECTION & REINFORCEMENT | BUMPERS, HITCHES & WINCHES | ACCESSORIES | 117

HEAVY-DUTY TONGUE HITCH REV Gen4 20" & 24", XU 20" & 24" 860201023 · Grey · Cast stainless steel construction. \bullet Mounting pattern for Heavy-Duty Hitch Rear Bumpers and Multi-Mount Drawbars. • Fits on Heavy-Duty Rear Bumper 20" & 24" (860201795, 860201942) • Fits on Multi-Mount Drawbar (860201804, 860201117) HITCH TONGUE 511000521 • Easily transforms the C-Type Hitch (860200829) into a tongue-type hitch. 1¼" TRAILER HITCH 860202062 REV Gen4 Expedition Xtreme & Skandic Sport • Allowing quick switching of towing hook-ups or winch use. • Stock on REV Gen4 Expedition LE, SE. Fits on 1 1/4" Trailer Hitch (860202062) and Front Receiver (860201991, 860201825) 11/4" MULTI-MOUNT DRAWBAR 860201804 • Allows quick installation and removal of different towing • Use with tongue or J-Hook style hitches as needed. Fits on XU with Rear 2" Receiver (860201062) or Heavy-Duty Front Bumper (860200987) 2" MULTI-MOUNT DRAWBAR 860201117 • Allows quick installation and removal of different towing • Compatible with J-Hitch (860201142) and Heavy-Duty Tongue Hitch (860201023). Fits on XU Rear 2" Receiver (860201062) or Heavy-Duty Front Bumper (860200987) FRONT & REAR HITCH DRAWBAR 715000972 • Fits 2" receiver hitch. • Hitch ball not included. J-HITCH 860201142 REV Gen4 20" & 24", XU 20" & 24" • Fits on Heavy-Duty Rear Bumper 20" & 24" (860201795, 860201942) • Fits on Multi-Mount Drawbar • Spring-loaded latch system for quick, secure hook-up. 2" RECEIVER FOR HEAVY-DUTY Fits on XU Heavy-Duty Rear Bumpers WT (860200991) or SWT (860201106) **REAR BUMPER** 860201062 • Standard 2" size for wide compatibility. • Allows quick switching of towing hook-ups or winch use.

• Does not fit with stock tongue hitch 2016-2018.



PROTECTION & REINFORCEMENT

REV GEN4					
FULL BODY SKID PLATE	REV Gen4 (Narrow)	860201583 • Octane Blue 860201618 • Manta Green 860201227 • Black 860201441 • Sunburst Yello	860201618 • Manta Green 860201442 • Orange (
	Injection molded process proaperfect fit and easier insta For assertive riders who dem Smooth bottom surface to re	llation. nand the utmost protection.	for durabi • Attachme	k, high impact resistance polypr ility. ent kit included. s premarked for easy installatior	
	REV Gen4 (Wide) 16" Tundra		86	60202044 • Black	
	REV Gen4 (Wide) 20" Skandic WT and Sport			860202045 • Black	
FULL BODY SKID PLATE	REV Gen4 (Wide) 24" Skandic SV	(Wide) 24" Skandic SWT		860202046 • Black	
A	 3-part kit includes main centermovable extensions under brake and chaincase. Made of high molecular weigiter provides maximum underbell 	running boards that protect ht polyethylene.			
		NEW 860202391 • Sunburst Yellow			
		860201847 • Lava Red		860201653 • Black	
FULL BODY SKID PLATE	REV Gen4 (Wide) 16" & 20"	860201848 • Manta Green		860201810 • White	
ما ما ما	Injection molded process probetter definition, a perfect fi For assertive riders who dem Smooth bottom surface to re 4 mm thick, high impact resis	it and easier installation. nand the utmost protection. educe drag.	front hea underbel • Attachm	de, covers vital primary clutch, c at exchanger components to pro lly protection. ent kit included. is premarked for easy installatio	vide maximu



- for durability.
- Except Expedition SWT, Skandic and Tundra

860202043 · Black

FULL BODY SKID PLATE

REV Gen4 (Wide) 24" Expedition SWT



- 3-part kit includes main center section and easily removable extensions under running boards that protect brake and chaincase.
- Made of high molecular weight polyethylene.
- Provides maximum underbelly protection.

118 | ACCESSORIES | PROTECTION & REINFORCEMENT PROTECTION & REINFORCEMENT | ACCESSORIES | 119

REV GEN4

EXTREME SKID PLATE

REV Gen4 (Narrow)

NEW 860202392 · Orange Crush 860202178 · Lava Red

860201738 · Black 860202177 • Octane Blue

- Injection molded process provides smooth surface, better definition, a perfect fit and easier installation.
- · For assertive riders who demand the utmost protection.
- · Smooth bottom surface to reduce drag.
- 4 mm thick, high impact resistance polypropylene for durability.
- · Attachment kit included.
- Chassis is premarked for easy installation.

RACING SKID PLATE

REV Gen4 (Narrow)



- · Injection molded process provides smooth surface, better definition, a perfect fit and easier installation.
- For assertive riders who demand the utmost protection.
- · Smooth bottom surface to reduce drag.

REV Gen4 16"-137" (except short tunnel) REV Gen4 16"-146" (except short tunnel)

REV Gen4 16"-154" (except short tunnel)

REV Gen4 16"-165" (except short tunnel)

- 860201579 · Black
- 4 mm thick, high impact resistance polypropylene for durability.
- Attachment kit included.

860201830

860201831

860201832

860201833

• Chassis is premarked for easy installation.

TUNNEL RADIATOR PROTECTOR



- · Great protection for the tunnel.
- · Keeps your tunnel free of scratches to maintain tunnel
- Does not fit with LinQ Snowboard/Ski Rack.
- · Stock on REV Gen4 (Wide) 16" platform.

REV-XM & REV-XS

EXTREME SKID PLATE



- REV-XM, XS 860200606 · Black Injection molded process provides better definition, a perfect fit and easier installation.
- For assertive riders who demand the utmost protection.
- Smooth bottom surface to reduce drag.
- 4 mm thick, high impact resistance polypropylene for durability

860200742 • Orange Crush 860201032 • Lava Red 860201033 · White

860200741 · Yellow

- · Attachment kit included.
- Chassis is premarked for easy installation.
- Includes marking for 4-stroke oil change cut-out.

860201034 • Lava Red

860201147 • Manta Green

860201148 • Sunburst Yellow

860201035 • White

FULL BODY SKID PLATE



REV-XM, XS

the frame.

860200739 · Yellow 860200740 • Orange Crush

860201145 • Manta Green

860201146 • Sunburst Yellow

- · Wide shape for full protection and maximum flotation.
- · Injection molded process provides better definition, a perfect fit and easier installation. · For assertive riders who demand the utmost protection.
- Smooth bottom surface to reduce drag.
- 4 mm thick, high impact resistance polypropylene for durability.

Helps glide on snow and prevents snow from sticking to

- 860200605 · Black
 - Extra wide, covers vital primary clutch, chaincase and front heat exchanger components to provide maximum underbelly protection.
 - · Attachment kit included.

860200563

- · Chassis is premarked for easy installation.
- Includes marking for 4-stroke oil change cut-out.

EXTREME & FULL BODY SKID PLATES

FULL BODY SKID PLATE

REV-XU Expedition SE, Xtreme, LE [2009-2019]

- Provides additional underbelly protection in off-trail • Made of high molecular weight polyethylene.
- Works with A-arm protectors.
 - Standard on REV-XU Expedition SE (2009–2019).

REAR SKID PLATE

REV-XU Expedition

- Extra underbelly protection
- Protects components such as brakes and gearbox from
- High molecular weight polyethylene.

860201361


860200287

860200905

860200808

- Can be combined with Full Body Skid Plate (860200563) for maximum protection.
- REV-XU Expedition SWT not compatible with Rear Rack Extension (860200700).

FULL BODY SKID PLATE



- For assertive riders who demand the utmost protection.
- Attachment kit included.

REV-XU WT 2016 and up REV-XU SWT 2016 and up REV-XU WT 2015 and prior

REV-XU Tundra

• Chassis is premarked for easy installation.


i
860201342
860201343
860200702
860200601

FULL BODY SKID PLATE



- · High molecular weight polyethylene.
- Provides maximum underbelly protection in off-trail conditions.
- · Helps glide on snow and prevents snow from sticking to the frame.

FRAME UNDERBELLY BRACE KIT / S-MODULE REINFORCEMENT KIT



• S module reinforcement, standard on 600 RS racing sled.

- Compatible with Ski-Doo skid plates.

SKID PLATE FASTENER KIT

(Not illustrated)

REV-XP, XR, XS, XM

• Made to fit and hold your skid plate securely in place.

REINFORCEMENT

TUNNEL REINFORCEMENT

REV Gen4 Summit X with Expert package, Summit X & Freeride 154"-165" with tMotion Adjustable Limiter Strap (860201861)

- Additional strength and traction along the running board.
 Compatible with tMotion Adjustable Limiter (860201861).
 - Machined aluminum extrusions.
 - · Colors to add some style.
 - Provides more support and boot traction for aggressive
- Does not fit with Remote Limiter Strap Adjuster (860201855 and 860201496).

TUNNEL REINFORCEMENT



860201584 · White 860201465 · Black 860201585 • Manta Green



- · Additional strength and traction along the running board. · Machined aluminum extrusions.
- · Colors to add some style.
- Provides more support and boot traction for aggressive riders.

TUNNEL REINFORCEMENT

REV Gen4 Summit SP, Backcountry, Backcountry X

860201730 • Octane Blue

- Additional strength and traction along the running board.
- Machined aluminum extrusions. Colors to add some style.
- Provides more support and boot traction for aggressive riders.
- Not compatible with tMotion Adjustable Limiter (860201861).

860201636 • Black

REINFORCEMENT

TUNNEL REINFORCEMENT

REV Gen4 Summit X (except with Expert package), Freeride 154"-165"

860201638 · Black 860201783 · Lava Red 860201734 • Octane Blue



- Additional strength and traction along the running board.
- Machined aluminum extrusions.
- · Colors to add some style.
- Provides more support and boot traction for aggressive riders.

• Not compatible with tMotion Adjustable Limiter

860200521 · Viper Red 860200813 • Aluminum

860200814 · Black 860200815 • Yellow

860200816 · White

 • Lava Red **860201031 •** Orange Crush • Fusion Red • Sunburst Yellow

• Except Renegade Backcountry & Backcountry X

CHASSIS REINFORCEMENT KIT



- Provides additional reinforcement to your tunnel along with improved grip.
- · Easy installation.

REV Gen4 146" to 165" with tMotion and cMotion rear suspensions

860201005



Increases rail strength and longevity.

RAIL REINFORCEMENT

RAIL REINFORCEMENT

REV Gen4, XM, XP 146" and up with tMotion and cMotion rear suspensions 860201464



- Lightweight cast aluminum construction.
- Increases rail strength and longevity.
- · Can replace stock stiffner on Freeride.

TOE-HOLDS, FOOTRESTS & KNEE PADS

TOE-HOLDS

REWIND COVER

REV Gen4 (Narrow) Summit, Backcountry, Freeride



- Covers rewind handle to let your knees slide smoothly.
- Allows installation of Knee Pads (860201917).

ADJUSTABLE TOE-HOLDS

REV Gen4 16" Summit, Freeride, Backcountry and Expedition 16"

860201765

860201305

860201463

- Allows user to adjust toe-hold position for different riding Forward/backward and top/down adjustments. styles and control.
- · Foldable to ease floorboard access.

ADJUSTABLE TOE-HOLDS

REV Gen4 MXZ, Renegade and Grand Touring

- Adjustable solid toe-holds (non-folding)
- Provides 0.6" (1.5 cm) vertical and 1.6" (4 cm) horizontal
- Work with both size rubber shims and Lateral Footrests (860201402).

• Adjustable 3" (7.6 cm) rearward and 1.5" (3.8 cm) upward.

FIXED TOE-HOLDS

REV Gen4 Summit, Freeride and Backcountry

860201510



• Fixed toe-holds for control and leverage when boondocking.

SHIM KIT FOR TOE-HOLDS

REV Gen4 (Narrow) MXZ and Renegade

860201408



• Spacers in two heights (10 mm, 20 mm) let you determine how tight your boots fit the toe-holds.

ADJUSTABLE TOE-HOLDS KIT

REV-XP, XR, XS, XU Tundra, XM (except 600 ACE & 900 ACE)

860200743 • Aluminum



· Kit provides easy adjustment to the toe-holds to match your riding style.

TUNNEL GRIP PLATES

Fit all models

860200164



- · Lightweight plastic grip plates for extra side boot grip in rough riding conditions
- Developed for the 600 Race sled.
- · Sold in pairs with complete hardware.
- **FOOTRESTS**

DRIVER FOOTREST

REV Gen4 MXZ, Renegade, Backcountry and Grand Touring

860201613 · White **860201614** • Manta Green

860201932 · Black

- Customize the fit and function of your sled.
- Offers a natural angled platform for riders that push with their feet.
- Machined aluminum extrusions in different colors, add traction and style.
- Fits with Lateral Footplates (860201402).

FRONT FOOTREST

REV-XS, XM

860200906



- A must for aggressive riders.
- Sloped plate provides a relaxed ankle position during long

LATERAL FOOTPLATES

REV Gen4 (except Renegade Enduro, Grand Touring Limited and

860201402



- Cast aluminum outer support for riders that use their feet to push in corners, or desire a more locked feel.
- Does not fit with air suspension.

REAR FOOTREST

REV Gen4 Summit SP

860201504



- Additional boot grip on rear tunnel
- Integrated design, looks and functions great.

122 | ACCESSORIES | SUSPENSION & FOX SHOCK KITS SUSPENSION & FOX SHOCK KITS | ACCESSORIES | 123

FOOTRESTS

PASSENGER FOOTREST KIT

REV-XS 137", XR and XP 137"-154" 860200810 · Aluminum



• Does not fit with rMotion adjusters.

REAR FOOTREST KIT

860200889

860201917

860202063

860201916

if pull start.

• REV Gen4 (Narrow): Rewind Cover (860201463) required



• Provides additional boot grip at the rear of the tunnel when

ч	71	ч.	•	-	_	יע	•

KNEE PADS



- REV Gen4 without manual reverse
 - Designed for a perfect fit on REV Gen4 (Narrow).
 - Provide comfort, impact absorption and extra knee grip.
 - · Injected molded soft material.
 - · Easy install with peel-off adhesive.

SECOND STEP KNEE PADS



- REV Gen4 (Wide) 16"
- Designed to add extra knee grip and absorbing impacts when leaning forward in aggressive cornering situations.
- Injected molded soft material.
- Easy install with peel-off adhesive.


MANUAL REVERSE KNEE PADS



- · Provides comfort, impact protection and extra grip.
- REV Gen4 (Wide) 16" with manual reverse · Injection molded soft material.
- · Easy install with peel-off adhesive.
- SUSPENSION & FOX' SHOCK KITS

SUSPENSION

REMOTE COUPLER BLOCK **ADJUSTER**



- REV Gen4 129" & 137" with rMotion rear suspension
- · Allows rider to attune ski-loading to current trail conditions.
- Quickly change coupler block position with a twist of the wrist.
- · Go from uncoupled to your preferred coupled setting instantly
- 860201902
- Coupled = less transfer, more weight on skis under acceleration.
- Uncoupled = more transfer, easier to lift skis under acceleration
- · Patent pending.
- TMOTION ADJUSTABLE LIMITER STRAP



REV Gen4 (Narrow) with tMotion and cMotion rear suspensions [except Freeride 146" 2020 and prior & Backcountry X-RS]

- Quickly change limiter strap length by flipping a lever, to attune ride and handling to snow conditions and terrain.
- Shortening keeps the front end lower and improves track approach angle.
- Lengthening increases transfer and lifts the front end

860201861

- Adjustment is equivalent to 2 holes on a conventional strap (1.3"/34 mm)
- · Slim, non-intrusive design.
- 2 initial settings to choose from: holes 3 to 5 or 2 to 4 (compared to conventional strap hole positions).
- US patent 9022156.

TMOTION ADJUSTABLE LIMITE	R
STRAP REPLACEMENT PARTS	ΚI
(Not illustrated)	

860201426

860201679

CURVED A-ARMS

REV Gen4 (with 36" ski stance)

- Redesigned to be more effective.
- Provides more clearance for less drag in deep snow.
- Reduces damage from objects hidden below the snow.
- Quick-disconnect sway bar kit, double ball joint link and anti-roll bar link included.

FRONT SUSPENSION WIDENING KIT

REV Gen4 Summit & Freeride with 36" RAS 3 front suspension

• Includes X package shock absorbers and springs.

860201588



RAS X FRONT SUSPENSION **UPGRADE KIT (WITHOUT SHOCKS)**

REV Gen4 MXZ, Renegade and Grand Touring with RAS 3 front suspension | 860202187

- Update your sled RAS 3 to the new RAS X configuration. • Provides wider ski stance offering sure-footed cornering with improved bump performance.
- · Kit includes new spindles and A-Arms and all necessary
- hardware. • Compatible with Pilot X Skis.

FRONT SUSPENSION KIT (36") REV-XM, XS, XP



- To update your sled to the REV-XM Summit X with T3
- Delivers the agility of the original S-36 handling package, plus the benefits of the RAS 2.
- Better straightline tracking on big bumps.
- · Lighter weight

860201153

860201353

860201241

- · Great styling.
- HPG shocks.
- Ski stance adjustable from 35.7" (90 cm) to 37.4" (95 cm)

FRONT SUSPENSION KIT (42" WITH SHOCKS)

REV-XM, XS, XP without 42" front suspension

- To update your sled to the RAS 2 X package configuration.
- 42" (107 cm) RAS 2 front suspension kit.
- Updates sleds to lastest REV-XS trail front end.
- · Better straightline tracking on big bumps.
- Lighter weight Great styling.

· Lighter weight

- HPG Plus R shocks with rebound adjustment.
- Includes spindle compatible with Pilot TS ski.

• Includes spindle compatible with Pilot TS ski.

FRONT SUSPENSION KIT (42" WITHOUT SHOCKS)

REV-XS, XP, XR with 42" front suspension

- To update your sled to the RAS 2 configuration.
- Ideal for converting older vehicle to new adjustable TS ski. Great styling.
- For vehicles with 42" (107 cm) front suspension, reuse
- vour stock shocks • Updates sleds to latest REV-XS trail front end.
- Better straightline tracking on big bumps.

REV Gen4 Summit & Freeride, XM & XP Summit 2013 to 2020 **SWAY BAR QUICK-DISCONNECT** REV-XP Summit 2012 and prior

860200811 860200667



- Kit allows you to utilize the benefits of a sway bar on rough trails and quickly disconnect it for sidehilling.
- Sold individually.

124 | ACCESSORIES | SUSPENSION & FOX SHOCK KITS VENT KITS & PREFILTERS | ACCESSORIES | 125

KYB SHOCKS **NEW KYB PERFORMANCE SHOCKS** KIT REV Gen4 with RAS X suspension (except SAS) 860202466 • Race Edition KYB shock absorbers. • Kashima coated for friction-free performance and long life.



- Piggy Back 46 mm bodies with 16 mm shaft.
- Feature separate adjustments for high and low speed compression plus rebound damping.
- Fits RAS X front suspension.

- Internal groove position sensitive technology.

- High-flow velocity-sensitive damping.

Fully rebuildable and re-tuneable.Fits 146"-165" track lengths.



FOX SHOCK KITS		
<mark>NEW</mark> FRONT SHOCKS – LIGHTWEIGHT FLOAT 3 EVOL QS	REV Gen4 Summit & Freeride	860202277
	Two separate air chambers replace coil springs and offer multiple tuning options. The QS3 adjustments offer 3 positions for easy and quick compression and rebound adjustments.	FEATURES: Optimized lightweight shock design. One piece, aluminum mounting hardware. High-flow velocity-sensitive damping. Internal groove position sensitive technology. Fully rebuildable and re-tuneable. Ski stance: 34" and 36".
IEW REAR TRACK SHOCKS – .IGHTWEIGHT FLOAT 3 QS3 CENTER) / 1.5 ZERO QSR WITH .OCK-OUT (REAR)	REV Gen4 Summit & Freeride 146", 154", 165" with tMotion	860202278
	• This FOX kit features the Lightweight Float 3 center and 1.5 Zero with lock-out rear shocks to help your sled get skinny. The center shock features QS3 three position adjustment for quick, easy compression and rebound adjustments, the rear features QS3 compression adjustment plus a lockout feature.	FEATURES: Optimized lightweight shock design One piece, aluminum mounting hardware High-flow velocity-sensitive damping Internal groove position sensitive technology Fully rebuildable and re-tuneable Fits 146"-165" track lengths
NEW FRONT SHOCKS – LIGHTWEIGHT 1.5 ZERO QS3-R	REV Gen4 Summit & Freeride	860202275
	The newest version of F0X's renowned lightweight shocks and springs to fit deep snow sleds. They feature QS3 three position adjustment for quick, easy compression and rebound adjustments and fit S-36 front suspensions.	• FEATURES: - Optimized lightweight spring & shock design. - FOX ice scraper technology (FIST). - One piece, aluminum mounting hardware. - High-flow velocity-sensitive damping. - Internal groove position sensitive technology. - Fully rebuildable and re-tuneable. - Ski stance: 34" and 36".
NEW REAR TRACK SHOCKS – LIGHTWEIGHT 1.5 ZERO QS3-R (CENTER) / LIGHTWEIGHT 1.5 ZERO QSR WITH LOCKOUT (REAR)	REV Gen4 Summit & Freeride 146", 154", 165" with tMotion	860202276
	The newest version of FOX's renowned lightweight shocks to fit deep snow rear suspensions. The center shock features QS3 three position adjustment for quick, easy compression and rebound adjustments the rear features QS3 compression.	FEATURES: Optimized lightweight spring & shock design. FOX ice scraper technology (FIST). One piece, aluminum mounting hardware.

adjustments, the rear features QS3 compression

adjustment plus a lockout feature.

VENT KITS & PREFILTERS

REV Gen4 (Narrow) integrated look. • Easily removable bottom grille. • Snap-in top grille. • Airbox pop-off valve filter.

• Reduces water and snow intrusion with a clean,

REV Gen4 (Narrow)

860201756

860201224



UPPER PREFILTER AND POP-OFF

VALVE FILTER KIT

PREFILTER GRILLE KIT

AIRBOX POP-OFF VALVE FILTER KIT REV Gen4 850 E-TEC, 600R E-TEC, 600 EFI

860201755



HEAVY-DUTY AIR INTAKE FILTERS

860201399

- Filters prevent water intrusion and snow buildup.
- Reinforced intake filters, preventing damage in
- Replacement for stock filters.
- Not compatible with One-Piece Lightweight Hood

PREFILTER GRILLE KIT

REV-XM, XS

860200610



- Fully integrated overmolded prefilter snap-in grilles.
- Repels and prevents snow from entering bottom pan and hood openings.
- Kit includes easily removable bottom pan grille, lower pan cover plugs, hood grille, and air-box pop-off valve prefilter.

REPLACEMENT FRONT PREFILTER

REV-XM, XS

517305029



PREFILTER GRILLE KIT

REV-XU Expedition, Skandic

860201152

- Keeps snow and moisture out, lets air in.
- Plastic frame molded over mesh for strength.
- · Installs easily.
- Totally integrated design.
- Kit includes filters for bottom pan and hood openings.

• Not compatible with Heavy-Duty Front Bumper with 2" Receiver (860200987).

126 | ACCESSORIES | COOLING & LUBRICATION ELECTRICAL & ELECTRONICS | ACCESSORIES | 127

VENT KIT FOR SIDE PANELS



• Fast air-evacuating overmolded prefilter vents.

- Easy do-it-yourself installation onto premarked production Foam with foil included.
- 1¾" holesaw required.
- Use in conjunction with your stock vehicle panels.
- For racing applications only.

VENT KIT

860200684

• Kit includes vents for both side panels (24x).



- · Assortment of replacement or additional vents (7x) with
- · Can be installed on most body panels with relatively flat surface and 2.5 to 3.2 mm thickness.

COOLING & LUBRICATION

NEW LinQ LIGHTWEIGHT **SNOWFLAP EXTENSION**

REV Gen4 with short tunnel

860202393




- Removable snowflap extension that helps engine cooling in hardpack, low & icy snow conditions when installed.
- Stows on the tunnel when not in use.
- Installs on the stock lightweight snowflap of Summit & Freeride models with short tunnel.
- Compatible with stock and hitch bumpers.

Ling REMOVABLE SNOW FLAP

REV Gen4 Freeride & Summit 154" and longer

REV Gen4 146" Backcountry, Summit, Freeride: specific installation required, see instruction sheet for details



- Lets you play in the deep powder with no restriction.
- Retains cooling properties when installed. • Stows on tunnel when not in use.
- Installs with stock snowflap.

- 860201914
- Does not fit with Hitch Rear Bumper
- · Does not fit short tunnel



REV-XP, XR except GTX, Grand Touring, XU Expedition 2009 to 2019

860200106 • Black / Yellow **860200467** • Black / Grey





- · Customize your sled.
- Hardware included.


REV Gen4 20" & 24"

NEW TUNNEL ICE SCRATCHERS WITH REPLACEABLE TIPS

REV Gen 4 16" (129") and Grand Touring LTD REV Gen4 16" (137" and up) and Summit XM

860202387 860202388

860202267*



- Thoughtful design features replaceable carbide tips.
- Provides additional cooling in hard or icy snow conditions.
- Coil design allows reverse operation without damage.
- Easily stored below running board when not in use.
- Not compatible with models equipped with SAS (Smart-Shock Semi-Active Suspension).
- *Not compatible with MXZ 129" with quick-adjusters.
- *Not compatible with 129" & 137" Sport models with SC-5M
- *Bracket (860201503) required for MXZ 129" with quick-adjusters.

ICE SCRATCHERS TIPS

Fits with Tunnel Ice Scratchers with replaceable tips

860201446 • Delta shape



· Ice scratcher replaceable carbide tips.

RAIL ICE SCRATCHERS

REV Gen4, XM, XP Summit & Freeride

860201728

- Provide additional lubrication in hard and icy conditions.
- · Rail mounted, small, light.
- Design expands on coil concept to allow reversing without
- Easily stored when not in use.

REV-XS & XR with 600 & 900 ACE [2014 and prior and 2016 and up, 2015 models require kit 860201341]	860201350
REV-XS 1200 4-TEC (2016 and up)	860201401
REV Gen4 (Wide) with 600 ACE, 900 ACE and 900 ACE Turbo	860202038
REV Gen4 (Wide) Expedition, Skandic and Tundra with 600 EFI	860202144

AIR RADIATOR KIT



- Provides additional cooling in extreme conditions.
- Not compatible with Auxiliary LED Light (860201235).

ELECTRICAL & ELECTRONICS

ELECTRICAL

ENGINE HEATER KIT

600 ACE, 900 ACE (2018 and prior)

860201315



• Improves starting in extreme cold temperatures.

BLOCK HEATER KIT

REV Gen4 (Wide) with 900 ACE Turbo and 900 ACE (2019 and up)

860201671



- Allow easy starts in the coldest of conditions.
- · Easy installation.

PRIMER KIT

860200416




• Provides hassle-free starting in extreme cold temperatures.

128 | ACCESSORIES | ELECTRICAL & ELECTRONICS

ELECTRICAL & ELECTRONICS | ACCESSORIES | 129

ELECTRICAL


ELECTRIC STARTER KIT





- Start your sled with the simple push of a button.
- · Kit components may vary per model.

REWIND STARTER KIT



860201053 860201410 860202123

- · Complete rewind kit.
 - Rewind handle locates behind panel; instant handle access requires different side panel.

USB POWER OUTLET K	ΙT



861507200



- Provides clean, stable power to recharge your electronics
- while riding.
- Dual USB ports.
- Plug-and-play installation.
- Includes wiring harness.

12-VOLT POWER OUTLET KITS

(Not illustrated)

REV-XP, XR, XU Tundra (except standard 2011–2012) REV-XM, XS REV Gen4

860200196 860200632 860201423

- Power up all your electronics with these easy-to-mount 12V plugs.
- Install inside storage compartment.
- · Wiring harness included.

12-VOLT POWER OUTLET REPLACEMENT KIT



· Wiring harness is not included.

12-VOLT PLUG FOR LinQ MULTI-MOUNT PLATE

REV Gen4 (Wide) 20" & 24" REV Gen4 16"

· Wiring harness included.

860201888 860202069



- · Standard 12V outlet for the rear of the vehicle.
- Multi LinQ Plate Retrofit Kit (860202133) required for installation on Skandic Sport.

REAR 12-VOLT POWER OUTLET		
(Not illustrated)	REV-XU Skandic & Expedition without E-TEC engine	860200979
	Mounts inside rear seat storage compartment.	Wiring harness included.
HEATED VISOR KIT	REV Gen4	860201283
(Not illustrated)	REV-XM, XS, XP, XR, XU Tundra	860201234
(Not mustrated)	• Easy install plug-in for visor kit or heated bags.	000202207

HEATED PASSENGER VISOR KIT



- Enjoy fog-free riding with this visor kit option for your 1 + 1 Seat.
- To be used in conjunction with Heated 1 + 1 Grips with Guards (860200584).

1+1 SEAT ELECTRICAL VISOR/ HEATED BOOTS WIRE HARNESS

REV Gen4

860201981

515176794

860201141

860200817

860200882

- Works in conjonction with the LinQ 1+1 Seat Heated Grips
- Provides 2 extra connections: one connection for electric visor and one connection for heated boots.

RCA ADAPTOR PLUG KIT



• Y plug power splitter lets you connect 2 heating components or 1 heater and 1 electrical visor.

ELECTRIC ACCESSORIES Y-ADAPTOR

(Not illustrated)

REV-XP, XR, XU

• Harness enables use of more than one plug-and-play accessory.

 \bullet Required when using more than one of either of these accessories: Signature LED Light for Handguards, GPS, Ambient Air & Engine Temperature Module.

ELECTRIC ACCESSORIES WIRING HARNESS

(Not illustrated)

REV-XS, XM, XP, XR, XU Tundra (except Tundra Standard 2011–2012)

· Electrical kit required when combining multiple accessories.

ELECTRONICS

E LinQ

REV Gen4 (except Summit, Freeride & 600 EFI)



- Same type of magnetic connector as used on OXYGEN
- · Easily converts standard DESS cord into a powered cord.
- · Eliminates chance of a broken connector.
- 860201719
- Combines both DESS™ cord and heated visor cord into one. Increases freedom of movement, no longer requiring you to manage an additional cord.
 - Easy and quick connection that self-locates..
 - Works with any electric helmet and 12V heated visor.
 - Maintains power connection 100% of the time.

E LinQ RF DESS KEY

REV Gen4

515178582

278003870

• Sold as replacement part for the E LinQ vehicle connector.



DESS CORD HOLDER REV Gen4

> • Hook currently sold with the E LinQ vehicle connector add-on for any DESS cord from the last 10 years.

- Sold both as a replacement part for the E LinQ and as an
- · Allows rider to attach DESS cap to the jacket and provides out-of-the-way convenience when not in use.

130 | ACCESSORIES | ELECTRICAL & ELECTRONICS TRAILERING & COVERS | ACCESSORIES | 131

ELECTRONICS

PROGRAMMABLE RF D.E.S.S.™ KEY 2015 and up vehicles with 600, 900 ACE, 900 ACE Turbo or 1200 engine

860201162 · Green **515178286** • Black

515178284 · Black

· Digitally Encoded Security System (D.E.S.S) key's ball-and-socket design provides riders with easy and quick starts every time.

· Anti-theft technology, the key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind.

· Color options facilitate the differentiation between the programmed keys.

• Programmable RF D.E.S.S.™ Key can also be programmed to limit the speed of the snowmobile and the engine torque. Enabling first-time users and less experienced operators to learn how to operate while gaining the necessary confidence and control

Speed limitation is available on: 2015 and up 600, 900 ACE, 900 ACE Turbo models and on 2017 and up 1200 engine models.

PROGRAMMABLE D.E.S.S.™ KEY



• Anti-theft technology, Digitally Encoded Security System (D.E.S.S) key easily snaps onto the vehicle and provides riders with easy and quick starts every time.

The key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind.

860200907 • Green • The Programmable D.E.S.S. Key can also be programmed to limit the speed of the snowmobile and the engine torque. Enabling first-time users and less experienced operators to learn how to operate while gaining the necessary

confidence and control. Sneed limitation is available on-

GARMIN ZUMO† 590 GPS

REV Gen4

- 860201263*
- 5" (12.7 cm) sunlight readable, glove-friendly screen.
- Bluetooth† technology can pair with cell phones.
- Canadian topo maps included, trail maps can be
- · Cradle and harness included.
- Glovebox Extension/GPS Support (860201249) required for

GARMIN ZUMO† 590 GPS MOUNT SUPPORT KIT



REV Gen4

860201262

860201417

- Mount for Garmin Zumo 590 GPS allows use on more than one vehicle
- Plug-and-play wire harness.
- Included in Garmin Zumo 590 GPS (860201263 for US and 860201412 for CA).

MONTANA† GPS AND SUPPORT KIT





- One of the best GPS systems available, designed to fit your sled perfectly with plug-and-play hook-up.
- Glovebox Extension required (860200707)
- Universal GPS Support Kit (860201018) required for REV-XU, XR.

MONTANA GPS SUPPORT KIT (Not illustrated)

REV-XS, XM

REV-XR, XU

860201029

860201018

- Mounting kit and hardware for Garmin Montana GPS.
- To be able to use GPS on more than one vehicle.

UNIVERSAL GPS SUPPORT KIT

*While supplies last.



- Kit includes mount, wiring harness and all hardware.
- GPS sold separately.
- Requires Montana GPS and Support Kit (860201417).

RH-5R RUGGED RADIO 860201966 • US only



- Dual band (VHF/UHF) frequency operation.
- 5 watts of power.
- · High capacity lithium-ion battery.
- FM radio.
- Emergency alarm function.

- Dual watch/dual reception.
- · Backlit display illumination.
- · Battery "save" function.
- Selectable scan mode.
- Includes waterproof speaker hand microphone.

AMBIENT AIR & ENGINE TEMPERATURE MODULE





- Get both outside air and engine temps on your cluster.
- Fits both analog and digital multifunction gauge.
- Plug-and-play in vehicle harness.

*Except fan-cooled engines and 2015 P-TEK.

TRAILERING & COVERS

SUPERGLIDE II PRO



- No more ripping up the plywood on your trailer.
- · Allows skis to glide with ease.
- Traction knobs incorporated for better traction.
- Exclusive venting, protects the deck of your trailer from moisture damage.
- 860201216
- Total length of 20' (6 m).
- Each box contains 8 pieces 8.5" x 29.5" (21.5 cm x 74.9 cm).
- Comes with 48 specially coated screws with grommets.

SUPERGLIDE II WIDE



- Allows sled skis to glide with ease.
- Specifically designed traction knobs provide improved traction for your feet.
- Oval mounting channels and custom shoulder screws prevent warping by allowing for expansion and contraction • Comes with 72 specially coated screws with grommets. that results from varying temperature.


860201592

- Exclusive venting, protects the deck of your trailer from moisture damage.
- Each box contains 8 pieces 13.5" x 29.5" (34.3 cm x 74.9 cm).

860201217 • Aluminum

- Total length of 20' (6 m).

SUPERGLIDE EDGE RAIL TRIM



• To secure Superglides on ramps or decks leaving an encapsulated finished edge.

860201593

860200950

SUPER TRACTION GRID



- Super Traction Grids' strategic grid pattern provides incredible grip and accommodates all snowmobile tracks. even with paddles or studs.
- Each box contains 4 pieces 8.25" x 30" (20.9 cm x 76.2 cm) and hardware.

SUPERCLAMP II



- Innovative trailer tie-down system.
- · Silicone rubber pads to protect your skis.
- Front and middle handles allow easy maneuverability.
- · Pad lock compatible, becomes a theft deterrent.
- Tension adjustment knob—fits all snowmobiles.
- · Comes with screw style deck hook.

132 | ACCESSORIES | TRAILERING & COVERS TRAILERING & COVERS | ACCESSORIES | 133

REAR SUPERCLAMP WITH SUPERTRAC

860201425



- Snowmobile tie-down system for rail.
- Silicone rubber pads to protect snowmobile suspension
- Tension adjustment knob—fits all snowmobiles.
- 12" (30 cm) Supertrac kit included.
- Padlock compatible, becomes a theft deterrent.

RAMP CROSSBAR PROTECTORS

860201672 2 pieces with 6 screws 10 pieces with 30 screws 860201673 24 pieces with 72 screws 860201674



- Enhance and protect your ramp investment
- Designed to mount over 1" ramp crossbars on solid, double and tri-fold loading ramps.
- 2 pieces together helps prevent stud damage to loading ramps from snowmobile studded tracks while adding traction

860201413 · 12" **860201414 •** 24"

860201415 · 48"



• Includes: 1 piece Supertrac, 1 Supertrac deck hook, 2 end caps and all mounting hardware.

T-STYLE DECK HOOK

SUPERTRAC KIT

860200995



• For trailers with a channel in the floor.

SUPERTRAC DECK HOOK

REV Gen4 (Narrow)

860201416



- For Supertrac.
- Adjustable and removable hook.

SCREW STYLE DECK HOOK

860200994



- · Most common.
- \bullet Comes standard with front Superclamps.
- Screws into the existing hole where you would screw the old style bar and crank into or make your own holes.

LIGHTWEIGHT PACKABLE COVER

860202172



- Compact, lightweight and packable.
- Covers front lights, handlebar, cluster, glovebox and seat area.
- Fits all REV Gen4 from 16" to 24".

TUNNEL COVER

REV Gen4 (Narrow) & (Wide) 16" up to 146" length sleds

860201844



- Protects tunnel accessories (single stacked).
- Compatible with all covers (except Grand Touring Limited).
- Easy to install.
- Not compatible with LinQ Saddlebags (860200624).

EQUIVALENT CONFIGURATION AND POSSIBLE OPTIONS

WHICH COVER **BEST FITS** YOUR SLED?

LATI	FORMS & STOCK MODELS	1-UP S	SHORT	1+18	2-UP §	BACKF	PASSE	PASSE	NO WI	ULTRA	LOW V	MEDIU	HIGH V	EXTR/	ULTRA	MIRRO	HANDI	MIRRO	MIRRO	MXZ H	SUMM	EXTR/	LUGGA	WRAP	CARGO	SKL
RIE	E-ON-COVER SYSTEM WITH RAP-(LI	P																							
	Summit, Freeride	•							•	•	•						•	•			•	•				8602018
	Summit or Freeride with Medium or High Windshield	•											•											П		860201
14 16"	MXZ, Renegade Sport, Renegade Adrenaline, Renegade X, Renegade X-RS, Backcountry, Mach Z	•							•	•	•						•	•		•		•				860201
GEN4	Renegade Enduro	•										•				•				•		•				860201
REV	MXZ, Renegade, Backcountry with High or Ultra High Windshield	•											•		•	•				•		•				860201
	MXZ, Renegade, Backcountry, Grand Touring Sport, Expedition Sport			•	•	•	•	•				•	•		٠	•				٠		•				860201
	Grand Touring LTD			•	•	•	•	•				•	•		•	•				•		•	•			860201
E) 16	G4 Wide 1-Up with Wrap-Around Bumper	•										•	•		•	•				•		•		•		860201
(WIDE) 16"	G4 Wide 2-Up with Wrap-Around Bumper			•	•	•	•	•				•	•		•	•				•		•		•		860201
: = —	Tundra		•	•							•	•	•		•	•					•			•		860202
\$ 24"	Expedition LE, Expedition SE				•	•	•	•				•	•		•	•					•	•		•	•	860201
IDE) 20" &	Expedition Xtreme	•							•	•	•	•									•	•		•	•	860201
(WID	Skandic & Expedition SWT				•	•	•	•				•	•		•	•					•			•	•	860202
NT	ENSE RAP-CLIP COVER																									
Σ	Summit SP										•		•		•	•					•	•				860201
KEV-XM	Renegade Backcountry	•										•	•			•				•				П		860201
X	REV-XM with Medium-High Windshield	•										•	•			•					•	•				860201
	MXZ X, Renegade X	•									•						•	•		•		•				860201
	MXZ Sport, MXZ TNT, MXZ Blizzard, Renegade Sport, Renegade Adrenaline, Renegade Enduro	•										•				•				•		•				860201
•	REV-XS 1-Up with Ultra High Windshield	•												•	•	•				•		•				280000
KEV-XS	REV-XS with 1+1 and Backrest			•		•	•	•				•	•			•				•		•				280000
#	REV-XS with Side Panel Mirrors	•									•	•	•				•	•	•	•						280000
	Grand Touring LE				•	•	•	•					•	•	•											860201
	Grand Touring SE				•	•	•	•					•	•	•								•			860201
	Expedition Sport, Grand Touring Sport				•	•	•	•					•	•	•	•				•		•				280000
	Tundra Sport, Tundra LT, Tundra Xtreme	•			•						•	•	•			•					•	•				280000
nx	Tundra with Extra High Windshield	•			•									•		•						•				280000
KEV-XU	Expedition LE, Expedition SE, Expedition SWT, Skandic WT, Skandic SWT					•								•	•	•						•				280000
	Expedition Extreme										•	•								•		•				860201
10	RAP-CLIP, NO RIDE-ON-COVER SY	STI	ΕM																							
	Summit Sport																									860201
REV-XF	MXZ Sport, Renegade Sport												•							•						860201
RE	Fire addition Consists																						\vdash			000001

Expedition Sport

^{*}While supplies last.

GARAGE & TRUCK SLED DECKS

DELUXE TOOL KIT 860202029



• Casing fits perfectly in Seat Storage Box with or without battery (860202532).

• Features high-quality tools.

- Stainless steel open end / ring end wrenches; 8-10mm, 10-13mm, 12-14mm, 15-17mm, 16-19mm.
- ¼ drive ratchet with 4" extension, hexagonal 8 10 13 16, Torx 25 30 40, Allen 4 6 8 and Philips #2.
- Long nose vise-grip.

860201805

- Spring hook tool.

SLED SHOP WHEELS



- Non-slip rubber grips allow this steel 4-dolly system to move your sled easily throughout the garage.
- Works with both dual and single runner skis.
- 4-wheel dolly kit (kit includes 3 dollies

RATCHET TIE-DOWNS



- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.

860200447 • Black / Grey

- Coated S hooks. • Pack of 2.

HEAVY-DUTY RATCHET TIE-DOWNS



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1,8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.

715006227

- 18" (460 mm) webbing included.
- Pack of 2.

LOCKABLE VEHICLE FUEL CAP



- Lockable to protect your fuel.
- Meets latest EPA requirements.

SKI-DOO 2" (5 CM) RUBBER HITCH CAP



860200387

520001498



// PARTS

137 TRACTION & CONTROL

148 PROPULSION

150 ELECTRICAL

SKI-DOO LIMITED WARRANTY*

// 1-YEAR ON GENUINE BRP PARTS

With Ski-Doo parts, you get the peace of mind of a FULL ONE-YEAR WARRANTY. And if they're installed by your authorized BRP dealer, labor is covered too. BRP-rebuilt components are a cost-effective solution.

Ski-Doo-rebuilt parts carry the same one-year warranty for major assemblies like short blocks, cylinders and crankshafts.

*Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply, see complete limited warranty or contact your Ski-Doo authorized dealer. Unless otherwise stipulated or required by law. This limited warranty does not apply to factory installed accessories.

TRACTION & CONTROL

SKIS Fits all Pilot 7.4 and Pilot X skis NEW 860202334 **RAPID ADJUST SKI STANCE** Fits all DS-1, DS-2, DS-3 860201619 • Quick tool-less design adjusts ski stance in seconds. • Needs Rubber Stopper Pads (505074748) to install on DS-1 • Go from on-trail stability to off-trail agility. and DS-2 skis (sold individually). • Allows for 2" of ski stance adjustment. Narrow ski stance Wide ski stance DEEP SNOW LIGHTWEIGHT SKI SPINDLE KIT 860201976 REV Gen4 with 36" ski stance • Improves front dynamics when sidehilling. • 400 g lighter than stock spindle. • Standard on Summit X with Expert package and Freeride 154"-165" 2020 and up. PILOT X CONVERSION KIT REV Gen4 MXZ, Renegade & Grand Touring 860202310 • Upgrades earlier models to the latest Pilot X skis. • Completes kit including 2 Pilot X ski assemblies with pre-installed handles, 2 carbides and all required PILOT TS CONVERSION KIT REV Gen4 MXZ, Renegade, Grand Touring 860201484 • Upgrade to the revolutionary adjustable Pilot TS skis. • REV-XS 2016 and up with RAS 2, REV-XP, XR, XS with 42" RAS 2 and 2016 spindle [860201241 or 860201353]. • For 2016 and up REV-XS models with RAS 2 or previous vehicles with 42" RAS 2 upgrade kit and 2016 spindle (860201241). **PILOT 7.4 UPGRADE KIT** 860202119 · Black • Upgrade earlier models to the latest Pilot 7.4 skis. • Complete kit including 2 Pilot 7.4 ski assemblies with pre-installed handles, 2 carbides and all required • Does not fit with LTS suspension. PILOT 5.7 SKI UPGRADE KIT 860200524 · Black • Complete kit for upgrading earlier snowmobile models. • Includes 2 skis, 2 handles with rivet kit, 2 Expedition carbides and all required hardware. PILOT DS-2 SKI KIT 860201487 · Black

TRACTION & CONTROL | PARTS | 137



• Complete kit includes 2 ski assemblies with pre-installed handles, 2 Expedition carbides and all required hardware.

PILOT 7.4 SKI LINER

860202115 · Black



- Provides additional flotation and reduces ski wear.
- 260 mm (10.25") wide.
- Same durable material as 7.4 skis.
- · Sold in pairs.

138 | PARTS | TRACTION & CONTROL

TRACTION & CONTROL | PARTS | 139

// SKIS

Skis make all the difference in getting your sled to handle just how you like. We offer eight different styles of skis for you to choose from. Which one is right for you? Here are some tips on choosing the right one:

the right o		e is right for you? Here are some tips	s on choosing								COL	ORS				
					Le	Black eft Ri		Yellow eft Right	Sunburst Yell Left Righ		Black/White Left Right	Viper Red Left Right	Lava Red Left Right	Orange Crush Left Right	Race Orange Left Right	Manta Green Left Right
	TOURING		PILOT 5.7 SL 2 carbides/ski	 Lightweight single or dual runner skis provide effortless steering at low speeds and constant grip without compromise at higher speeds. Standard use is one carbide runner—add a second to reduce darting. Great all-around trail performance. 		505072443		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	עזודוגא	₩	PILOT 7.4 1 carbide/ski	 Specifically designed for utility purposes. Deeper keels allow more control while towing. Increased tip-up rear end for better reverse capability. 1 inch wider than Pilot DS-2 for improved flotation in deep snow. More aggressive cornering while keeping a light steering feeling. 		505074736		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ΕV		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	PILOT 5.7 1 or 2 carbides/ski****	 Lightweight single or dual runner skis provide effortless steering at low speeds and constant grip without compromise at higher speeds. Standard use is one carbide runner—add a second to reduce darting. Great all-around trail performance. 	505072854	505072855	505073028	505073029	505073575	505073030	505073032	505073026	N/A	505074071	505073645	505074239
XM / R	SPORT	1	PILOT TS ADJUSTABLE 1 carbide/ski	 The industry's first and only adjustable ski. The Pilot TS skis allow riders to change ski bite for changing snow conditions or riding styles easily and quickly. With the Pilot TS skis you dial in the perfect setting by turning a knob on the ski leg. The ski runner has ½" (12.5 mm) of travel up and down. The thin runner and square keel design work together to eliminate darting. 	505074829	505074830		N/A	505073851	N/A	N/A	N/A	N/A	505074067	N/A	505074235
	TRAIL		PILOT X 1 carbide/ski	Completely redesigned from Pilot 5.7 with a new structural topside for 10% more rigidity. In mm longer keel with a new shape reduces darting. Adds 10% more lateral surface area and blends more smoothly with a new carbide. It degree reduction in approach angle.	505074926	505074927		N/A	505075024	N/A	N/A	N/A	N/A	N/A	N/A	N/A
EN4 / XP /			PILOT TX 1 carbide/ski	 Improved to better match the REV Gen4 features. Redesigned top side for increased rigidity. 20 mm shorter overall length and more dramatic tip-up at the rear. 63 mm longer runner plate increases lateral surface for more effective cornering. Smoother front approach angle to reduce darting even further. 	505074776	505074777		N/A	505075026	N/A	N/A	N/A	N/A	N/A	N/A	N/A
S: REV G	PERFORMANCE		PILOT R ■ 1 carbide/ski	 Straight from the MXZ X 600RS race sled. Very aggressive profile for sharp handling. Lightweight with high rigidity. Proven on the ISOC race circuit. 		505074670		N/A	505074690	N/A	N/A	N/A	N/A	N/A	N/A	N/A
PLATFORM		/ Th	PILOT DS** 1 carbide/ski	 Designed specifically for deep snow riding. Works well in many off-trail applications from utility sleds to mountain sleds. Thin edge is effective for grabbing side hills. 		505073100		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	SNOW	✓ Т√Г	PILOT DS-2 1 carbide/ski	 Evolution of the DS with a deeper and shorter keel. Increased agility and less effort than the original. Great all-around ski for deep snow use. Standard on mountain sleds with 2.5" lug tracks and utility sleds. 		505073227		505073277	505073658	N/A	505073279	N/A	505073510	505073511	505073654	505073354
	DEEP	1.1	PILOT DS-3** 1 carbide/ski	Deep snow ski designed to match the latest 3" lug and longer tracks. 0.47" (12 mm) deeper keel than DS-2.		505073568		N/A	505073627	N/A	N/A	N/A	N/A	505074023	N/A	505073990
		→ ₩	PILOT DS-3 REV Gen4*** 1 carbide/ski	• U.47 (12 min) deeper keet than US-2. • Works well for aggressive riders using the biggest tracks.		505074746		N/A	505074756	N/A	N/A	505074747	N/A	505074757	N/A	505074755

140 | PARTS | TRACTION & CONTROL TRACTION & CONTROL | PARTS | 141

SKIS 860201040 · Black Pilot DS-2 skis



PILOT DS SKI LINER

- Provides additional flotation and reduces ski wear.
- Same durable material as DS Ski.
- Sold in pairs.

Pilot DS skis

SKI SKIN	Pilot 6.9 skis	860200422 · Black



- Provides additional flotation and reduces ski wear.
- Made of durable polyethylene.
- · Sold in pairs.

DS-3 SKI TIP KIT	Fits vehicles with DS-3 skis	860201214 • Black 860201501 • Sunburst Yellow
	 Easy-install custom color tips change the appearance of your sled in minutes. 	
	• Adds flotation on the front of the DS-3 ski.	

- · Sold in pairs with mounting hardware.

SKI HANDLE RIVET KIT 860200525



• Includes 2 long and 2 short aluminum rivets for repairing the handle on Pilot skis.

IUANDIE	Pilot 5.7, 6.9, Pilot SL and Pilot T

Pilot X and TX

505070917 • Yellow **505070963** • Black **505071038** • Scarlet Red 505071048 • Orange Saturn **505071059** • Viper Red

505072102 • White **505073649 •** Race Orange **505073642 •** Sunburst Yellow **505074226** • Manta Green 505071556 • Full Moon 505074223 • Tactical Grey

860200636 • Black

• High-density colored polyethylene loops.

505072976 • Black **505073513** • Orange Crush **505073651** • Race Orange **505073665** • Sunburst Yellow 505073107 · Yellow 505073108 · White SKI HANDLE **505073388** • Lava Red Pilot 7.4, DS-1, DS-2, DS-3



· High-density colored polyethylene loops.

SKI HANDLE **505071674** • Yellow 505073138 · Black Pilot R



- ISR compliant race ski loop.
- High-density colored polyethylene loops.





• High-density colored polyethylene loops.

SKI-DOO PILOT* SKIS AND CARBIDES TO SUIT ALL RIDING STYLES

PILOT X CARBIDES RUNNER

Pilot X and Pilot 5.7 Skis

• 4" 90° carbides

	1
Pilot TX Skis – 4" 90° carbides	860202192



PILOT TX CARBIDES RUNNER

- 12.5 mm longer runner: Increased front-end grip and
- steering stability.

Pilot TX Skis - 7" 60° carbides

• Smoother runner attack angle (10°) for increased predictability.

PILOT TS CARBIDE RUNNER

Pilot TS - (7" 60° tall)

860201364

860202180

860202243

- Increases front end bite with an extra ¼" (6 mm) of runner depth, plus 7" of 60° carbide.
- For Pilot TS adjustable skis.
- · Sold in pairs.
- Patent pending US20150314800A1

PILOT TS CARBIDE RUNNER

Pilot TS - (7" 60° carbides - Pilot TS) Pilot TS (stock replacement) - (5" 90° carbides)

860201240 860201178



- For Pilot TS adjustable skis.
- · Sold in pairs.
- Patent pending US20150314800A1

PILOT EXPEDITION CARBIDES

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 Skis 860201220 • Round 7/16" - Pack of 2

860201044 • Square - Pack of 2



• Protected under patent numbers US 7,413,198, US 7,389,995 and CA2535565.

PILOT EXTREME CARBIDES

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 Skis Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot DS, Pilot DS-2, Pilot DS-3 Skis

860201045 • Round 1/2" - Pack of 4 860201043 • Round 1/2" - Pack of 2



• Protected under patent numbers US 7,413,198, US 7,389,995 and CA2535565.

*Protected under patent numbers US 7.413.198, US 7.389,995 and CA2535565.

Note: The use of aggressive skis, ski carbide runners or studs will alter the handling of your snowmobile, particularly in terms of maneuverability, acceleration and braking. Please refer to your Operators Guide for more details.

142 | PARTS | TRACTION & CONTROL TRACTION & CONTROL | PARTS | 143

SKI-DOO PILOT* SKIS AND CARBIDES TO SUIT ALL RIDING STYLES **PILOT R CARBIDES** Pilot R skis 860201697 • Round, 7/16" runners with 4 fixation points and 6" of 60° carbides. Pack of 2.

CARBIDES SKI-DOO BY wood

CARBII	DE RUNNI	ΕR
--------	----------	----

• The Dooly† by Woodys has two 7/16" Flat-Top† runners mounted on a plate for each ski.

Pilot skis, except DS and DS-2

• Four contact lines on snow surface help decrease darting of sled as it makes own groove in a trail.

· When in a turn, only one of the Dooly bars is in contact with the snow or ice.

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot DS, Pilot DS-2, Pilot DS-3 skis

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot DS, Pilot DS-2, Pilot DS-3 skis

• A Dooly with 4", 6" or 8" of carbide on both runners provides the same turning power as a single runner with 4", 6" or 8" of turning carbide.

· Sold individually.

ACE SKI RUNNER

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis

860201969 • Preformed 6" 60°

860201970 • Preformed 8" 60°

860200443 • Preformed 4" 60°

860200513 • Preformed 6" 60°

860200514 • Preformed 8" 60°



• Woodys ACE single runner line uses a 3/8" x 1/2" preformed steel square bar

- Taller profile and more aggressive, providing excellent control in all conditions.
- · Works great in deep snow.

• Carries innovative features like 60° carbide inserts that are guaranteed not to come out under any conditions, Flat-Top design, rounded wear pads, full-length hardweld and bevel-cut host bar that doesn't snag trailer edge.

• Pack of 2

EXECUTIVE[†] CARBIDES

• 1/2" round preformed material swedged at each end to best

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis **860200580**



- fit ski contour fitted with 8" of 60° turning carbide.
- · Performance trail riders are known to use this runner.
- Provides proper balance with a studded track.
- · Pack of 2.

EXTENDER TRAIL III¹ CARBIDES

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis 860200578



- 1/2" round preformed material swedged at each end to best fit ski contour.
- 4" of 60° turning carbide provides positive cornering control
- Pack of 2.

TRAIL BLAZER IV† CARBIDES

Pilot X, Pilot 5.7 SL, Pilot 5.7, Pilot 7.4, Pilot DS, Pilot DS-2, Pilot DS-3 skis **860200579**



• 1/2" round preformed material swedged at each end to best fit ski contour.

• With 6" of 60° turning carbide, this runner is designed for trail riders looking for performance in cornering power and

Pack of 2.

WHEELS & SLIDER SHOES

SLIDER WITH VESPEL† INSERTS



All models with 163" and longer tunnels All models with 154" and shorter tunnels

- Uses DuPont Vespel inserts for less friction.
- · Can be cut to desired length.
- Better fuel efficiency, more power and increased vehicle speed due to reduced friction between the track clips and slides.
- · Reduced need for maintenance and associated costs.
- Extended life due to enhanced wear characteristics of Vespel polyamide over incumbent UHMW PE.

503194816

503194815

· Allows riders to operate sleds in less than acceptable snow and trail conditions since water from snow is not needed for lubricity as with incumbent UHMW PE slide rails.

Note: The use of aggressive skis, ski carbide runners or studs will alter the handling of your snowmobile, particularly in terms of maneuverability, acceleration and braking. Please refer to your Operators Guide for more details.

SLIDER SHOES



- · Custom color-matched slider shoes with built-in wear marker.
- · Long-lasting, impact-resistant.
- For all slide rail lengths.
- Easy-cut to desired length.

MODELS

- 503191499 · Black **503191695** • Yellow **503191947** • White 146" SC-5 - Mountain & tMotion
- 503191198 · Black 503191696 · Yellow 154" SC-5 - Mountain & tMotion 503191948 · White
- 503191501 Black 503191697 · Yellow 163" SC-5 - Mountain & tMotion 503191949 · White
- 503194251 · Black REV Gen4 154"
- 503194520 · Orange REV Gen4 165" 503194254 · Black
- 503194413 · Black 503194906 • Manta Green
- REV Gen4 175" 503194908 • Sunburst Yellow 503191301 · Black
- **503191693** Yellow 120" SC-5 & rMotion 503191945 · White rMotion and rMotion X 120 503192562 · Red
- 503191306 · Black 503191694 · Yellow 503191946 · White
- rMotion and rMotion X 137" 503192563 · Red 137" rMotion Grand Touring 900 ACE 503193449 · Black
- 174" tMotion 503193819 · Black
- 503194506 Sunburst Yellow REV-XS 174" 503194505 · White

LIGHTWEIGHT WHEEL MODELS



· Color-matched lightweight snowmobile wheels.

503192794 · Black
503191621 • Yellow

- 503191622 Full Moon 141 mm - REV Gen4, XM, XS, XP, XR 503191942 · White
- 152 mm REV Gen4, XM, XS, XP, XR 503191755 · Black
 - **503191626** Yellow 503191627 • Full Moon 503191742 · Black

860201230 · 141 mm

860201183 · 152 mm

- 180 mm REV Gen4, XM, XS, XP, XR 503191943 · White 141 mm - rMotion 503193477 · Black
- 147 mm rMotion 503193376 · Black
- 180 mm rMotion 503192766 · Black

EXTRA IDLER WHEEL KIT



- REV Gen4 Summit, Freeride and Backcountry, XM, XM Summit X with • Reduces drag and rolling resistance.
- Includes 2 wheels, brackets and hardware.
- 4TH REAR WHEEL KIT* 180 MM (Not illustrated)

REV-XS, XP, XR 120" and 137"

REV-XP, XR (except rMotion)

• 4th rear idler design reduces drag and rolling resistance. • Works in conjunction with stock 3 wheel setup.

860200358 · 180 mm

503190396 • 6004

503193548 • 6005

503191778 • 6006

293350115 • 6205

NSK[†]



- High performance grease developed for extreme temperatures, water resistance and high speeds with low start torque.
- · Advanced Winter Grade DUL1 double-contact seal design for optimum protection from moisture and contamination.
- Polyamide resin ball-guide cage facilitates smooth rolling contact and lubricant distribution.
- Ultra-clean steel for extended bearing life—high-grade balls for quiet and smooth operation even at high speed.
 - Super finished raceways to minimize noise and improve lubricant distribution and life.

^{*}Protected under patent numbers US 7.413.198. US 7.389.995 and CA2535565. #While supplies last.

^{*} While supplies last

144 | PARTS | TRACTION & CONTROL TRACTION & CONTROL | PARTS | 145

TRACTION

// TRACKS, YOUR CONNECTION TO THE SNOW

POWDER MAX LIGHT

- 3.5" (8.89 cm) pitch reduces weight and keeps snow between lugs for added performance.
- Exclusive 16" (41 cm) wide design adds flotation and traction without sacrificing maneuverability.
- Edges flex to reduce the effort to initiate roll-up.
- Available in either 2.5" or 3.0" (6.3 or 7.62 cm) lug heights.

POWDER MAX 3 / FLEXEDGE

- The track edges bend, making roll-up easy and predictable.
- Exclusive FlexEdge technology available in Powder Max, Powder Max 2 & 3 and Cobra 1.6 profiles.

• From 137" to 174".

PITCH	LENGTH	WIDTH	LUG HEIGHT	PROFILE	CLIP	SKU
	154"	16"	2.50"	Powder Max Light	1 clip every 2 profiles	504153791
	154"	16"	3.00"	Powder Max Light	1 clip every 2 profiles	504153785
3.5"	165"	16"	2.50"	Powder Max Light	1 clip every 2 profiles	504153792
	165"	16"	3.00"	Powder Max Light	1 clip every 2 profiles	504153786
	175"	16"	3.00"	Powder Max Light	1 clip every 2 profiles	504153787
	154"	16"	3.00"	Powder Max 3 / FlexEdge	1 clip every 2 profiles	504153349
3.00"	163"	16"	3.00"	Powder Max 3 / FlexEdge	1 clip every 2 profiles	504153224
	174"	16"	3.00"	Powder Max 3 / FlexEdge	1 clip every 2 profiles	504153234
	120"	15"	1.25"	ICE Ripper XT	Full clip	504153100
	120"	15"	1.00"	RipSaw	Full clip	504152760
	120"	15"	1.25"	RipSaw	Full clip	504152606
	129"	15"	1.25"	ICE Ripper XT	Full clip	504153345
	129"	15"	1.25"	RipSaw	Full clip	504153344
	129"	15"	1.25"	RipSaw 2 PLY	Full clip	504153346
	129"	15"	1.50"	RipSaw 2 PLY	Full clip	504153347
	129"	15"	1.50"	ICE Ripper XT	Full clip	504154056
	129"	15"	1.60"	Cobra	Full clip	504153420
	137"	15"	1,.25"	RipSaw (Silent Drive 2 System)	Full clip	504153789
2.86"	137"	15"	1.25"	Ice Ripper XT (Silent Drive 2 System)	Full clip	504154005
	137"	15"	1.25"	Cobra	1 clip every 2 profiles	504152838
	137"	15"	1.25"	ICE Ripper XT	Full clip	504153101
	137"	15"	1.25"	RipSaw	Full clip	504152905
	137"	15"	1.25"	RipSaw 2 PLY	Full clip	504154284
	137"	15"	1.50"	RipSaw	Full clip	504153237
	137"	15"	1.50"	ICE Ripper XT	Full clip	504154057
	137"	15"	1.60"	ICE Cobra 1.6 (REV Gen4 compatible)	Full clip	504153706
	129"	15"	1.60"	ICE Cobra 1.6 (REV Gen4 compatible)	Full clip	504153705
	146"	15"	1.60"	ICE Cobra 1.6 (REV Gen4 compatible)	Full clip	504153717
	146"	15"	1.60"	Cobra	Full clip	504153669









POWDER MAX 3 / FLEXEDGE

POWDER MAX 3

ICE COBRA 1.6

ICE RIPPER XT

PITCH	LENGTH	WIDTH	LUG HEIGHT	PROFILE	CLIP	SKU
	137"	16"	1.25"	Cobra	1 clip every 2 profiles	504152907
	137"	16"	1.75"	Powder Max	1 clip every 2 profiles	504152803
	137"	16"	1.75"	Powder Max / FlexEdge	Full clip	504153294
	137"	16"	2.25"	Powder Max	Full clip	504153103
	137"	16"	2.25"	Powder Max / FlexEdge	Full clip	504153293
	137"	16"	1.25"	RipSaw	1 clip every 2 profiles	504152734
	146"	16"	2.00"	Powder Max / FlexEdge	1 clip every 2 profiles	504153348
	146"	16"	2.00"	Powder Max	1 clip every 2 profiles	504153670
	146"	16"	2.25"	Powder Max / FlexEdge	1 clip every 2 profiles	504153222
	146"	16"	2.50"	Powder Max 2 / FlexEdge	1 clip every 2 profiles	504153198
	154"	16"	1.50"	Charger	1 clip every 2 profiles	504152761
	154"	16"	2.00"	Powder Max	Full clip	504153173
	154"	16"	2.25"	Powder Max	1 clip every 2 profiles	504153015
2.86"	154"	16"	2.25"	Powder Max / FlexEdge	1 clip every 2 profiles	504153223
	154"	16"	2.50"	Powder Max 2	1 clip every 2 profiles	504153009
	154"	16"	2.50"	Powder Max 2 / FlexEdge	1 clip every 2 profiles	504153199
	154"	16"	2.50"	ProLite	1 clip every 2 profiles	504153396
	154"	20"	1.25"	Utility	1 clip every 3 profiles	504152817
	154"	20"	1.50"	Extreme Utility	1 clip every 3 profiles	605613004
	154"	20"	1.50"	Silent Cobra WT	Full clip	504153973
	154"	20"	1.50"	Silent ICE Cobra WT	Full clip	504153974
	154"	20"	1.80"	Cobra WT	Full clip	504154041
	154"	20"	1.25"	ICE Ripper	Full clip	504153036
	154"	20"	1.50"	ICE Ripper	Full clip	504153037
	154"	20"	1.75"	Powder Max	1 clip every 3 profiles	504153133
	163"	16"	2.25"	Powder Max	1 clip every 2 profiles	504153016
	163"	16"	2.50"	Powder Max 2 / FlexEdge	1 clip every 2 profiles	504153200
2.52"	156"	24"	1.25"	ICE Ripper for SWT	Full clip	504153927

146 | PARTS | TRACTION & CONTROL TRACTION & CONTROL | PARTS | 147

TRACTION



COBRA WT	ICE ATTAK XT	RIPSAW II 1.5	BACKCOUNTRY X	CONQUER 280

PITCH	LENGTH	WIDTH	LUG HEIGHT	PROFILE	CLIP	SKU
3.5"	165"	15"	2.8"	Conquer 280	1 clip every 2 profiles	C9340M
3.3	154"	15"	2.8"	Conquer 280	1 clip every 2 profiles	C9341M
3.00"	174"	15"	3.2"	Challenger X3.2	1 clip every 2 profiles	C9311M
	146"	16"	2.25"	Powder Max	1 clip every 2 profiles	C9064M
	137"	16"	1.6"	ICE Cobra 1.6*	Full clip	C9249C
	137"	15"	1.75"	Backcountry X	Full clip	C9289C
2.86"	137"	15"	1.5"	RipSaw II 1.5	Full clip	C9306C
2.00	120"	15"	1.75"	Hurricane 175	Full clip	C9400C
	129"	15"	1.75"	Hurricane 175	Full clip	C9401C
	137"	15"	1.75"	Hurricane 175	Full clip	C9402C
	146"	15"	1.75"	Hurricane 175	Full clip	C9403C
2 52"	121"	15"	1.22"	ICE Attak XT	Full clip	C9200H
2.52"	156"	24"	1.75"	Cobra SWT	Full clip	C9260U



TRACTION ACCESSORIES

PHANTOM SHARP STUDS & SUPPORT PLATES BY WOODY'S 5/16 - 1.325"



- All the benefits of 286 Phantom Series studs.
- Unique track design makes it the only traction product available to maintain track warranty and track
- Kit complete with stud, nut and support plate.
- The only traction product approved by BRP.

MODELS

- REV Gen4, XS, XP, XR 120" tracks 860200729 • Pack of 84 REV Gen4, XS, XP, XR - 129" & 137" **860200730** • Pack of 96
- REV Gen4, XS, XP, XR [5/16 1.325"] 860200731 • Pack of 500

286 PHANTOM SERIES STUDS & SUPPORT PLATES BY WOODY'S



- A complete line of traction products developed specifically for Ski-Doo's REV Gen4, XS, XP, XR tracks.
- Due to the unique track design, this is the only traction product available to maintain track warranty and track REV Gen4, XS, XP, XR • 5/16 - 1.075"
- Kit complete with stud, nut and support plate.
- \bullet The only traction product approved

MODELS

- by BRP.
- REV Gen4, XS, XP, XR 120" tracks 5/16 1.075" 860200718 • Pack of 84 REV Gen4, XS, XP, XR - 129" & 137" tracks • 5/16 - 1.075" **860200719** • Pack of 96 860200720 • Pack of 500
- REV Gen4, XS, XP, XR 120" tracks 5/16 1.325" 860200721 • Pack of 84
- REV Gen4, XS, XP, XR 129" tracks 5/16 1.325" **860201281** • Pack of 90
- REV Gen4, XS, XP, XR 137" tracks 5/16 1.325" 860200722 • Pack of 96 REV Gen4, XS, XP, XR • 5/16 - 1.325" 860200723 • Pack of 500
- REV Gen4 Mach Z (2021) & all 1 1/4" 137" 2 ply tracks 5/16 1.325"

GOLD DIGGER† STUDS AND SUPPORT PLATES BY WOODY'S

- Through-hardened carbon steel with 60° carbide insert
- 1" head with patented track trapping design.
- ullet Due to the unique track design, this is the only traction product available to maintain track warranty and track life.
- · Kit complete with stud, nut and support plate.

415128957 • Pack of 96

• The only traction product approved by BRP

860200381

860200757

860200802

860201280

860201688

860201692

TUNNEL PROTECTOR KIT



- Protects your bulkhead and heat exchangers in all conditions.
- Provides proper protection for stud installation on pre-studded track.
- So unique—patent pending US20160152304.

MODELS

- REV-XP fan-cooled 120" & 137", REV-XU Tundra 137" REV-XU Expedition (2011 & up) and
- Skandic SWT, WT
- REV-XP (except fan-cooled), REV-XR, REV-XS 120", 129" & 137"
- REV Gen4 16", 129" and 137" tracks with Ice Ripper track or Woody's studs, REV Gen4 (Wide) 20" with Ice Ripper and Silent Ice Cobra WT.
- REV Gen4 with 129" Ice Cobra, Ice Attak XT track or Ice Ripper XT (Silent Drive 2 System)
- REV Gen4 with 137" Ice Cobra, Ice Attak XT track or Ice Ripper XT (Silent Drive 2 System)
- REV Gen4 with 146" Ice Cobra, Ice Attak XT track or Ice Ripper XT
- (Silent Drive 2 System) 860201693

415128884





DRILL BIT

To install the studs, always use the installation tools, procedures and torque specified in the instructions. Proper installation provides maximum product longevity and helps prevent track damage. BRP recommends that stude is pleased in the instruction. Fingler instruction in the student of the student and on approved pre-patterned tracks only. These tracks come standard on most 2022 Ski-Doo snowmobiles. Look for this symbol on your track. Woody's products are designed to fit and interact with each other. The student and support plate form a complete unit. The use of aggressive skis, ski carbide runners or studes will alter the handling of your snowmobile, particularly in terms of maneuverability, acceleration and braking. Please refer to your Operators Guide for more details.

PROPULSION | PARTS | 149 148 | PARTS | PROPULSION

PROPULSION



PERFORMANCE DRIVE BELTS

- High performance drive belts calibrated to maximize your sled's performance.
- Aramid tensile cords used in construction for extra long life and dependability, also delivers a consistent length with minimal belt shrinkage and minimal length adjustments.
- · High tensile reinforced fiber elastomer undercords provide minimal dusting and long term flex life.
- Flexweave overcord for superior adhesion and crack resistance.
- · Consistent performance during life of belt.
- Quality you can count on for optimum performance.
- Built with distinctive durability features for mountain, trail or fast tracks.

0.4.11		NATION .	
SKU	DESCR	RIPTION	
REV Gen4, XM, XS, X	P, XU, XR	, REV	
417300571	850 E-TE	C, 900 ACE Turbo R, 900 ACE Turbo – 150	
417300531	800R E-TE	EC (all model years), 800R P-TEK (all model years)	
417300558	900 ACE T	Turbo GT 2019, 900 ACE Turbo – 130	
417300551	600R E-TE	EC, 600 E-TEC, 1200 4-TEC, 900 ACE	
417300586	600 EFI		
417300367	550 Fan (2010-2011)	
415060600	Fan (2009	and prior)	
414860700	550 Fan (2012, 2014)	
417300585	600 ACE,	550 Fan	
RT			
417300189	1000		
ZX			
414860700	500, 600	LC	
417300585	700, 800		
417300067	700 (1999		
415060600	Fan		
417300586	V-1000, 6	00 SDI (2004), V-800	
417300383	800 SDI (2	2004)	
UTILITY (EXCEPT REV	Gen4 (WI	DE) 20" & REV-XU)	
605348425		nodels, 2007 TUV and SWT V-800	
414633800		kandic except Tundra	
417300326	Tundra RF		
415060600	Tundra RF	500	
417300586	Tundra RF	- V-800	
414827600	Old Tundr	a 280 Fan	
S-CHASSIS			
417300067	Semi-cog	ned	·
414860700	Not cogg		
		593 HO including SDI	415129406
PISTON KIT		Ski 552	415129542
1807		Kit includes: piston, rings, piston pin, needle bearing	



· Kit includes: piston, rings, piston pin, needle bearing and circlips.

DRIVE PULLEY CAM FOR QRS ROLLER SECONDARY CAM

REV-XP

417126962 • 38° **417127372** • 42° **417127367** • 44° **417127325 •** 44°-42° **417126975 •** 44°-33° **417127426 •** 46°-42° **417127326 •** 40°

417127529 · 44°-40°

- Specially designed for the QRS driven pulley.
- For optimal smooth performance and durability.

MODELS

MAINTENANCE KIT FOR TRA DRIVE PULLEY



· Includes: 1 spring cover assembly, 3 rollers assembly, 1 bushing (siding flange), 6 slider shoes, 6 O-rings, 1 circlip, 3 cotter pins and 3 lever axles.

REV-XP, XR, XS, XM, XU - 2011 (550F), 2011 to 2018 (600 & 600 E-TEC sea-level) **415129624** REV-XM, XU - 2012 (1200), 2012 to 2018 (600 E-TEC high altitude), 2013 to 2019 Tundra Xtreme

415129625

415129626

REV-XP, XS, XM, XU - 2011 to 2018 (800R P-TEK & 800R E-TEC) REV-XP, XS, XM, XU - 2008 to 2010 [800R P-TEK & 800R E-TEC]

415129627

REV-XP, XS, XM, XU - 2011 and prior (1200), 2011 and prior (600 E-TEC high altitude)

415129708

MAINTENANCE KIT FOR DRIVE PULLEY (Not illustrated)

All 2016 and up eDrive 2 Clutch with heptagonal roller. • Includes: 6 rollers assembly, 12 slider shoes, 3 0-rings. 415130055

FLOATING QRS SHORT SHAFT



Fits 600 CARB, 600 E-TEC, 800 P-TEK and 800 E-TEC engines

860200832




- Conversion kit allows installation of a removable floating secondary pulley.
- Also provides ability to remove driven pulley without removing countershaft.
- Includes gun-drilled lightweight shaft and all necessary parts and hardware for conversion.

EDRIVE 2 CLUTCH

4-TEC 1200 only 2010 and up

415130054



NGK† SPARK PLUGS



- You'll see a difference with genuine NGK spark plugs.
- Solid steel terminal reduces the chance of arcing in the plug cap, which may interfere with the electric component.
- A necessity in today's ignition systems.

	MODELS	
е	BR9-ES	219703120
	600 CARB, 800 P-TEK - BR9-ECS [Gap 0.8 mm]	415128524
	600 H.O. E-TEC - PZFR6F	415129375
	1200 4-TEC - CR8EKB	415129429
	800R E-TEC - PFR7AB	415129484
	600 ACE - MR7B18	415129670
	900 ACE - MR8DI8	415129944
	850 E-TEC, 600R E-TEC - ILKR8Q	415130154
	550F, 600RS - BR9ECS	512059552
	900 ACE Turbo - LMAR9AI-8	715900492
	600 CARB, 800R P-TEK - BR8ECS (Gap 0.8 mm)	512060029
	600 EFI - BPR8ES	415130429

ELECTRICAL

YUASA† BATTERIES

· Maintenance free.

- No need to add water but periodic charging required when not in use.
- Absorbed Glass Mat (AGM) Separators—an advanced battery technology that eliminates the need to ever add water.
- Advanced lead-calcium technology holds its specific gravity more than 3 times longer than conventional lead antimony batteries.

MODELS	
14 Amps Dry (12N14-3A)	42215
20 Amps Dry (Y50N18L-A)	410301201
3 Amps Wet (YTX4L-BS)	410301204
18 Amps Wet (YTX20L-BS)	410301203
18 Amps Wet (YTX20HL-PW)	415129898
21 Amps Wet [YTX24HL-BS]	410922962
30 Amps. Wet (YIX30L)	515176151

BATTERY CHARGER/MAINTAINER



- Fully automatic 3 amp battery charger/maintainer.
- · Keeps stored lead-acid batteries charged.
- Charges and maintains small batteries.
- Microprocessor controlled multi-stage charging for added precision, safety and battery life.
- Auto-voltage detection.
- Automatically detects 6 or 12 volt batteries.
- Float mode monitoring automatically maintains optimum battery charge.
- Reverse hook-up protection helps protect battery and charger from damage.

715005061

- and convenience. · Display/on button.
- Press the display button to show the charge progress.
- Energy efficient/eco-friendly meets the highest industry standards for energy efficiency.

• Hook attachment hangs outside the work area for safety

- Content: 3 amp battery charger, clamp adapter, DC adapter,
- 24" fused ring leads harness with weather cap and user manual.

JUMP STARTER




- IPX3 water-resistant—ABS + PC plastic and enclosed output
- LED battery indicator—4 LED battery indicators for easy read on battery charge level.
- Compact design/travel bag—this durable case is compact and
- Fits conveniently in the travel bag, your backpack or glovebox.
- Quickly starts vehicles in emergencies.
- Great for water and power sports, motorcycles and 4 and 6 cylinder vehicles.

715005062

- 2.4A + 1A/5V USP ports—fast charging.
- Charges all USB devices, including smartphones, mp3 players
- Smart cable—provides protection against reverse polarity, short circuit, low voltage, high temperature and reverse
- Built-in LED light (3 modes).
- Content: 300CA jump starter, SA858 smart cable clamp, MC-USB to USB charging cable, travel bag and user manual.


YUASA† SMART SHOT AUTOMATIC BATTERY CHARGER





• The Yuasa Smart Shot Automatic Battery Charger is available in 1 amp charge capacity and ensures that optimum power is available from your battery when you need it.

• Charger is supplied with a fused-ring connector, in addition to the alligator clips that can be attached permanently to your battery, making charging and maintaining your battery a snap.



153 OILS & MAINTENANCE PRODUCTS

156 CARE PRODUCTS

// MAINTENANCE

MAINTENANCE

OILS & MAINTENANCE PRODUCTS

ENGINE OILS

XPS 2T E-TEC SYNTHETIC OIL

779126 • 1 qt / 946 ml **779127** • 1 US gal / 3.785 L **779128** • 2.5 US gal / 9.46 L

engine wear in E-TEC engines.

779128 • 2.5 US gal / 9.46 L 779130 • 55 US gal / 205 L

• Specifically engineered to meet the unique needs of Rotax engines, it provides maximum protection against en

779129 • 5 US gal / 18.92 L

779180 • 1 qt / 946 ml

779447 • 1 qt / 946 ml **779448 •** 1 US gal / 3.785 L

779119 • 1 qt / 946 ml

779145 • 1 qt / 946 ml

779146 • 1 US gal / 3.785 L

779120 • 1 US gal / 3.785 L

779121 • 2.5 US gal / 9.46 L

 Uses a highly effective package to keep engine parts lubricated, clean and free of wear. This low smoke, low odor formula also allows for maximum engine performance.

779131 • 265 US gal / 1,003 L

779132 · 330 US gal / 1,249 L

• Can be used in direct, semi-direct fuel injection system and high performance carburated 2-stroke engines.

OILS & MAINTENANCE PRODUCTS | MAINTENANCE PRODUCTS | 153

XPS 2T RACING SYNTHETIC OIL



- Specially designed for high performance or racing
- Top-performing synthetic oil is formulated with a highly evolved additive package that includes performance enhancing esters.
- Withstands extreme operating temperatures, high RPM and heavy loads to deliver competition-level engine protection.

779181 • 1 US gal / 3.785 L

• Use in high performance 2-stroke snowmobiles and off-road motorcycle engines.

XPS 2T SNOWMOBILE SYNTHETIC BLEND OIL



- Designed for all oil injection or pre-mix 2-stroke snowmobiles with electronic fuel injection or carbureted engines.
- Recommended engine oil for Rotax 600 EFI engine.
- Facilitates cold starting with low smoke emissions.
- Ensures maximum protection against wear by keeping the engine parts lubricated and clean.

779449 • 2.5 US gal / 9.46 L

XPS 2T SNOWMOBILE PREMIUM MINERAL OIL



- Powersport formula with premium anti-wear and anti-corrosion additives.
- The carefully balanced additives optimize detergency and lubrication through a broad range of operating temperatures.
- **779122 ·** 5 US gal / 18.92 L **779123 ·** 55 US gal / 205 L
- Additional corrosion protection for wet environments and during storage.
- Safe for winter/snowmobile use.

XPS 4T 0W-20 EXTREME COLD SYNTHETIC OIL



- EXTREME COLD engine oil is state-of-the-art, developed for easier cold starts in the most frigid, harshest winter climates.
- The custom formula promotes fast oil flow from the sump to critical engine components to ease starting.
- Protects 4-stroke snowmobiles, ATVs and power equipment from cold start engine wear.

779147 • 5 US gal / 18.92 L

779148 • 55 US gal / 205 L

XPS 4T OW-40 SYNTHETIC OIL

779139 • 1 qt / 946 ml **779140** • 1 US gal / 3.785 L 779141 • 5 US gal / 18.92 L 779142 • 55 US gal / 205 L

779253 • 600 ACE

779254 · 900 ACE

779143 • 265 US gal / 1,003 L **779144 •** 330 US gal / 1,249 L

779255 • 1200 4-TEC

1906 p

- Powersport formula with premium anti-wear and anti-corrosion additives.
 The best choice for high-performance snowmabil
- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- against heat, rust and corrosion.

 Delivers optimal performance in high and low

· Provides superior engine and transmission protection

temperature.

${\tt XPS~4T~0W-40~SYNTHETIC~OIL~CHANGE~KIT}$



- Ultra-convenient "all-in-one" oil change kit saves time and money
- Includes XPS Synthetic Oil, oil filter, O-rings and washer.

MAINTENANCE PRODUCTS

OIL FILTER

420956124



• 900 ACE, 900 ACE Turbo, 600 ACE and 1203 engines.

UNIVERSAL PRE-MIXED COOLANT

779149 • 1 qt / 946 ml



- · Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in powersport cooling systems.
- For vehicles that normally use a 2-year antifreeze/coolant

EXTENDED LIFE PRE-MIXED COOLANT

• Antifreeze/coolant contains the correct dilution and the

necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.

- Long-life, 5-year formula specially formulated for BRP
- 779150 1 qt / 946 ml
- Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

· Superior heat transfer.

DOT 4 BRAKE FLUID

779151 • 12 fl. oz. / 355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid
- · High-temperature formula resists fade, and also conditions seals and 0-rings in braking system.

RACING BRAKE FLUID RS600



- Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat
- Will not harm seals or braking system components.

779152 • 12 fl. oz. / 355 ml

- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

HIGH PERFORMANCE SUSPENSION FLUID (FOR FOX† SHOCKS)

779153 · 1 qt / 946 ml



- A synthetic, fade-free formula for servicing FOX® shocks.
- Specially formulated for high-demand or racing application
- · Ultra high VI shock oil.
- Engineered viscosity for optimized performance with FOX® shocks valving.

WINTER HIGH PERFORMANCE SUSPENSION FLUID (FOR KYB† SHOCKS)



779155 • 8.45 fl. oz. / 250 ml



- · A synthetic, fade-free formula for servicing Kayaba
- Ultra high VI shock oil.
- Engineered viscosity for optimized performance in cold weather conditions.

PREMIUM MINERAL CHAINCASE OIL




- Made with high-quality mineral oil stock and contains additives to help lubricate and protect chaincases from wear and corrosion.
- Offers excellent lubrication and complete protection for all Ski-Doo snowmobiles with a conventional chaincase.

SYNTHETIC CHAINCASE OIL



- Specially developed for high-performance Ski-Doo models, Made with additives that protect internal components it represents the best in state-of-the-art chaincase lubrication
- This multigrade full-synthetic formula flows well at cold temperatures and won't break down at high temperatures.
- 779156 12 fl. oz. / 355 ml
- from wear and corrosion, and also conditions seals. • Not for use in 2-speed snowmobile transmissions on

SYNTHETIC GREASE SUSPENSION



Expedition, Skandic utility models.



SYNCHROMESH TRANSMISSION SYNTHETIC OIL

- Designed to work specifically with the components found in Can-Am and Ski-Doo vehicles suspensions.
- It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.
- 779170 24 fl. oz. / 710 ml

Recommended for use in all Ski-Doo and Lynx



conventional API GL-5 gear oils.

 Uses a unique combination of synthetic base stocks and additives that allow higher loads, superior shear stability and reduced oxidation compared to other synthetics and

- Its tremendous thermal stability and constant viscosity give exceptional wear protection and superior performance for excellent low-temperature characteristics and improved gear protection at higher temperatures.
- synchromesh transmissions requiring 75W-140 API GL-5
- · Offers added assurance during extended drain intervals. • Exceeds API GL-5 specifications.

779166 • US only • 12 oz./ 340 g **779167** • Canada only • 12 oz./ 340 g

ANTI-CORROSIVE LUBRICANT



- Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is

CARBON-FREE FUEL TREATMENT



- Combination of a fuel treatment and a fuel system cleaner Uses patented, state-of-the-art additives. that can be used periodically to restore lost starting or throttle performance, as well as maintain fuel system integrity and keep internal engine parts clean.
- It treats fuel for storage and addresses the moisture problems inherent in today's ethanol-blended fuels, keeping ferrous and soft metal parts clean and free of
- 779169 12 fl. oz. / 355 ml
- · Cleans valves, sticky rings and combustion chamber.

FUEL STABILIZER



- Ethanol-compatible and will stabilize fuel in your tank to Prevents problems associated with E10 fuels. keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- Ethanol attracts moisture, and this product contains powerful anti-corrosion additives to protect fuel system components.
- 779171 8 fl. oz. / 236 ml

779172 • 12 fl. oz. / 355 ml

FUEL TREATMENT CARBURETOR CLEANER



- Complete fuel treatment specially formulated to prevent small engine problems caused by ethanol-blended fuels.
- It removes fuel system gum and varnish that may have accumulated during storage, stabilizes fuel against breakdown for 12 months or more, and adds corrosion protection from moisture for short- and long-term storage.
- It also helps restore throttle response and easy starting.
- It can be used periodically to maintain fuel system integrity, keep carburetor jets clean, and also combat moisture problems caused by ethanol-blended fuels to keep ferrous and soft metal parts clean and free of

STORAGE OIL



- High-performance fogging oil designed to protect internal Protects engines during non-use or storage. engine parts from rust and corrosion.
- It coats engine internals throughout the whole storage period and is burned away through combustion when engine is started.
- **779173** 12 oz./ 350 g
- Burns complete upon start up.

ALL-PURPOSE CLEANER AND DEGREASER

779328 • 22 fl. oz. / 650 ml

779329 • 2 qt / 1.89 L



- Ready-to-use formula.
- Cleans toughest dirt and grime. • Phosphate-free eco-friendly formula.
- Low foam easy-rinse formula.

MATTE FINISH WATERLESS CLEANER

779330 • 22 fl. oz. / 650 ml



- Easy waterless use.
- Perfect for matte, flat and denim surfaces.
- · Contains no wax or silicone.
- · Leaves no unwanted streaks or marks.

MULTI-SURFACE & GLASS CLEANER

779331 • 22 fl. oz. / 650 ml



- Easy waterless spray and wipe use.
- Polymer formula cleans and protects.
- Contains no wax or silicone.
- · Leaves no unwanted streaks or marks.

BLACK PLASTIC & RUBBER RESTORER

779335 • 7.6 fl. oz. / 225 ml



- Restores plastic, rubber and vinyl.
- · Long-lasting formula.
- Protects against UV rays.

QUICK DETAILER GLOSS ENHANCING

779332 • 4 fl. oz. / 118 ml





- Leaves a high-gloss finish at every wipe.
- Nanotechnology polymer formula.
- No water needed.

779337 • 16 fl. oz. / 473 ml **779338** • 2 qt / 1.**89** L

OFF-ROAD FOAMING WASH


- Concentrated formula for off-road vehicles, it produces a thick foam to lift dirt and prevent scratching.
- The pH neutral formula is safe for wax and paint sealants.
- Works in pressure washers or by hand.


779340 • 33 fl. oz. / 946 ml 779341 • 2 qt / 1.89 L

MUD & DUST OFF-ROAD WASH



- Specially formulated for off-road vehicles, it breaks the bond holding grime and dirt to your vehicle's finish.
- The formula is biodegradable, eco-friendly with no phosphates or corrosive chemicals and is low foam for
- Effective on oil, grease and other stubborn grime.





// APPAREL

159 TECHNOLOGY GUIDE164 HELMETS

167 GOGGLES

168 RIDING GEAR

174 MITTS & GLOVES176 BOOTS & SOCKS

177 HEADWEAR & BALACLAVAS

179 BASE LAYERS

181 MID LAYERS

182 MEN'S SPORTSWEAR

185 LADIES' SPORTSWEAR

187 KIDS' & TEEN WEAR

190 TEKVEST

190 BAGS

191 PLAY & LICENSING PRODUCTS

192 SIZING CHART

TECHNOLOGY GUIDE

// SPECIAL EDITION OXYGEN HELMET

> See complete details on page 164.



HEATED CHAMBER TO KEEP THE SUN VISOR FOG FREE

UNOBSTRUCTED PANORAMIC FIELD OF VISION FOR INCREDIBLE MASK-LESS RIDING EXPERIENCE

AMBER SUN VISOR

NCS SYSTEM: REDUCES OUTSIDE NOISE

HEATED VISOR WITH REMOTE CONTROL OPERATION AND HEAT LEVEL INDICATOR LIGHTS

NEW

ADDED PREMIUM COMFORT EXCLUSIVE MATERIAL LINING

NEW

CHIN CURTAIN WITH VENTILATION FOR VERSATILE PROTECTION

BATTERY-LESS REAR LED LIGHT

E LinQ REAR MAGNET CONNECTOR

NEW

REMOVABLE BACK CURTAIN FOR REDUCED AIR INTRUSION

LIGHTWEIGHT M-FORGE® COMPOSITE SHELL BETTER IMPACT PROTECTION IN COLD CONDITIONS THAN CARBON FIBER

1,800 g \pm 50 g for smaller shell (XS-L) 1,900 g \pm 50 g for larger shell (XL-3XL)

160 | APPAREL | TECHNOLOGY GUIDE TECHNOLOGY GUIDE | APPAREL | 161

// THE ABSOLUTE O JACKET TECHNOLOGIES

DESIGNED FOR THE HARSHEST COLDEST RIDING CONDITIONS

- The new and improved Absolute O jacket is the warmest jacket in our lineup, meant for the harshest of conditions.
- This weatherproof jacket, will ensure absolute comfort and warmth no matter the weather at hand.
- > See complete details on pages 174.



REMOVABLE AND ADJUSTABLE COLLAR

To seal air entry.

PRIMALOFT®

The highest performance insulation, ultimate warmth to weight.

SYMPATEX® MEMBRANE

100% waterproof windproof, and highly breathable.

RADIANT CORE

Thermal reflective technology, for added heat conversion.

> 100% SEAMS AND LOGOS SEALED

WATER-RESISTANT YKK ZIPPERS AT POCKETS

CENTER FRONT QUADRUPLE INSULATED FLAPS

For heat retention and wind protection

E Lino CONNECTOR SYSTEM

To connect to your heated visor shield and tucks in nicely when disconnected.

AVAILABLE COLORS



Black with graphics









// THE HELIUM JACKET TECHNOLOGIES

DESIGNED TO ADAPT TO NATURE'S TOUGHEST CHALLENGES SO YOU CAN HAVE THE MOST COMFORTABLE RIDE

The Helium jacket is specially designed for our rider's toughest challenges. The helium jacket and layering system is conceptualized to adapt to the rider and weathers toughest challenges.

> See complete details on pages 169-170.

ADJUSTABLE NON REMOVABLE HOOD

SYMPATEX® MEMBRANE

Two layer membrane; for ultimate comfort, performance and better mobility. 100% waterproof windproof, and highly breathable.

OFFSET FRONT ZIPPER

For optimal comfort at chin.

TWO SIDE POCKETS PLACED HIGH

For avalanche backpack strap.

100% SEAMS AND LOGOS SEALED

LIGHTWEIGHT,

while still providing protection to the elements.

WATER-RESISTANT YKK ZIPPERS

AVAILABLE COLORS



Army Green



Blue Teal



Orange









162 | APPAREL | TECHNOLOGY GUIDE TECHNOLOGY GUIDE | APPAREL | 163



SYMPATEX® MEMBRANE

Discover the performance of Sympatex membrane.

LIFETIME WARRANTY

PTFE-FREE AND PFC-FREE **MEMBRANES** AND LAMINATES

100% WINDPROOF AND WATERPROOF PROTECTION


100% RECYCLABLE MEMBRANE & RECYCLABLE AND RECYCLED LAMINATES

DYNAMIC BREATHABILITY


In addition to being windproof and having superior waterproof performance, Sympatex adjusts to your body's temperature by letting more moisture pass through as needed—dynamic breathability—something a porous PTFE membrane cannot do. Sympatex also doesn't clog, or stretch out like PTFE. It's time to move it up a level with Sympatex.

COMPACT SYMPATEX MEMBRANE

FUNCTION DURING INCREASING PHYSICAL ACTIVITY / SWEATING



MICROPOROUS MEMBRANE (PTFE) PHYSICAL PRINCIPAL



Pore Including PTFE



M-FORGE® COMPOSITE TECHNOLOGY



LEARN MORE AT WWW.M-FORGE.COM

#MForgeCompositeRevolution

164 | APPAREL | HELMETS **HELMETS | APPAREL | 165**

HELMETS

OXYGEN HELMETS

NEW OXYGEN SE HELMET



929027 • XS, S, M, L, XL, 2XL, 3XL

Army Green [77], Lava Red [17]



- Lightweight M-FORGE® Composite for better impact resistance in extreme conditions – 20% lighter than the BV2S helmet and 16% lighter than the Modular
- Sun visor heated chamber.
- Amplified heated visor with pivot contact system.
- Offered with retractable amber sun visor for best vision in snow conditions.
- Prescription eyeglasses friendly.
- · Adjustable humidity extractor vents.
- Unobstructed panoramic field of vision for an incredible New chin curtain with ventilation for versatile protection. mask-less riding experience.
- Durable anti-fog and anti-scratch coatings.
- NCS System: Reduces noise up to 2 times more than the 1850 g ± for large shell. BV2S helmet and up to 3 times more than the Modular

- · Robust detents allow precise opening adjustments for airflow.
- Optional front LED utility light.
- Lightweight battery-less rear LED light for added rider safety.
- E LinQ rear magnet connector.
- Unique remote control with visor heat indicators.
- Ready to receive communication system.
- Operate all features with gloved hands.
- 2 shell sizes for better fit and comfort.
- Ratcheting quick-release chin strap.
- Recyclable helmet shell for minimal environmental impact.
- · Aerodynamic shape to reduce neck fatigue.

- New removable back curtain for reduced air intrusion.
- · Added premium comfort exclusive material lining.
- D.O.T. approved.


OXYGEN HELMET

LED UTILITY LIGHT



929019 •XS, S, M, L, XL, 2XL, 3XL

White (01), Black (90), Matte Black (93)



- Lightweight M-FORGE® Composite shell for better impact resistance in extreme conditions - 20% lighter
- Sun visor heated chamber.
- Amplified heated visor with pivot contact system.
- Offered with retractable amber sun visor for best vision in snow conditions
- · Prescription eyeglasses friendly.
- · Adjustable humidity extractor vents.
- $\bullet \ \, \text{Unobstructed panoramic field of vision for an incredible} \quad \bullet \ \, \text{Recyclable helmet shell for minimal environmental impact}.$
- mask-less riding experience.
- Durable anti-fog and anti-scratch coatings.

- NCS System: Reduces noise up to 2 times more than the BV2S helmet and up to 3 times more than the Modular helmet.
- Robust detents allow precise opening adjustments for airflow.
- Optional front LED utility light.
- than the BV2S helmet and 16% lighter than the Modular Lightweight battery-less rear LED light for added rider safety.
 - E LinQ rear magnet connector.
 - Unique remote control with visor heat indicators.
 - · Ready to receive communication system.
 - Operate all features with gloved hands.
 - 2 shell sizes for better fit and comfort.

 - Ratcheting quick-release chin strap.

 - Aerodynamic shape to reduce neck fatigue.
 - 1850 g ± for large shell.
 - D.O.T. approved.


(Not illustrated)	929006 • One size	Black (90)
• Optional part.		
OXYGEN NCS REMOVAL PADS		
(Not illustrated)	929023 • One size	Black (90)
OXYGEN helmet noise cancelling	ng system (NCS) replacement pads.	
OXYGEN HEAD LINER (MY21+) (Not illustrated)	929024 • XS	Black (90)
OXYGEN CHEEK PADS SET (MY21+)		
(Not illustrated)	929025 · XS	Black (90)
OXYGEN CHEEK PADS EPS		
(Not illustrated)	929026 • S (Fits XS/S)	Black (90)
NEW HELMET SERVICE PAD	448695 • One size	Black (90)



• 100% Plastic.

NEW OXYGEN SE HEADLINER





NEW OXYGEN SE CHIN CURTAIN

929029 • L (Fits XS/S/M/L), 2XL (Fits XL/2XL/3XL)

Black (90)



• 75% Foam, 25% Plastic.

• Replacement chin curtain for OXYGEN SE helmet.

NEW OXYGEN SE CHEEK PADS SET

929031 • XS, S, M, L, XL, 2XL, 3XL

Charcoal Grey (07)

• 50% Foam, 40% Fabric, 10% Plastic.

• Replacement Cheek Pad set for OXYGEN SE helmet.

NEW OXYGEN SE CUSTOMIZATION KIT

DEALERS ONLY (Not illustrated)

929033 • One size

929034 · One size

Charcoal Grey (07)

• 50% Foam, 40% Fabric, 10% Plastic.

• Dealer Customization kit for OXYGEN SE helmet

• Kit includes: 4 set of NCS removal pads, 3 sets of cheek pads, 2 x XS (44mm), 2 x L (38mm) 2 x 3XL (32mm).

NEW OXYGEN INTERNAL CHIN COVER



• 99% Plastic, 1% Metal • Replacement Chin curtain for OXYGEN helmet

NEW OXYGEN DEALER CUSTOMIZATION KIT

DEALERS ONLY (Not illustrated)

929030 • One size

DOT 448628 • S, M, L, XL, 2XL, 3XL

DOT 447963 · S, M, L, XL, 2XL, 3XL

DOT 447964 • S, M, L, XL, 2XL, 3XL

Clear (00)

Black (90)

• 50% Foam, 40% Fabric, 10% Plastic.

• Dealer Customization kit for OXYGEN helmet.

• Kit includes: 4 set of NCS removal pads, 3 sets of cheek pads, 2 x XS (44mm), 2 x L (38mm) 2 x 3XL (32mm).

MODULAR 3 HELMETS

MODULAR 3 SKI-DOO HELMET



- 4-year limited warranty.
- Built-in Clear Vision Technology with optically-correct
- · Ready to receive communication system.
- · Adjustable sunshield lowers or raises at the touch of a button.
- Front push-button release integrated into jaw section.
 - Breath Evac fog-resistant mask system.
 - Quick-release chin strap.
 - Spacious design allows room for eyeglasses.

Black with graphics (94)

• D.O.T. approved.

MODULAR 3 HELMET



- · 4-year limited warranty.
- Built-in Clear Vision Technology with optically-correct dual lens visor.
- Ready to receive communication system.
- Adjustable sunshield lowers or raises at the touch of a hutton
- Breath Evac fog-resistant mask system.

White (01), Black (90)

· Quick-release chin strap.

Black (**90**)

- · Spacious design allows room for eyeglasses.
- D.O.T. approved.

MODULAR 3 ELECTRIC SE HELMET



4-year limited warranty.

- Built-in Clear Vision Technology with optically-correct dual lens visor
- Ready to receive communication system.
- · Adjustable sunshield lowers or raises at the touch of a button.
- Front push-button release integrated into jaw section.

· Front push-button release integrated into jaw section.

- Breath Evac fog-resistant mask system. • Quick-release chin strap.
- · Spacious design allows room for eyeglasses.
- D.O.T. approved.

166 | APPAREL | HELMETS GOGGLES | APPAREL | 167

BV2S HELMET

BV2S HELMET

447404 • S, M, L, XL, 2XL, 3XL





- 4-year limited warranty
- Dual lens visor featuring Clear Vision Technology with 180° peripheral vision.
- · Lever-activated sunshield.
- BV2S fog-resistant mask system with soft surgical rubber seal and easy adjust knob.
- Front push-button release for jaw piece.
- Removable and washable inner liner.
- Integrated backlight (batteries included).
- Quick-release chin strap.
- Shell: Polycarbonate Composite.
- D.O.T. approved

EX-2 MOTION, XC-4, XP-X AND CROSS HELMETS

SKI-DOO EX-2 MOTION ELECTRIC HELMET

DOT

448629 • XS, S, M, L, XL, 2XL

Red [30]



- 4-year limited warranty.
- · Removable aerodynamic peak.
- · Lockable, multi-position and fog-free heated shield.
- Interchangeable retractable sun visor.
- · Ultra-comfortable and washable lining.
- · Advanced plastic composite shell.
- Oversized chin deflector for cold weather protection.
- Adjustable air vents and exhausts.
- D.O.T. approved.

NEW SKI-DOO XC-4 ELEVATION HELMET RPM PEAK

100% Plastic

448691 • One size

448692 • One size

Charcoal Grey (07), Hi-Vis Yellow (26), Light Blue (81),

Army Green (77), Charcoal Grey (07), Lava Red (17)



· Replacement Visor for XC-4 helmet (2022).

VEW XP-X HELMET RPM PEAK



· Replacement Peak for XP-X Helmet.







448767 • XS, S, M, L, XL, 2XL

Army Green (77), Charcoal Grey (07), Lava Red (17)



4-year limited warranty

- M-Forge Composite.
- AEGIS[†] antimicrobial treatment prevents odor and bacteria.
- Aerodynamic visor.
- Removable and washable premium high comfort liner.
- 8 vents provide improved airflow.

- Micrometric chin strap attachment Easy one-hand opening, even with gloves (not approved for racing applications).
- D.O.T. and E.C.E. certified.
- 1210 g \pm 50 g for small shell (Sizes: XS, S & M).
- 1265 g \pm 50 g for large shell (Sizes: L, XL & 2XL).

NEW SKI-DOO XC-4 ELEVATION HELMET

448632 • XS, S, M, L, XL, 2XL

Hi-Vis Yellow (26), Light Blue (81)



• 80% Polycarbonate, 20% ABS.

- 4-year limited warranty.
- Weight: ±1420 g for size Large.
- Shell construction is super light polycarbonate with impact absorbing liner.
- Fully adjustable visor system.

- Front and rear hi-max air vent system to maximize cooling effect.
- Removable, washable and replaceable moisture-wicking liner.

Charcoal Grey (07)

- Winter breath deflector.
- D.O.T. and E.C.E. certified.

NEW MAGNETIC FACE SHIELD

447819 • One size



- 95% Nylon, 5% TPU.
- Works with XP-X or XC4.

// PLEASE REFER TO THE SKI-DOO 2022 YELLOW BOOK FOR THE COMPLETE LIST OF HELMET REPLACEMENT PARTS.

- · Might weight double-D chin strap.
- - Black (90), Hi-Vis Yellow (26)

GOGGLES

TRENCH GOGGLES

NEW SKI-DOO TRENCH GOGGLES

• The Ski-Doo Trench goggle features a distortion free

448689 • One size

448697 • One size

448702 · One size

448708 • One size

448699 • One size

448703 • One size

448672 • One size

448688 • One size

- double lens that's anti-scratch and anti-fog. • 60% Plastic, 25% Fabric, 15% Foam .
- Thermo-formed 3 layer face foam for great comfort and fit.
- No-slip silicone strap keeps goggles in place.
- Injection-molded cylindrical lens provides distortion free vision and enhanced impact resistance.
- Black (90), Charcoal Grey (07), Coral (13), Red (30)
- Vibrant lens tint with light silver mirror that increases visual acuity in extremely flat and low light conditions.
- Removable nose guard for protection against cold and debris.

Clear (00)

Pink (36)

Black (90)

NEW TRENCH GOGGLES RPM SINGLE LENS (UV)

(Not illustrated)

• Clear single pane replacement lens for Ski-Doo Trench Goggles.

NEW TRENCH GOGGLES RPM DUAL LENS (UV)

(Not illustrated)

• 100% Plastic. • Pink tinted dual pane replacement lens for Ski-Doo Trench Goggles.

NEW TRENCH GOGGLES RPM NOSE GUARD



- Replacement Nose Guard for Ski-Doo Trench Goggles.

EDGE GOGGLES

NEW SKI-DOO EDGE GOGGLES

• 60% Plastic, 25% Fabric, 15% Foam. • The Ski-Doo Edge goggle features Injection-molded PC

- cylindrical lens. Anti-scratch, anti-fog performance while provides
- distortion free vision and enhanced impact resistance. • Thermo-formed 3 layers face foam offers best fitting.
- No-slip silicone strap keeps goggles in place.
- Removable nose guard for extra deflection against roost and debris.
- Bonus lens included: A vibrant lens tint with light silver mirror that increase visual acuity in extremely flat and low light conditions. • Hi-Vis Yellow and Charcoal Grey: Grey based lens tint with

Charcoal Grey (07), Hi-Vis Yellow (26), Lava Red (17)

- mirror coating designed to reduce overall brightness while preserving 100 percent normal colour recognition. • Lava Red: Amber based lens tint with mirror coating
- designed to filters out blue light for enhanced shadow contrast in moderately flat light conditions.

Black (90)

NEW SKI-DOO EDGE GOGGLES RPM NOSE GUARD

• Replacement Nose Guard for Ski-Doo 2022 Edge Goggles.

NEW SKI-DOO EDGE GOGGLES CHROMED RPM LENS (UV)

NEW SKI-DOO EDGE GOGGLES RPM LENS (UV)

Blue (80), Chrome (99), Gold (11), Hi-Vis Yellow (26), Lava Red (17), Red (30)

- · 100% Plastic.
- Replacement lens for Ski-Doo Edge Goggles.
- · Chrome finish.

• Dual pane anti-fog lens also treated to repel water. • Storage pouch that doubles as a cleaning cloth.

• 90% Plastic, 5% Super Tacky Foam, 5% Magnet • Replacement lens for Ski-Doo Edge Goggles.

Pink (36)

· Tinted finish.

• Dual pane anti-fog lens also treated to repel water. · Storage pouch that doubles as a cleaning cloth.


(Not illustrated)

(Not illustrated)


168 | APPAREL | RIDING GEAR RIDING GEAR | APPAREL | 169


CROSSOVER

RIDING GEAR



DEEP SNOW NEW HELIUM JACKET 440892 • XS, S, M, L, XL, 2XL, 3XL Coral (13) • Outershell: 100% Sympatex 2-Ply • Powder skirt. WARMTH laminated Polyester. •0000 'Adjustable hood. • Lifetime warranty with the • Offset front zipper for optimal WATERPROOFNESS/WINDPROOFNESS Sympatex membrane. comfort at chin. •••• • 100% sealed seams • Backpack friendly underarm BREATHABII ITY and logos. venting. • 100% windproof, waterproof and • Reflective details for optimized highly breathable Sympatex • Two side pockets placed high for • Water-resistant YKK zippers. avalanche backpack strap. • Inner wrist gaiters with thumb NEW HELIUM HIGHPANTS 441668 · XS, S, M, L, XL, 2XL SympaTex® Black (90) • Outershell 100% Sympatex 2-Ply · Mesh at back bib panel. WARMTH laminated Polyester. •0000 · Fleece at seat. • Reinforcement 100% Nylon WATERPROOFNESS/WINDPROOFNESS Shaned, reinforced and padded knees and shins. •••• Lifetime warranty with the • Extra long removable knee pads. BREATHABILITY Sympatex membrane Storm gaiters with boot to lace \bullet 100% seams and logos sealed. snap connector. • 100% windproof, waterproof and • Reinforcement at inner legs for highly breathable Sympatex abrasion resistance. membrane. · 2-way full-length water-· Stretch fabric at waist. resistant side zippers. • 2 thigh pockets. · Reflective details. · Drop seat design.





suspenders.

170 | APPAREL | RIDING GEAR RIDING GEAR RIDING GEAR | APPAREL | 171

NEW MCODE JACKET WITH INSULATION 440915 • XS, S, M, L, XL, 2XL Army Green (77), Blue Teal (19) • 2-way zipper to improve comfort WARMTH 3-in-1 construction that combines a shell and a zipped-in in sitting position. puffy jacket. • E LinQ connect: Inner wiring and WATERPROOFNESS/WINDPROOFNESS · Removable puffy jacket: 200g D-ring attach for helmet cable. Thermal Loft insulation. • Zipper puller on Blue Teal BREATHABILITY 100% waterproof, breathable version: Coral. •••• and windproof. • Zipper puller on Army Green • 100% seams and logos sealed. version: Dark plum. • 360° reflective details for maximum visibility. NEW REVY INSULATED ONE PIECE SUIT 440912 • XS, S, M, L, XL Light Blue (81) · Outershell: 90% Nylon, • Removable and adjustable 10% Polvester. suspenders. •••0 • 100% waterproof, breathable • Polar fleece at back seat. WATERPROOFNESS/WINDPROOFNESS and windproof. • 1 deep chest pocket, 1 cargo 100g of Thermal Loft insulation size pocket at thigh and 2 hand BREATHABILITY all over. · Expandable collar. · Inner wrist gaiters with thumb • 100% seams and logos sealed. · Adjustable waistband. 360° reflective details for • Leg storm gaiter. maximum visibility. • Reinforced fabric at knees and Underarm venting inner legs. • Drop seat design. TRAIL PERFORMANCE Black (90), Heather Grey (27), Hi-Vis Yellow (26), Red (30) 440894 · XS, S, M, MT, L, LT, XL, Black (90), Heather Grey (27), 440900 • 2XLT, 3XL, 3XLT, **NEW X-TEAM JACKET** • Outershell: 100% coated Nylon. Additional removable collar to seal air entry. • 100% waterproof, breathable · Customizable zipper puller: and windproof. WATERPROOFNESS/WINDPROOFNESS choices of two options by jacket Insulation: 200g PrimaLoft Black. • Radiant Core technology to keep • Powder skirt. RREATHARII ITV · Shaped sleeves. • 100% seams and logos sealed. · Reflective details on sleeves, at back and Ski-Doo logos for Double center front flap maximum visibility. insulated for heat retention and wind protection. · Inner wrist gaiter with thumb Polar fleece at front body and top arms for additionnal warmth • Water-resistant YKK zippers. • E LinQ connect: Inner wiring and D-ring attach for helmet cable. 441660 • XS, SS, S, MS, M, LS, L, Black (90) Heather Grey (27) **441661 •** MT, LT, XLT, 2XLT, 3XL, 3XLT, 4XL, 4XLT, 5XL NEW X-TEAM HIGHPANTS Black (90) • Outershell: 100% Nylon. • Full-length side zippers. • Insulation: 200g PrimaLoft Black. · Reinforced seat, knees and inner • Highly windproof, waterproof and legs. WATERPROOFNESS/WINDPROOFNESS breathable. · Water-resistant YKK zippers at • 100% seams and logos sealed. BREATHABILITY · Storm gaiters. • Articulated, padded and shaped · Polar fleece-lined seat for knees

added warmth.

440880 • One size

fleece lining.

snocross helmet.

Hood fits over a Ski-Doo

· Large handwarmer pockets with

Black (90)

•••0

BREATHABILITY

● ● ● ● ○

WATERPROOFNESS/WINDPROOFNESS

· Adjustable waist.

17% Polyester.

• Outershell: 83% Nylon,

• Insulated pre-race overcoat.


• Insulation: 200g Thermal Loft.

• 100% windproof and waterproof.

WARM-UP COAT

TRAIL PERFORMANCE **NEW SKI-DOO RACING JACKET 440898** • XS, S, M, L, XL, 2XL, 3XL Orange (12) • Outershell: 95% Polyester, • Two front and one rear zippered WARMTH 5% TPII •0000 · Softshell-like fabric with Room at upper back for WATERPROOFNESS/WINDPROOFNESS windproof water repellent and identification ••000 breathability properties. · Longer back hem. **BREATHABILITY** · 2 large pockets at front. · Adjustable hem and sleeve hem. ••000 • Watertight YKK zippers throughout. **NEW SKI-DOO RACING PANTS** 441655 • XS, S, M, L, XL, 2XL, 3XL Autumn Red (14) • Outershell: 82% coated • Higher back and lower front WARMTH Polyester, 16% Nylon, 2% Kevlar. shape for optimal comfort. •0000 · Water-repellent, windproof, · Pre-shaped knees. WATERPROOFNESS/WINDPROOFNESS flexible and optimally breathable • Extra grip stripes added to ••000 seating area. BREATHABILITY • Reinforcement fabric at inseam • Key loop at crotch and at waist. ••000 and high wear areas. Black (90), Coral (13), **NEW X-TEAM JACKET** 440895 • XS, S, M, L, XL, 2XL, 3XL Heather Grey (27), Light Blue (81) • Outershell: 100% coated Nylon. · Additional removable collar to seal air entry. • 100% waterproof, breathable and windproof. Customizable zipper puller: WATERPROOFNESS/WINDPROOFNESS choices of two options by jacket. · Insulation: 200g PrimaLoft Black. · Powder skirt. • Radiant Core technology to keep BREATHABILITY · Shaped sleeves. you warm. · Reflective details on sleeves, at • 100% seams and logos sealed. back and Ski-Doo logos for • Double center front flap maximum visibility. insulated for heat retention and wind protection Inner wrist gaiter with thumb Polar fleece at front body and top arms for additionnal warmth Water-resistant YKK zippers. • E LinQ connect: Inner wiring and D-ring attach for helmet cable. 441659 · XS, SS, S, MS, M, LS, L, **NEW X-TEAM HIGHPANTS** XLS, XL, 2XL, 3XL Black (90) • Outershell: 100% Nylon. • Full-length side zippers. • Insulation: 200g PrimaLoft Black. • Reinforced seat, knees and inner • Highly windproof, waterproof and legs. WATERPROOFNESS/WINDPROOFNESS • Water-resistant YKK zippers at pockets. • 100% seams and logos sealed. BREATHABILITY Storm gaiters. • Articulated, padded and shaped • Polar fleece-lined seat for knees. added warmth. · Adjustable waist.





Drop seat design

172 | APPAREL | RIDING GEAR RIDING GEAR | APPAREL | 173

Black (90), Black with graphics (94), 440899 • S, M, MT, L, LT, XL, XLT, **NEW HOLESHOT JACKET** Heather Grey (27) 2XL, 3XL • Outershell: 68% Polyester, • E LinQ connect: Inner wiring and WARMTH 32% Nylon. D-ring attach for helmet cable. • 100% windproof, waterproof and • Durable YKK zippers. WATERPROOFNESS/WINDPROOFNESS breathable Micro fleece inner cuffs. Insulation: 200g Thermal Loft. • Zipper puller on Black with BREATHABILITY · Radiant core technology to keep graphics version: Red. vou warm. Zipper puller on Black version: · Polar fleece at front body and Zipper puller on Heather grey Critical seams and logos sealed. version: Yellow. Reflective details on back and • Replacement zipper puller: Black. sleeves for optimized visibility. **VOYAGER HIGHPANTS** 441666 • S, M, L, XL, 2XL, 3XL Black (90) WARMTH • Outershell: 100% Nylon. · Side zipper with double flaps. • Insulation: 200g Primaloft Silver. Elastic at back. WATERPROOFNESS/WINDPROOFNESS · Highly windproof, waterproof and · Storm gaiter. breathable. Reinforcement at inner legs, • 100% seams and logos sealed. seat and knees for abrasion BREATHABILITY resistance. · Preshaped and padded knees. Reflective details. Polar fleece at seat and crotch for extra warmth. 441670 • XS, S, M, MT, L, LT, XL, **NEW TRAIL PANTS** XLT, 2XL, 3XL Black (90), Black with graphics (94) • Outershell: 100% Nylon. • Storm gaiters with boot to lace WARMTH snap connector. • 100% waterproof, breathable • 2-way ³/₄ length side zippers and windproof. WATERPROOFNESS/WINDPROOFNESS with flap. Insulation: 200g Thermal Loft. • 2 zippered hip pockets. · Critical seams and logos sealed. **BREATHABILITY** • Elastic waist at back. · Reinforcement at seat •••• and inner leg. Adjustable suspenders. Pre-shaped knees and seat. **NEW HOLESHOT JACKET 440893** • XS, S, M, L, XL, 2XL, 3XL Black (90), Coral (13), Light Blue (81) • E LinQ connect: Inner wiring and WARMTH • Outershell: 68% Polyester, D-ring attach for helmet cable. • 100% windproof, waterproof and • Durable YKK zippers. WATERPROOFNESS/WINDPROOFNESS breathable. Micro fleece inner cuffs. Insulation: 200g Thermal Loft. • Zipper puller on Black version: BREATHABILITY · Radiant core technology to keep Black you warm. · Zipper puller on Coral version: Polar fleece at front body and Coral. top arms. • Zipper puller on Light Blue · Critical seams and logos sealed. version: Blue. • Reflective details on back and sleeves for optimized visibility. **VOYAGER HIGHPANTS 441665** • XS, S, M, L, XL, 2XL, 3XL Black (90) • Outershell: 100% Nylon. • Side zipper with double flaps. WARMTH • Insulation: 200g Primaloft Silver. • Elastic at back. WATERPROOFNESS/WINDPROOFNESS • Highly windproof, waterproof and • Storm gaiter. breathable. · Reinforcement at inner legs, • 100% seams and logos sealed. seat and knees for abrasion BREATHABILITY Preshaped and padded knees. resistance. · Reflective details. · Polar fleece at seat and crotch for extra warmth. • Drop seat design. **NEW TRAIL PANTS 441669** • XS, S, M, L, XL, 2XL, 3XL Black (90), Heather Grey (27), • Outershell: 100% Nylon. • Storm gaiters with boot to lace WARMTH snap connector. •••00 • 100% waterproof, breathable and windproof. • 2-way ¾ length side zippers WATERPROOFNESS/WINDPROOFNESS with flan. Insulation: 200g Thermal Loft. · 2 zippered hip pockets. Critical seams and logos sealed. BREATHABILITY · Elastic waist at back. Reinforcement at seat · Adjustable suspenders. and inner lea. Pre-shaped knees

and seat.

TOURING

NEW ABSOLUTE O TEAM EDITION JACKET 440901 • S, M, L, XL, 2XL, 3XL SympaTex[®] Black with graphics (94) • Outershell: 100% Sympatex 2-Ply • Powder skirt. WARMTH laminated polyester. · Water-resistant YKK zippers at • Primaloft Gold insulation: Body pockets. WATERPROOFNESS/WINDPROOFNESS 200g + removable liner 100g. • Reflective details on arms and •••• · Lifetime warranty with back. BREATHABII ITY the Sympatex membrane. • E LinQ connect: Inner wiring and 00000 100% windproof, waterproof and D-ring attach for helmet cable. highly breathable membrane. • Collar, hem and wrists • 100% seams and logos sealed. adjustment. · Center front quadruple insulated · Removable hood. flaps for heat retention and wind • Customizable zipper puller: protection. Choice of red or black. • Removable and adjustable collar · Radiant Core technology to keep to seal air entry. you warm. · Underarm venting. Inner wrist gaiters with thumb · Shaped sleeves. **NEW ABSOLUTE O JACKET SympaTex**° | **440890 •** S, M, L, XL, 2XL, 3XL Black (90), Heather Grey (27) WARMTH Outershell: 100% Sympatex 2-Ply • Powder skirt. laminated polyester. • Water-resistant YKK zippers at Primaloft Gold insulation: Body pockets. WATERPROOFNESS/WINDPROOFNESS 200g + removable liner 100g. • Reflective details on arms and Lifetime warranty with back. BREATHABILITY the Sympatex membrane. • E LinQ connect: Inner wiring and D-ring attach for helmet cable. • 100% windproof, waterproof and highly breathable membrane. • Collar, hem and wrists \bullet 100% seams and logos sealed. • Center front quadruple insulated • Removable hood. flaps for heat retention and wind • Customizable zipper puller: protection. Choice of red or black. • Removable and adjustable collar • Radiant Core technology to keep to seal air entry. vou warm • Underarm venting. · Inner wrist gaiters with thumb · Shaped sleeves. hole. **441664 •** SS, S, MS, M, LS, L, XLS, **NEW ABSOLUTE O HIGHPANTS** Black (90), Heather Grey (27) • Outershell: 100% Sympatex 2-Ply • 100% seams and logos sealed. WARMTH laminated polyester. • 2-way full-length side zippers · Primaloft Gold insulation: 200g. with double flaps. WATERPROOFNESS/WINDPROOFNESS · Lifetime warranty with the • Polar fleece-lined seat for Sympatex membrane. added warmth. BREATHABILITY • 100% windproof, waterproof and Adjustable waist. highly breathable Sympatex · Preshaped and padded knees. · Reinforced crotch and seat. · Storm gaiters. **NEW ABSOLUTE O TEAM EDITION JACKET** SympaTex⁶ 440923 · XS, S, M, L, XL, 2XL, 3XL Black with graphics (94) WARMTH • Outershell: 100% Sympatex 2-Ply • Powder skirt. laminated polyester. •••• Water-resistant YKK zippers at • Primaloft Gold insulation: Body pockets. WATERPROOFNESS/WINDPROOFNESS 200g + removable liner 100g. · Reflective details on arms and · Lifetime warranty with back. RREATHARII ITY the Sympatex membrane. • E LinQ connect: Inner wiring and • 100% windproof, waterproof and D-ring attach for helmet cable. highly breathable membrane. • Collar, hem and wrists • 100% seams and logos sealed. adjustment. • Center front quadruple insulated • Removable hood. flaps for heat retention and wind • Customizable zipper puller: Choice of red or black. • Removable and adjustable collar · Radiant Core technology to keep

vou warm.


Inner wrist gaiters with thumb

to seal air entry.


• Underarm venting.

· Shaped sleeves.

174 | APPAREL | MITTS & GLOVES



MITTS & GLOVES



MITTS & GLOVES **NEW X-TEAM NYLON GLOVES** 446322 • XS, S, M, L, XL, 2XL, 3XL Black (90), Charcoal Grey (07) • Outershell: 96.5% Nylon, 3.5% · Wider and longer cuff. WARMTH Polyurethane. • Box fingertips to avoid air Insulation: Top hand: 200g infiltration. DEXTERITY PrimaLoft Gold, Palm: 133g • Grip control technology for PrimaLoft grip control. a better grip in palm. Waterproof, windproof and · Touch screen index finger. breathable glove insert. · Improved visor/goggle wiper. New moisture-wicking and • Reflective details for better antimicrobial wool blend lining. visibility. **NEW X-TEAM LEATHER GLOVES** 446328 • S, M, L, XL, 2XL, 3XL Black (90), Red (30) • Outershell: 100% Genuine • Box fingertips to avoid WARMTH Leather. air infiltration • Insulation: Top hand: 200g • Grip control technology for DEXTERITY PrimaLoft Gold, Palm: 133g a better grip in palm. PrimaLoft grip control. · Touch screen index finger. Waterproof, windproof and · Improved visor/goggle wiper. breathable glove insert. · Naturally moisture-wicking and antimicrobial wool blend lining. **MOUNTAIN GLOVES** 446222 • S, M, L, XL, 2XL, 3XL Black (90) WARMTH · Outershell: 54% Leather. · Waterproof, windproof and 41% Nylon, 5% Polyurethane. breathable glove insert. •0000 • mcFIT technology for DEXTERITY a better grip. • Mild-weather glove with lining. **GRIP GLOVES** 446234 • S, M, L, XL, 2XL, 3XL Black (90) • Outershell: 45% Leather, 45% • Leather palm with grip WARMTH Nylon, 9% Chloroprene Rubber, reinforcement. 1% Polvester · Visor wiper. DEXTERITY • Insulation: 100g PrimaLoft Gold Waterproof, windproof and •••• top hand. breathable glove insert. • mcFIT† technology for a better · Antibacterial, stay-dry moisture grip and added tactility and management lining. dexterity. · Reflective details. • Box fingertips to avoid air infiltration. X-TEAM CREW GLOVES 446297 • S, M, L, XL, 2XL, 3XL Black (90) • Stretch wrist for easy in and out. WARMTH • Outershell: 55% Nylon, 23% Polyester, 18% Polyurethane •0000 4% Spandex. DEXTERITY · Soft, durable, flexible and •••• breathable. Army Green (77), Black (90), Coral (13) **NEW** WOOLLY GLOVES 446327 • XS, S, M, L, XL, 2XL • Outershell: 65% Nylon, 35% Goat • Naturally moisture-wicking and WARMTH antimicrobial wool blend lining. •••00 • Insulation: Top hand: 200g • Leather palm and fingers with DEXTERITY PrimaLoft Gold, Palm: 133g grip reinforcement. •••0 PrimaLoft grip control. · Touch screen index finger. Waterproof, windproof and

· Improved visor/goggle wiper.


breathable glove insert.

176 | APPAREL | BOOTS & SOCKS HEADWEAR & BALACLAVAS | APPAREL | 177

BOOTS & SOCKS

BOOTS NEW TEC+ BOOTS 444253 • 5, 6, 7, 8, 9, 10, 11, 12, 13 | Black [90] Improved comfort and flex. · Leather outer layer incorporates HydroGuard† •••00 Removable insole. waterproof membrane. · Unisex, smaller sizes added for RIGIDITY • Tapered rear shape for better ladies. •••0 achilles and ankle support. • Kevlar reinforced laces. • Abrasion and impact resistant · Moisture-wicking inner ice breaker toe piece. liner material. • Aggressive, durable • 600 g PrimaLoft ECO FOOTWEAR anti-slip outsole for running insulation for maximum comfort. board traction. **TEC+ REC BOOTS** 444240 • 5, 6, 7, 8, 9, 10, 11, 12, 13 | Black [90] • Tough abrasion resistant leather • Rugged ultra-grip outsole WARMTH outer. design. • Breathable waterproof • Removable/inner liner. RIGIDITY membrane. ••000 • Limit of comfort temperature range: -40°F to -58°F or -40°C to **TEC+ REC BOOTS 444241 •** 6, 7, 8, 9, 10 Black (90) • Tough abrasion resistant leather • Rugged ultra-grip outsole WARMTH •••• desian. • Breathable waterproof • Removable/inner liner. RIGIDITY membrane. ••000 · Limit of comfort temperature range: -40°F to -58°F or -40°C to -50°C*.

SOCKS



HEADWEAR & BALACLAVAS



178 | APPAREL | HEADWEAR & BALACLAVAS BASE LAYERS | APPAREL | 179

NEW NECK GAITOR 447841 • One size Black (90)

447636 • One size



• 100% Polyester.

• Spandex binding and elastic at back for a better fit.

• Anti-pilling fleece.

S TECHNICAL NECK GAITOR

• 89% Polyester, 8% Spandex, 3% Synthetic Rubber.

• Keeps you warm while providing breathable, windproof and waterproof performance.

• Moisture-wicking fabric.

Black [90] · Laser-cut breather holes.

- Ergonomic patterning with microfleece at side and back panel for more stretchability.
- Elastic adjustment at back.

HEADBAND

447703 • One size

Black (90), Heather Grey (27)



• 100% Acrylic.

• Headband with fleece lining.

MUSKOKA HAT

447645 • One size

Black (90), Coral (13), Grey (09)

• 100% Acrylic. · Micro-fleece lining. • Knit pompom.

NEW SKI-DOO SHORT BEANIE

447869 • One size

Army Green (77), Black (90), Heather Grey (27), Red (30)



• 100% Acrylic.

- Short beanie with rollover cuff.
- Fisherman look.

448677 • One size

Black (90), Coral (13), Heather Grey (27), Light Blue (81), Orange (12), Red (30), Sunburst Yellow (96)

NEW REVERSIBLE BEANIE



- 95% Acrylic, 4% Nylon, 1% Spandex.
- 2 in 1 reversible hat with knit in logos.

COMPACT THIN BEANIE

447704 • One size

Black (**90**)



- 88% Polyester, 12% Spandex fleece.
- · Light beanie.

SKI-DOO X HAT

447777 • One size

Black (90), Heather Grey (27)



- 100% Acrylic.
- Beanie with knit in X logo and Ski-Doo patch.

HEADWEAR & BALACLAVAS

LANDING HAT

454298 • One size

Black (**90**), Coral (**13**), Heather Grey (**27**), Orange (**12**)

• 95% Acrylic, 4% Nylon, 1% Spandex.

NEW FLEX FIT X-TEAM CAP

448698 · S/M, L/XL, 2XL

Black (90), Heather Grey (27)



• 97% Cotton, 3% Spandex (Black), 100% Cotton (Heather Grey).

NEW FREESTYLE CAP

448681 • One size

Black (90), Heather Charcoal (29), Navy (89)

• 60% Polyester, 40% Cotton (Black, Navy), 50% Polyester, 50% Cotton (Heather Charcoal).

- · Snapback closure at back.
- Flat peak.

NEW SIGNATURE CAP

448682 • One size

448685 • One size

Black (90), Coral (13), Heather Charcoal (29), Heather Grey (27), Sunburst Yellow (96), White (01)

Black (90), Navy (89), Red (30),



- 100% Cotton (All colors except Heather Charcoal), 60% Cotton, 40% Polyester (Heather Charcoal).
- · Snapback closure at back.

NEW X-TEAM CAP



- 100% Cotton.
- Snapback closure at back.

BASE LAYERS

THERMAL BASE LAYERS

NEW THERMAL BASE LAYER (TOP)

454376 • S, M, L, XL, 2XL, 3XL

Black (90), Charcoal Grey (07)

• Mesh paneled under arms for better ventilation and

• 95% Polyester, 5% Spandex

- - Made of high-filament polyester enhanced by slight brushing to provide softness and warmth.
- · Antimicrobial.

accelerated drying.

180 | APPAREL | BASE LAYERS MID LAYERS | APPAREL | 181

NEW THERMAL BASE LAYER (BOTTOM)

- 95% Polyester, 5% Spandex (Brushed)
- Made of high-filament polyester enhanced by slight brushing to provide softness and warmth.
- · Antimicrobial.

NEW THERMAL BASE LAYER (TOP)

454374 • S, M, L, XL, 2XL, 3XL

454375 • XS, S, M, L, XL, 2XL, 3XL Black (90), Charcoal Grey (07)



- 95% Polyester, 5% Spandex
- Made of high-filament polyester enhanced by slight brushing to provide softness and warmth.
- Mesh paneled under arms for better ventilation and accelerated drying.
- Antimicrobial.

NEW THERMAL BASE LAYER (BOTTOM)

454373 • XS, S, M, L, XL, 2XL, 3XL Black (90)

Black (90)



- 95% Polyester, 5% Spandex
- Made of high-filament polyester enhanced by slight brushing to provide softness and warmth.
- · Antimicrobial.

MERINO BASE LAYERS

NEW MERINO BLEND BASE LAYER (TOP)



- 70% Merino Wool, 30% Nylon
- Permanent anti-odor performance.
- Moisture wicking.
- Body temperature regulator.
- · Weight: 210gms.

NEW MERINO BLEND BASE LAYER (BOTTOM)



454377 • S, M, L, XL, 2XL, 3XL



- · Permanent anti-odor performance.
- · Moisture wicking.
- Body temperature regulator. · Elastic waist band.
- · Weight: 210gms.

NEW MERINO BASE LAYER (TOP)


454379 • XS, S, M, L, XL, 2XL, 3XL Black (90)

Black (**90**)



- 70% Merino Wool, 30% Nylon
- Permanent anti-odor performance.
- · Moisture wicking.
- Body temperature regulator.
- Weight: 210gms.

NEW MERINO BASE LAYER (BOTTOM)





- 70% Merino Wool, 30% Nylon
- Permanent anti-odor performance.
- · Moisture wicking.
- Body temperature regulator.
- Elastic waist band.
- · Weight: 210gms.

MID LAYERS

TECH+

NEW SKI-DOO WINDPROOF JACKET

454492 • S, M, L, XL, 2XL, 3XL

Black (**90**)

· 2 exterior hand pockets. • Reflective logos on front and back.

• Brushed fabric interior for exceptional comfort.

• 96% Polyester, 4% Spandex.

NEW PACKABLE JACKET

• Shell and lining: 100% Nylon.

• Lightweight, windproof, water-resistant and quick-dry

440916 • S, M, L, XL, 2XL, 3XL

Army Green (**77**), Black (**90**), Red (**30**), Silver (**08**) • Drawcord hem adjustment in pockets.

• Use as a light jacket for cool dry weather or as a very warm

- · Down-like insulation with high compression.
- · Shaped sleeves.

NEW MID-LAYER FLEECE

454387 • S, M, L, XL, 2XL, 3XL

Blue Teal (19), Heather Grey (27)

Black (90), Heather Grey (27)

- 96% Polyester, 4% Spandex.
- Heavyweight fleece for maximum warmth.
- Zippered hip and chest pockets.

TECH MID LAYER FLEECE

454188 · S, M, L, XL, 2XL

• 100% Polyester with antimicrobial. • Heavyweight fleece for maximum warmth.

• Zippered hips and chest pockets.

NEW PACKABLE JACKET

440917 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Blue Teal (19), Red (30), Silver (08)

- Shell and lining: 100% Nylon.
- Use as a light jacket for cool dry weather or as a very warm
- Drawcord hem adjustment in pockets.
- Down-like insulation with high compression.
- · Shaped sleeves.

MID-LAYERS

NEW X-TEAM MICRO-FLEECE

454389 • S, M, L, XL, 2XL, 3XL

Black (**90**), Charcoal Grey (**07**), Red (**30**)

- 100% Polyester micro polar
- Mid weight microfleece excellent for warmth as a second
- Moisture-wicking fabric.

182 | APPAREL | MEN'S SPORTSWEAR MEN'S SPORTSWEAR | APPAREL | 183

NEW SNO-X FLEECE ZIP-UP

454403 • S, M, L, XL, 2XL, 3XL

Army Green (77), Black (90), Blue Teal (19), Heather Grey (27)

• 96% Polyester, 4% Spandex

• Heavyweight fleece for maximum warmth.

NEW X-TEAM MICRO-FLEECE

454388 • XS, S, M, L, XL, 2XL, 3XL Black (**90**), Heather Grey (**27**)



• 100% Polyester micro polar

- Midweight microfleece excellent for warmth as a second layer.
- Moisture-wicking fabric.
- Zippered hand pockets.

NEW SNO-X FLEECE ZIP-UP

454405 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Blue Teal (19), Heather Grey (27)



• 96% Polyester, 4% Spandex

· Heavyweight fleece for maximum warmth.

WINDPROOF ZIP-UP

454285 • XS, S, M, L, XL, 2XL, 3XL Black (90)



• 96% Polyester, 4% Spandex

- Windproof, water-resistant membrane.
- 2 zippered hip pockets.
- Cuff feature thumb holes.
- · Logo on shoulder.
- Reflective details on back.

MEN'S SPORTSWEAR

NEW SOFTSHELL JACKET

454412 • S, M, L, XL, 2XL, 3XL

Black with graphics (**94**), Dark Navy (**16**)

· Sleeve hem velcro adjustment.

• Two hand pockets and two chest pockets.

- 100% Polyester.
- Lightweight softshell construction.
- Windproof, water-resistant membrane.
- Breathable wicking technology for all outdoor activities.
- Backed by micro-fleece for a soft feel.
- Insulation: 340 gsm micro polar fleece.

NEW CABIN OVERSHIRT

454385 • S, M, L, XL, 2XL, 3XL

Blue (**80**)



• 100% Cotton.

- Plaid flannel overshirt.
- Front opening with snap buttons.
- Two chest pockets and two hand pockets.
- Pencil insert.
- Sherpa lining.

MEN'S SPORTSWEAR

NEW PULLOVER HOODIE SKI-DOO

454386 • S, M, L, XL, 2XL, 3XL

Black (90), Blue Teal (19),



• 60% Cotton, 40% Polyester.

- One side brushed fleece.
- · Handwarmer kangaroo pocket.
- Hood with drawcord.
- Rib on cuffs and hem.

NEW SKI-DOO ZIP-UP HOODIE

454390 • S, M, L, XL, 2XL, 3XL

Army Green (77), Black (90), Heather Grey (27)





- 60% Cotton, 40% Polyester.
- Full Zip.
- · Split, inset kangaroo hand pocket.
- · Rib on cuffs and hem.

NEW SIGNATURE SWEATSHIRT

454396 • S, M, L, XL, 2XL, 3XL

Army Green (77), Black (90), Heather Grey (27)

- 60% Cotton, 40% Polyester.
 - Dropped, set-in sleeves.
 - · Rib on collar, cuffs and hem.

NEW CLUB HOUSE SWEATER

454383 • S, M, L, XL, 2XL

Heather Grey (27)

- 40% Acrylic, 55% Polyester, 5% Wool.
- An heritage look and a rich blend of wool and synthetic materials are all your need to be cozy on the trails.
- ¼ zipper.

NEW HERITAGE SWEATER

454517 · S, M, L, XL, 2XL

Navy (**89**)

• 67% Polyester, 19% Viscose, 14% Wool. • Heritage look and a rich blend of wool and synthetic

- 1/4 opening with buttons.
- Jacquard design at back.

NEW SKI-DOO TURTLENECK

454381 • S, M, L, XL, 2XL, 3XL

Black (90), Heather Grey (27)



- 90% Polyester, 10% Spandex.
- · Moisture wicking, anti-microbial treatment and anti-pilling.

184 | APPAREL | MEN'S SPORTSWEAR LADIES' SPORTSWEAR | APPAREL | 185

NEW SKI-DOO FLANNEL SHIRT

454395 • S, M, L, XL, 2XL, 3XL



• 100% Cotton.

• Two pockets at chest. · Pencil insert.

NEW SKI-DOO BOX LOGO T-SHIRT

454407 • S, M, L, XL, 2XL, 3XL

Black (**90**), Blue (**80**), Heather Grey (**27**)



• 100% Cotton.

NEW SKI-DOO SIGNATURE T-SHIRT

454421 • S, M, L, XL, 2XL, 3XL

Army Green (77), Black (90), Heather Grey (27), Navy (89), Red (30), White (01)



• 100% Cotton (All colors, except Heather Grey), 60% Cotton/40% Polyester (Heather Grey).

NEW SKI-DOO BASEBALL TEE

454449 • S, M, L, XL, 2XL, 3XL



• Raglan sleeves.

NEW GRAPHIC SKI-DOO T-SHIRT

454450 • S, M, L, XL, 2XL, 3XL

Heather Grey (27), White (01)

Black (90), Navy (89)



• 100% Cotton (White), 60% Cotton/40% Polyester (Heather Grey).

NEW SUMMIT LONG SLEEVE TEE

454401 • S, M, L, XL, 2XL, 3XL Black (90), White (01)



• 100% Cotton.

NEW X-TEAM T-SHIRT

454399 • S, M, L, XL, 2XL, 3XL

Black (**90**), Navy (**89**), Sunburst Yellow (**96**)



• 100% Cotton.

MEN'S SPORTSWEAR

NEW ONE TRACK MIND T-SHIRT

454400 • S, M, L, XL, 2XL, 3XL

Black (90), Blue (80)

• 100% Cotton.

SKI-DOO PIT SHIRT

454281 • S, M, L, XL, 2XL, 3XL

Black (**90**)

454393 • S, M, L, XL, 2XL

• 60% Cotton, 40% Polyester.

· Chest pocket.

• Back pleats for ease of movement.

• Back loop to hang shirt.

NEW X-RACE JERSEY

Black (90), Orange (12)

- 100% Polyester.
- · V-neck jersey.
- Antibacterial, moisture-wicking fabric.
- Underarm mesh.
- Sublimated print.

NEW HIGHMARK JERSEY

454394 • S, M, L, XL, 2XL

Army Green (77), Red (30)

- 100% Polyester.
- V-neck jersey.
- Antibacterial, moisture-wicking fabric.
- Underarm mesh.
- Sublimated print.

LADIES' SPORTSWEAR

NEW LADIES' POLAR FLEECE

454446 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Heather Grey (27), Light Blue (81)

- 100% Polyester
- Polar fleece fabric.
- Brushed on the inside for a super-soft feel.
- Embossed binding at bottom hem.
- Quarter-zip with zipper guard.

NEW LADIES' CABIN OVERSHIRT

454382 • XS, S, M, L, XL, 2XL

Burgundy (35)



• 100% Cotton.

• Plaid flannel overshirt.

• Front opening with press buttons.

- Two chest pockets.
- Sherpa lining.
- · Pencil insert.

186 | APPAREL | LADIES' SPORTSWEAR KIDS' & TEEN WEAR | APPAREL | 187

NEW LADIES' PULLOVER HOODIE

454414 • XS, S, M, L, XL, 2XL, 3XL

Blue (**80**), Coral (**13**), Heather Grey (**27**)



- 60% Cotton, 40% Polyester.
- Hood with drawcord.
- · Handwarmer kangaroo pocket.
- Rib on cuffs and hem.
- One side brushed fleece.

NEW LADIES' SKI-DOO ZIP-UP HOODIE

454404 • XS, S, M, L, XL, 2XL, 3XL

Black (**90**), Blue (**80**), Heather Grey (**27**)



- 60% Cotton, 40% Polyester.
- Full zip.
- · Split, inset kangaroo hand pocket.
- · Rib on cuffs and hem.

NEW LADIES' SKI-DOO TURTLENECK

454472 • XS, S, M, L, XL, 2XL, 3XL Black (90), Heather Grey (27)



- 90% Polyester, 10% Spandex.
- · Stretch fabric.
- · Moisture wicking, anti-microbial treatment and anti-pilling.

MUSKOKA SUPER SOFT SHIRT

454320 • XS, S, M, L, XL, 2XL

Black (90), Heather Grey (27)



- 80% Polyester, 20% Spandex.
- · Feminine-fit.
- · Heavyweight super soft fabric for maximum heat.

NEW LADIES' SKI-DOO SIGNATURE T-SHIRT

454422 • XS, S, M, L, XL, 2XL, 3XL

Black (**90**), Coral (**13**), Heather Grey (**27**), White (**01**)



- 95% Cotton, 5% Spandex jersey.
- V-neck t-shirt.

NEW LADIES' LONG SLEEVES SIGNATURE TEE

Black (90), Blue Teal (19), Heather Grey (27)

454420 • XS, S, M, L, XL, 2XL



- 95% Cotton, 5% Spandex jersey.
- V-neck t-shirt.

NEW LADIES' BASEBALL TEE

454397 • XS, S, M, L, XL, 2XL, 3XL Black (90), Blue Teal (19)



- 60% Cotton, 35% Polyester, 5% Spandex.
- Vintage sporty style, baseball look.
- · Raglan sleeves.

NEW LADIES' HIGHLAND T-SHIRT

454398 • XS, S, M, L, XL, 2XL

Heather Grey (27), White (01)



• 60% Cotton, 35% Polyester, 5% Spandex jersey.

LADIES'S SPORTSWEAR

NEW LADIES' X-RACE JERSEY

454392 • S, M, L, XL, 2XL

Blue (80), Heather Grey (27)

- 100% Polyester.
- · Semi-fitted V-neck jersey.
- · Antibacterial, moisture-wicking fabric.
- Sublimated print.

KIDS' & TEEN WEAR



188 | APPAREL | KIDS & TEEN WEAR | KIDS & TEEN WEAR

NEW TEENS' SKI-DOO T-SHIRT 454415 • 7-8, 10-12, 14-16 Heather Grey (27), Navy (89) • 100% Cotton (Navy), 60% Cotton/40% Polyester (Heather Grey). **TEENS' X-TEAM GLOVES 446289 •** 6-8, 10-12, 14-16 Black (90) • Outershell: 65% Nylon, 15% WARMTH · Drawstring closure. Polyester, 20% Polyurethane. $\bullet \bullet \bullet \circ \circ$ Adjustable hook and loop • Insulation: Top hand: 240g web strap. DEXTERITY Thermal Loft, Palm: 100g Thermal Brushed polyester lining with Loft. Microban[†] anti-microbial • Waterproof and breathable product protection. membrane. • Reflective details. • 4-way stretch fleece cuff. **TEENS' X-TEAM MITTS 446303 •** 6-8, 10-12, 14-16 Black (**90**) • Outershell: 5% Nylon, 15% WARMTH · Adjustable hook and loop Stretch Polyester, 20% web strap with slip keep. Polyurethane. Micropolyester lining with DEXTERITY Microban anti-microbial • Insulation: Top hand: 240g •0000 product protection. Thermal Loft, Palm: 140g Thermal · Heat pack pocket built into inner mitt lining. • Waterproof and breathable membrane. · Reflective details. · Drawstring closure. YOUTH BASIC BALACLAVA 445685 • S/M, L/XL Black (90) • 80% Nylon, 20% Spandex · Designed for warmth, dryness and comfort. • Flatlocked seams to prevent skin chafing. **NEW STORM HAT** 448678 • One size Black (90), Coral (13) · Knitted hat with micro fleece lining. Black with graphics (94), Coral (13), Heather Grey (27) **NEW KIDS' X-TEAM JACKET 440920 •** 3, 4, 5, 6 • Outershell: 66% Polyester, • Polar fleece at front body and 34% Nylon. top arms for added warmth. •••• • 100% waterproof, breathable • Reflective Ski-Doo logos for WATERPROOFNESS/WINDPROOFNESS and windproof. maximum visibility.

• Insulation: 200g PrimaLoft Black. • Additional removable collar

• Radiant Core technology to keep

· 100% seams and logos sealed.

insulated for heat retention and

Double center front flap

wind protection.

vou warm.

to seal air entry.

Charcoal Grey.

• Zipper puller on Black with


• Zipper puller on Coral version:

• Zipper puller on Heather Grey

graphics version: Black.

version: Charcoal Grey.

BREATHABILITY



190 | APPAREL | TEKVEST | BAGS PLAY & LICENSING PRODUCTS | APPAREL | 191

TEKVEST

SKI-DOO TRAILMASTER TEKVEST

469308 • XS, S, M, L, XL 469309 • 2XL, 3XL

Grey (09)



- XS [100-130 lbs / 45-60 kg] , S [130-150 lbs / 60-70 kg], M [150-185 lbs / 70-85 kg], L [185-210 lbs / 85-95 kg], XL (210-240 lbs / 95-110 kg), 2XL (240-270 lbs / 110-125 kg), 3XL (270-300 lbs / 125-140 kg)
- · Zip-up fleece collar.

- 2 body-heated pockets are roomy enough to hold up to
- 4 smart phones/battery boosters in a vertical position. A perfect spot for a small wallet, a trail map or special medication.
- Insulated on the outside with a reflective aluminium
- Quick attach points included for optional shoulder pads.

BAGS

NEW SKI-DOO STAND-UP ROLLER GEAR BAG

469319 • One size

469321 • One size

469322 • One size

Black (90)



- · Your ultimate gear bag.
- Structural skeleton ensures stand-up stability when loaded boots and your gear in dedicated zones.
- Waterproof cover included for extra protection against the Heavy duty 900D polyester material. elements.
- · Compartmentalized design places helmets, goggles,
- 140-liter capacity.

NEW SKI-DOO 90 L GEAR BAG



- Large main compartment with easy access to all gear.
- · Large separated boot pocket.
- · Zippered accessory pocket.
- Easy grab handles for transport.

Black (90)

- Detachable shoulder strap.
- · Heavy-duty reinforced base.
- 90-liter capacity.
- 900 D polyester.

NEW SKI-DOO DUFFLE BACKPACK



- Duffle bag with shoulder strap, can transform into a
- · Adjustable shoulder and chest straps.
- · Handy bottle holder.

Black (90)

- Foam padding on straps for comfort.
- · 45-liter capacity.
- 900 D polyester.

NEW SKI-DOO LAPTOP BACKPACK



Black (90)



- · Laptop/Tablet pocket holds up to 15" laptop.
- Fleece lined sunglasses pocket.
- Adjustable shoulder and chest straps.
- Organization pocket with key clip.
- · Foam padding on straps and back for comfort.
- Easy grab zipper pulls.
- Carry-on slider.
- Water bottle side pouch.
- 900 D polyester.

PLAY & LICENSING PRODUCTS

WINTER FUN

NEW 3-SKI SNOW SLED



- · Ski-Doo 3-Ski Snow Sled for single rider.
- Sturdy design features a strong tubular aluminum frame, high-density polyethylene hood and transparent
- Handlebars and 3 grooved skis enhance steering and maneuverability.
- Brake system and non-slipping seat offer a controlled ride.
- Suspension spring system ensures a steady and comfortable slide.

B103900000

- Ski-Doo Renegade X-RS UV resistant decals.
- Tow leash to help transport uphill.
- · Easy assembly
- For ages 6 and up.
- Dimensions: 52" L x 20" W x 14" H.
- Weight: 5 lb.
- · Maximum weight capacity: 250 lb.

NEW MINI SNOW SLED

- · Mini Ski-Doo Snow Sled for single rider.
- · High-density durable plastic construction.
- Compact, lightweight and easy to carry uphill.
- · Centered handle for enhanced steering
- Textured seat for extra grip.
- · Safe feet-first design to easily slow down or stop using feet.

B106800000

- For ages 6 and up.
- Dimensions: 22" L x 13 1/2" W x 15" H.
- Weight: 3.5 lb.
- · Maximum weight capacity: 165 lb.

NEW FOAM SLED (55" X 21 1/2")



- Ski-Doo Foam Sled for up to two riders.
- · Lightweight and easy to carry uphill.
- $\bullet \ {\sf Revolutionary \ patented \ polymer \ foam \ bonding \ construction.} \quad \bullet \ {\sf Parabolic \ rails \ for \ great \ stability \ and \ maneuverability.}$
- EPS core absorbs shocks and integrates 4 molded handles.
- Water-resistant XPE top skin with colorful graphic designs.
- 3D padded textured grip deck.

B106830000/B106840000

- High-density polyethylene slick bottom for ultimate glide
- · For ages 6 and up.
- Dimensions: 55" L x 21 1/2" W.

192 | APPAREL | SIZING CHART APPAREL | 193

SIZING CHART HOW TO MEASURE

- $\boldsymbol{\cdot}$ For best results, have someone else take measurements.
- · Measure body in underwear.
- Tape must be snug but not tight.
- $\boldsymbol{\cdot}$ If measurements fall between two sizes, order the larger size.

HEIGHT: Without shoes, standing with heels and back against a wall.

HEAD: Around your head, from the center of the forehead, above the ears

and over the natural bump at the back of the head. **ARM LENGTH:** Let the hands hang down on the side in a slightly bent position. Measure from the center of the back of your neck, along the length of your arm, to the wrist.

CHEST / BUST: Measure under your arms, around the fullest part of your chest.

WAIST: Measure around your natural waistline, keeping one finger between the tape and body.


HIPS: Across the fullest part of the seat.

INSEAM: Without shoes, from crotch to the floor.

GLOVES: Measure palm width.

BOOTS: Foot lenght from heel to toe.





1. Find your size.	SIZE	CODE	SIZE	CODE	SIZE	CODE	SIZE	CODE	SIZE	CODE	SIZE	CODE
2. The corresponding code is	One Size	00	XL	12	4XLT	19	6	25	13	33	7-8	54
THE CODE you use to complete	XS	02	XLT	13	5XL	88	7	27	14	34	10-12	49
the part number on your order.	S	04	2XL	14	1	20	8	28	16	35	14-16	50
Example: 44022790	М	06	2XLT	15	2	21	9	29	18	78	S/M	72
Size: M = Code " 06 ",	MT	07	3XL	16	3	22	10	30	3-4	79	M/L	91
therefore 440227 <u>06</u> 90	L	09	3XLT	17	4	23	11	31	5-6	52	L/XL	73
	LT	10	4XL	18	- 5	24	12	32	6-8	48		

OUTER, MID & BASE LAYERS + SPORTSWEAR

MEN'S - REGULAR	5'7"- 6'0"									TALL	6'1"- 6	5'4"				SHOR	T 5'6"	AND BE	LOW
	XS	S	М	L	XL	2XL	3XL	4XL	5XL	MT	LT	XLT	2XLT	3XLT	4XLT	SS	MS	LS	XLS
Chest	33-35	35-38	38-41	41-45	45-49	49-53	53-57	57-61	61-65	38-41	41-45	45-49	49-53	53-57	57-61	35-38	38-41	41-45	45-49
Waist	27-29	29-32	32-35	35-39	39-43	43-48	48-52	52-57	57-62	32-35	35-39	39-43	43-48	48-52	52-57	29-32	32-35	35-39	39-43
Hips (Seat)	33-35	35-38	38-41	41-45	45-49	49-53	53-57	57-61	61-65	38-41	41-45	45-49	49-53	53-57	57-61	35-38	38-41	41-45	45-49
Arm Length	30	31	32	33	34	35	35	36	36	331/2	341/2	35⅓	361/2	361/2	371/2	291/2	301/2	311/2	32⅓
Inseam	31	311/2	32	32	32	32	32	32	32	34	34	34	34	34	34	291/2	30	30	30
LADIES' - REGULA	AR 5'3"-5'8"									TALL	5'9"- 6	6'0"				SHOR	T 5'2"	AND BE	LOW
	XS	S	М	L	XL	2XL	3XL	4XL	5XL	MT	LT	XLT				SS	MS	LS	XLS
Chest	32-35	35-37	37-40	40-43	43-47	47-51	51-55	55-59	59-63	37-40	40-43	43-47				35-37	37-40	40-43	43-47
Waist	26-29	29-31	31-34	34-37	37-42	42-46	46-51	51-55	55-60	31-34	34-37	37-42				29-31	31-34	34-37	37-42
Hips (Seat)	35-38	38-40	40-43	43-46	46-50	50-54	54-58	58-62	62-66	40-43	43-46	46-50				38-40	40-43	43-46	46-50
Arm Length	29	30	30	31	31	32	32	33	33	311/2	321/2	321/2				281/2	281/2	291/2	291/2
Inseam	30	30	30	30	30	30	30	30	30	32	32	32				28	28	28	28
JUNIOR																			
	2	3		4		5	6		7	8		10	1	12	14	1	16	18	
Height	2'11"	3'	'2"	3'5"		3'8"	3'1	.1"	4'2"	4'5	;"	4'8"	4	4'11"	5'2"	Ę	5'5"	5'8"	
Chest	21	2	2	23		24	25		26	27		281/2	;	30	311/2	3	33	35	
Waist	20	2	01/2	21		211/2	22		221/2	23		24		25	26	2	27	293/	4
Hips (Seat)	21	2	2	23		24	25		26	27		281/2	;	30	311/2	3	33	361/	2
Arm Length	151/2	1	7	181/2		20	21	1/2	23	24	1/2	281/2	;	30	311/2	3	33	333/	4
Inseam	131/2	1	51/2	171/2		191/2	21		223/4	24	1/2	261/4		28	291/2	3	31	31 1/2	2

D	U	U	ı	J	
٠.				_	

MEN'S										LADIES'				KIDS'						
	5	6	7	8	9	10	11	12	13	6	7	8	9	10	1	2	3	4	5	6
EU-Unisex Shoes Size	37	38	39.5	41	42	43	44.5	46	47	35.5	37	38	39.5	41	32	33	34	35.5	37	38
Foot (in.)	9	93/8	95/8	10	10³/s	105/8	11	113/8	115/8	85/8	9	93/8	95/8	10	75/s	8	83/8	85/8	9	93/8
Foot (cm)	23	24	24.5	25.5	26.5	27	28	29	29.5	22	23	24	24.5	25.5	19.5	20.5	21.5	22	23	24

GLOVES & MITTS

MEN'S						LADIES'				KIDS'							
	XS	S	М	L	XL	2XL	3XL	XS	S	М	L	XL	2XL		2	4	6
Palm (in.)	3	31/4	31/2	4	41/2	5	51/2	21/2	23/4	3	31/2	4	41/2	Hand circumference (in.)	43/8-5	5-53/8	53/8-53/4
Palm (cm)	7.5	8	9	10	11.5	13	14	6	7	8	9	10	11.5	Hand length (in.)	4-41/2	41/2-43/4	43/4-5

HELMETS

MEN'S & LADIES'									JUNIOR		
	XS	S	М	L	XL	2XL	3XL	S	М	L	
Head (in.)	201/8-211/4	215/8-22	223/8-223/4	231/8-235/8	24-243/8	243/4-251/8	251/2-257/8	191/4-193/4	20-201/2	201/8-211	
Head (cm)	53-54	55-56	57-58	59-60	61-62	63-64	65-66	49-50	51-52	53-54	

XL		2	4	6
1/2	Hand circumference (in.)	43/8-5	5-53/8	53/8-53/4
L.5	Hand length (in.)	4-41/2	41/2-43/4	43/4-5
	OCKC			

20CK2						
	S	М	L		S/M	L/XL
Men's	_	6-91/2	10-13	Kids	91/2-121/2	13-3
Ladies'	4-8	81/2-12	2 –			

// NOTES	

194 | ACCESSORIES

Ling BASE KITS
REQUIREMENTS CHART

COMPATIBILITY / REQUIREMEN

REV-XM, REV-XS, REV-XP, REV-XU 16" REV-XU

FOR OLDER PLATFORMS	KEV-AU IO	20 - 24		
LinQ ACCESSORIES WITH 16" BASE	LinQ anchors mounted 16 inches apart, center-to-center Can be used on Can-Am ATV and SSV vehicles, Sea-Doo w			
LinQ OIL CADDY - 1 GAL 860202445	LinQ Cargo Base Kit 860201806			
Ling Stackable fuel Caddy – 4 Gal 860202246	Lin0 Cargo Base Kit 860201806 and Shim Kit 860201432	LinQ Adaptor Plate 860200945 and LinQ Cargo Base Kit 860201806		
LinQ FUEL CADDY - 3 GAL 860202247	LinQ Cargo Base Kit 860201806			
LinQ DEEP SNOW PRO BAG - 30 L 860202456	LinQ Cargo Base Kit 860201806			
LinQ TRAIL PRO BAG 860201986	and Shim Kit 860201432			
Ling SLIM WATERPROOF TUNNEL BAG – 26 L 860202451	Not compatible			
SLIM TUNNEL BAG WITH SOFT STRAPS – 15 L 860202440	LinQ Cargo Base Kit 2x 860201806 (Not compatible on REV-XS)	Not compatible		
LinQ SNOWBOARD/SKI RACK 860202191	Not compatible			
LinQ DRY BAG - 40 L 715008110	Lin0 Cargo Base Kit 860201806 and Shim Kit 860201432	LinQ Adaptor Plate 860200945 and LinQ Cargo Base Kit 860201806		
TUNNEL BACKPACK WITH Ling SOFT STRAP – 28 L 860200939	LinQ Cargo Base Kit 2x 860201806 (Not compatible on REV-XS)	Not compatible		
LinQ ADVENTURE TUNNEL BAG – 40 L 860202444	Not compatible			
LinQ THERMAL BOX – 16 L 219400964	Lin0 Cargo Base Kit 860201806 and Shim Kit 860201432	LinQ Adaptor Plate 860200945 and LinQ Cargo Base Kit 860201806		
LinQ ADVENTURE CARGO BOX - 90 L 860202448	REV-XM requires LinQ Cargo Base Kit 2x 860201806 (Not compatible with REV-XU, REV-XP and REV-XS)			
LinQ CARGO BOX - 62 L 860202446	Not compatible	Not compatible		
LinQ CARGO BOX - 40 L 860202442	REV-XM requires LinQ Cargo Base Kit 2x 860201806 (Not compatible with REV-XU, REV-XP and REV-XS)			
LinQ SR 21 TUNNEL BAG - 21 L 860202449	Not compatible			
LinQ SPORT BAG – 17 L 860202447	LinQ Cargo Base Kit 860201806 (Not compatible with REV-XU)			
LinQ TOOL BOX - 19 L 715008111	LinQ Cargo Base Kit 860201806	LinQ Adaptor Plate 860200945 and LinQ Cargo Base Kit 860201806		
Ling MODULAR CARGO BOX - 10 L 715005494	and Shim Kit 860201432			
LinQ RACKS & HOLDERS				
LinQ UNIVERSAL RACK 860202208	LinQ Cargo Base Kit	Not compatible		
Ling TOOL HOLDER 860201846	860201806	LinQ Cargo Base Kit 860201806		

EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. BRP.COM









SKI-doo. LYNX. SEC-200. Can-am. ROTAX. ALUMIC TOTAL. Manitou QUINTREX

